

Hospital In-Patient Enquiry Scheme

(HIPE)

Data Dictionary 2009

Version 1.0

Health Research & Information Division, Economic & Social Research Institute 2009

Introduction	i
Variables	1
Admission Date	2
Admission Weight	
Admitting Consultant	4
Admitting Ward	5
Age	6
Area of Residence	7
Consultant Specialities	8
Date of Birth	9
Date of Discharge	10
Date of First Procedure	11
Date of Principal Procedure	12
Date of Transfer to Pre-Discharge Unit/Rehab	
Day Case indicator	
Day Ward Identifier	
Day Ward Indicator	
Discharge Code	17
Discharge Consultant	
Discharge Status	19
Discharge Ward	
Episode Number	
Hospital Number	
Intensive Care Consultant	
Marital Status	
Medical Card	
Medical Card Number	
Medical Record Number	
Mode of Emergency Admission	
Non Acute Length of Stay: Temporary Leave Days	
Number of Days in Intensive Care Environment	
Patient's name	
Primary Consultant	
Principal Diagnosis	
Principal Procedure	
Principal Procedure Anaesthetist	
Principal Procedure Consultant	
Private Bed	

Table of Contents

Public Bed	38
Sex	. 39
Source of Admission	40
Transfer Hospital: From	41
Transfer Hospital: to	42
Type of Admission	43
Waiting List Indicator	44
Additional Diagnosis 1st additional	45
1st Additional Diagnosis Consultant	46
1st Additional Procedure	47
1st Additional Procedure Anaesthetist	48
1st Additional Procedure Consultant	49
2nd Additional Diagnosis	50
2nd Additional Diagnosis Consultant	51
2nd Additional Procedure	52
2nd Additional Procedure Anaesthetist	53
2nd Additional Procedure Consultant	54
3rd Additional Diagnosis	55
3rd Additional Diagnosis Consultant	56
3rd Additional Procedure	57
3rd Additional Procedure Anaesthetist	58
3rd Additional Procedure Consultant	59
4th Additional Diagnosis	60
4th Additional Diagnosis Consultant	61
4th Additional Procedure	62
4th Additional Procedure Anaesthetist	63
4th Additional Procedure Consultant	64
5th Additional Diagnosis	65
5th Additional Diagnosis Consultant	66
5th Additional Procedure	67
5th Additional Procedure Anaesthetist	68
5th Additional Procedure Consultant	69
6th Additional Diagnosis	70
6th Additional Diagnosis Consultant	71
6th Additional Procedure	72
6th Additional Procedure Anaesthetist	73
6th Additional Procedure Consultant	. 74
7th Additional Diagnosis	75
7th Additional Diagnosis Consultant	76
7th Additional Procedure	77

7th Additional Procedure Anaesthetist	
7th Additional Procedure Consultant	79
8th Additional Diagnosis	80
8th Additional Diagnosis Consultant	81
8th Additional Procedure	82
8th Additional Procedure Anaesthetist	83
8th Additional Procedure Consultant	
9th Additional Diagnosis	85
9th Additional Diagnosis Consultant	86
9th Additional Procedure	87
9th Additional Procedure Anaesthetist	88
9th Additional Procedure Consultant	89
10th Additional Diagnosis	
10th Additional Diagnosis Consultant	
10th Additional Procedure	
10th Additional Procedure Anaesthetist	
10th Additional Procedure Consultant	
11th Additional Diagnosis	
11th Additional Diagnosis Consultant	
11th Additional Procedure	
11th Additional Procedure Anaesthetist	
11th Additional Procedure Consultant	
12th Additional Diagnosis	100
12th Additional Diagnosis Consultant	101
12th Additional Procedure	102
12th Additional Procedure Anaesthetist	103
12th Additional Procedure Consultant	104
13th Additional Diagnosis	105
13th Additional Diagnosis Consultant	106
13th Additional Procedure	107
13th Additional Procedure Anaesthetist	108
13th Additional Procedure Consultant	109
14th Additional Diagnosis	110
14th Additional Diagnosis Consultant	111
14th Additional Procedure	112
14th Additional Procedure Anaesthetist	113
14th Additional Procedure Consultant	114
15th Additional Diagnosis	115
15th Additional Diagnosis Consultant	116
15th Additional Procedure	117


15th Additional Procedure Anaesthetist	118
15th Additional Procedure Consultant	119
16th Additional Diagnosis	120
16th Additional Diagnosis Consultant	. 121
16th Additional Procedure	. 122
16th Additional Procedure Anaesthetist	. 123
16th Additional Procedure Consultant	. 124
17th Additional Diagnosis	. 125
17th Additional Diagnosis Consultant	. 126
17th Additional Procedure	. 127
17th Additional Procedure Anaesthetist	. 128
17th Additional Procedure Consultant	. 129
18th Additional Diagnosis	. 130
18th Additional Diagnosis Consultant	. 131
18th Additional Procedure	. 132
18th Additional Procedure Anaesthetist	. 133
18th Additional Procedure Consultant	. 134
19th Additional Diagnosis	. 135
19th Additional Diagnosis Consultant	. 136
19th Additional Procedure	. 137
19th Additional Procedure Anaesthetist	. 138
19th Additional Procedure Consultant	. 139
Appendix I - CODE SETS	140
ADMSOURCE – Source of Admission	
ADMTYPE - Admission Type	. 140
DAYCASE DISC_CODE - Discharge Code	
DIS_STATUS- Discharge Status	
EMADM - Mode of Emergency Admission	
Hospital Codes MARR- Marital Status	
MCARD-Medical Card	
RESID – Area of Residence	
SEX	
Specialty	
WARDIND - Registered Day ward Indicator WLIST – Waiting List Indicator	
Appendix II - Classifications	
Appendix III - Abbreviations	
Appendix IV - Source Documents	
Appendix V - Organisations	

Introduction

The Hospital In-Patient Enquiry (HIPE) scheme, established in 1971, is a computer-based health information system designed to collect clinical and administrative data on discharges from, and deaths in, acute hospitals in Ireland. It is the principal source of national data on discharges from acute hospitals. The Economic and Social Research Institute (ESRI) is contracted by the Health Service Executive (HSE) to oversee the administration and management of this scheme. Within the ESRI, the Health Research and Information Division (HRID) is responsible for overseeing all functions associated with the operation of this database, including the development and support of the data collection and reporting software, training of coders and data quality audit, reporting, and responding to requests for data.¹

Objectives of HIPE Data Dictionary Version 1.0

This dictionary will provide definitions and codes for data collected within HIPE as of 2009. It will provide standard definitions with the objective of ensuring that consistency and data quality are maintained by HIPE Coders across all hospitals participating in HIPE. It is also hoped that the dictionary will be of use to researchers, clinicians and hospital management in understanding and analysing HIPE data. Figure 1.1 summarises the HIPE data collection and reporting process. Further information on the development of the HIPE scheme can be found in our annual report series.²



¹ The ESRI's HRID also oversees the administration and management of the National Perinatal Reporting System (NPRS) on behalf of the HSE.

² HIPE Annual Reports can be found on http://www.esri.ie/health_information/latest_hipe_nprs_reports/

Using the Data Dictionary

The HIPE Data Dictionary contains publicly available information; internal variables relating to data quality and the HIPE database structure are not included. All variables are listed alphabetically and an alphabetical index is included in the table of contents. The code sets used for variables are listed in Appendix I and can be accessed via hyperlinks. Due to licensing restrictions this dictionary does not contain the Classifications for Diagnoses and Procedures or the Casemix Classification and Grouping software. For information on the classifications used see Appendix II.

A glossary of abbreviations is provided in Appendix III and hyperlinks to source documents and organisations are provided in Appendices IV and V respectively.

Updates

This document will be updated as variables are added or amended.

Page Layout

While each page does not necessarily include all fields, each page in the data dictionary has a consistent format as follows:

Variable	Name of Variable
Definition	Provides a description of the variable
Definition Source	What is the source of this information?
Source	Information may come from Chart, Hospital PAS, assigned by HIPE Unit, ESRI or it may be derived from other variables
Collected since	Month and year when collection of variable commenced, as the ESRI took over the management of the HIPE Scheme in 1990, variables in operation prior to this data will be marked as pre-1990
Collected/Derived	Is this variable collected from chart or is it derived from the WHIPE data entry software C = Collected & D = Derived
Code Set	Details the information options available for each variable
Data Entry Guideline	Provides further guidance on how variable is assigned to case
Data Type	Integer or Alphanumeric
Field Size	Number of characters in the variable
Variable Name	Variable name in SPSS or HIPE-PAS interchange
Populated in National File	If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals
Reported by	Who reports this variable, this will generally be the Hospital
Reported for	For what cases/discharges is this information reported
Order in Instruction manual	Instruction Manual forms part of the training material provided by the HIPE unit, it provides details of variables collected and is updated to reflect any changes or updates in data collection. This order is numerically based.

Reproduction of material

The Health Research and Information Division permits the reproduction of material from this publication without prior notification, providing all the following conditions are met: the information must not be used for commercial gain, must not be distorted or changed, and the ESRI's Health Research and Information Division must be acknowledged as the source.

CONTACT DETAILS

Health Research and Information Division

The Economic and Social Research Institute

Whitaker Square Sir John Rogerson's Quay Dublin 2 Ireland Telephone + 353 1 8632000 Fax + 353 1 8632100 <u>www.esri.ie</u> email: hipe@esri.ie

Variables

Admission Date

Variable	Admission Date
Definition	The date on which a patient was admitted as an inpatient or daycase to the hospital for care
Definition source Source	Hospital PAS
Collected since	pre 1990
Collected/Derived Code Set	Collected
Data Entry Guideline	dd/mm/yyyy; must be less than or equal to Discharge date
Variable Name SPSS HIPE-PAS interchange	ADMISSION ADMISSION SDADM
Data Type Field Size	Date 8

Populated in National File Y (if no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases reported to HIPE

3

Admission Weight

Variable	Admission Weight
Definition	Admission Weight of patient in grams (Infant)
Definition source Source	ESRI HIPE unit Hospital PAS
Collected since	2004
Collected/Derived Code Set	Collected
Data Entry Guideline	limits: 400 to 9999, can enter less than 400 with explanation
Variable Name SPSS HIPE-PAS interchange	ADMWEIGHT ADMWEIGHT ADMWGT
Data Type Field Size	Integer 4
Populated in National File	Υ

Populated in National File

(if no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where age less than 28 days, or age less than 1 year and weight less than 2500 grams

Admitting Consultant

Variable	Admitting Consultant
Definition	The consultant who admits the patient. If there is no clear information on the chart on the identity of the admitting consultant, the code for the primary consultant is used. Each consultant has a unique number/code assigned by the ESRI, which may not be used for any other consultant. The unique number assigned by the ESRI is encrypted to a unique alphanumeric code when HIPE data are exported from the hospitals. The encrypted values are stored on the HIPE National File and it is not possible to ascertain the identity of individual consultants from any of the consultant fields in the national file.
Definition source Source	ESRI HIPE unit Hospital PAS
Collected since	1994
Collected/Derived Code Set	Collected
Data Entry Guideline	Where the entire case is handled by one consultant his/her code number need be entered only opposite the principal diagnosis. If more than one consultant is involved in a case the relevant consultant number will be placed opposite the relevant diagnosis/procedures
Variable Name SPSS HIPE-PAS interchange	ADMCON ADMCON CONSULT
Data Type Field Size	Integer 4
Populated in National File (<i>if no, this variable is only populated in</i> <i>the hospital version of HIPE and is not available</i>	Y - encrypted across hospitals)
Reported by Reported for	Hospital All cases reported to HIPE
Order in Instruction Manual	21b

Admitting Ward

Variable	Admitting Ward
Definition Definition source Source	The ward to which the patient is formally admitted, based on the midnight census on the day of admission Hospital Hospital PAS
Collected since	1996- optional; 2007 mandatory
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	A_WARD A_WARD A_WARD
Data Type Field Size	Alphanumeric 6
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

25a

Reported by Reported for

Hospital All cases reported to HIPE

Age

Variable	Age
Definition Definition source	The patient's age at admission
Source	ADMISSION - DOB
Collected since	pre 1990
Collected/Derived Code Set Data Entry Guideline	Derived
Variable Name SPSS HIPE-PAS interchange	AGE AGE
Data Type Field Size	Integer 3
Developed in National File	X

8a

Populated in National File Y (if no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

n/a All cases reported to HIPE

Order in Instruction Manual

Health Research & Information Division, Economic & Social Research Institute 2009

Area of Residence

Variable	Area of Residence
Definition Definition source Source	The place the patient would normally reside. Foreign nationals resident in Ireland should have a code assigned for their Irish place of residence. Foreign visitors on short stay should be coded to their country of residence. ESRI HIPE unit Chart
Collected since	pre 1990
Collected/Derived Code Set Data Entry Guideline	Collected <u>RESID</u>
Variable Name SPSS HIPE-PAS interchange	RESID RESID RESID
Data Type Field Size	Integer 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available.	Y across hospitals)

Reported by	Hospital
Reported for	All cases reported to HIPE

Consultant Specialities

Variable	Consultant Specialities
Definition Definition source Source	A specialty code is assigned to the record on the basis of the specialty assignment of the consultant associated with the principal diagnosis. The specialty of the consultant is the specialty in which s/he is formally recognised and contracted to work. A consultant may be formally recognised and contracted to work in more than one specialty; in these cases one specialty is recognised as the main one. DOHC Hospital PAS
Collected since	1994
Collected/Derived Code Set Data Entry Guideline	Collected Specialty specialty is assigned at the hospital from the DOHC list. A consultant may be assigned more than one specialty
Variable Name SPSS HIPE-PAS interchange	SPECIAL SPECIAL SPECIAL
Data Type Field Size	Integer 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)
Departed by	Heepitel

Reported by Reported for

Hospital All cases reported to HIPE

Date of Birth

Variable	Date of Birth
Definition Definition source Source	Patient's Date of Birth ESRI HIPE unit Hospital PAS
Collected since	pre 1990
Collected/Derived Code Set	Collected
Data Entry Guideline	At least Year of birth is required. If Day/Month are unknown, enter as 00/00/YY. 00 for day, month will be derived to 01, and the variable UNSURE is completed
Variable Name SPSS HIPE-PAS interchange	DOB DOB SDOB
Data Type Field Size	date 8
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)
Reported by Reported for	Hospital All cases
Order in Instruction Manual	8

Variable	Date of Discharge
Definition	The date on which the patient is discharged from hospital following an episode of care.
Definition source Source	ESRI HIPE unit Hospital PAS
Collected since	pre 1990
Collected/Derived Code Set	Collected
Data Entry Guideline	dd/mm/yyyy must be greater than or equal to ADMISSION date
Variable Name SPSS HIPE-PAS interchange	DISCHARGE DISCHARGE SDDIS
Data Type	date
Field Size	8
Populated in National File (<i>if no, this variable is only populated in</i> <i>the hospital version of HIPE and is not available</i>	Y across hospitals)

6

Reported by	Hospital
Reported for	All cases

Date of First Procedure

Variable	Date of First Procedure
Definition Definition source Source	Date first procedure performed ESRI HIPE unit Chart
Collected since	1990
Collected/Derived Code Set Data Entry Guideline	Collected greater than or equal to ADMISSION date and less than or equal to DISCHARGE date
Variable Name SPSS HIPE-PAS interchange	P1DATE P1DATE
Data Type Field Size	date 8
Populated in National File	Y

Populated in National File Y (if no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where a procedure was performed

Date of Principal Procedure

Variable	Date of Principal Procedure
Definition Definition source Source	Date Principal Procedure performed ESRI HIPE unit Chart
Collected since	pre 1990
Collected/Derived Code Set	Collected
Data Entry Guideline	greater than or equal to ADMISSION date and less than or equal to DISCHARGE date
Variable Name SPSS HIPE-PAS interchange	THEATRE THEATRE
Data Type Field Size	date 8

Populated in National File Y (if no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Reported for Hospital All cases where a procedure was performed

Date of Transfer to Pre-Discharge Unit/Rehab

Variable Unit/Rehab	Date of Transfer to Pre-Discharge
Definition	Date when a patient is transferred to a registered Pre-Discharge unit within the hospital prior to discharge.
Definition source Source	ESRI HIPE unit Chart
Collected since	2004
Collected/Derived Code Set	Collected
Data Entry Guideline	Date must be greater than ADMISSION date & less than DISCHARGE date. Hospitals must register the pre-Discharge Unit/Rehab with the National Casemix Programme, HSE
Variable Name SPSS HIPE-PAS interchange	TRPDU TRPDU TRPDU
Data Type Field Size	date 8
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y across hospitals)
Reported by Reported for	Hospital Optional

Variable	Day Case indicator
Definition Definition source Source	Was this a Day Case? DOHC Hospital PAS
Collected since	2000
Collected/Derived Code Set Data Entry Guideline	Collected DAYCASE A day case is a patient who is admitted to hospital on an elective basis for care and/or treatment which does not require use of a hospital bed overnight and who is discharged as scheduled. If Daycase is indicated, Day Ward Indicator/Identifier must be completed
Variable Name SPSS HIPE-PAS interchange Data Type Field Size	DAYCASE DAYCASE DAYCASE Integer 1
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

Reported by	Hospital
Reported for	All cases

Variable	Day Ward Identifier
Definition Definition source	Name of pre-registered Day Ward - to identify the day place where the patient was treated ESRI HIPE unit
Source	Hospital PAS
Collected since	2005
Collected/Derived Code Set	Collected
Data Entry Guideline	Dedicated Day Wards must be registered with the National Casemix programme.
Variable Name SPSS HIPE-PAS interchange	WARDLOC WARDLOC WARDLOC
Data Type Field Size	Alphanumeric 6
Populated in National File	Υ

18

 Populated in National File
 Y

 (if no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where WARDIND = 1

Variable	Day Ward Indicator
Definition Definition source	Was this Daycase patient admitted to a dedicated Day Ward?
Source	Hospital PAS
Collected since	2004
Collected/Derived Code Set Data Entry Guideline	Collected WARDIND Dedicated Day Wards must be registered with the National Casemix programme. WARDIND = 0 if patient is marked as a day case but the episode was not admitted to a dedicated Day Ward, WARDIND = 1 If patient is marked as a daycase and the episode was admitted to a dedicated Day Ward, WARDIND = 2 If the patient is marked as a daycase and the setting of the episode is unknown
Variable Name SPSS HIPE-PAS interchange	WARDIND WARDIND WARDIND
Data Type Field Size	Integer 1
Populated in National File	Y

Populated in National File Y (if no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where DAYCASE = 1

Order in Instruction Manual

17

Discharge Code

Variable	Discharge Code
Definition Definition source Source	Identifies the discharge destination ESRI HIPE unit Hospital PAS
Collected since	2002
Collected/Derived Code Set Data Entry Guideline	Collected DISC CODE
Variable Name SPSS HIPE-PAS interchange	DISC_CODE DISC_CODE DISC_CODE
Data Type Field Size	Integer 2
Populated in National File	Υ

(if no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by	Hospital
Reported for	All cases

Discharge Consultant

Variable	Discharge Consultant
Definition Definition source Source	The consultant who discharges the patient at the end of the episode. Each consultant has a unique number/code assigned by the ESRI, which may not be used for any other consultant. The unique number assigned by the ESRI is encrypted to a unique alphanumeric code when HIPE data are exported from the hospitals. The encrypted values are stored on the HIPE National File and it is not possible to ascertain the identity of individual consultants from any of the consultant fields in the national file. ESRI HIPE unit Hospital PAS
Collected since	1996 - optional; 2002 - mandatory
Collected/Derived Code Set Data Entry Guideline	Collected Where the entire case is handled by one consultant his/her code number need be entered only opposite the principal diagnosis. If more than one consultant is involved in a case the relevant consultant number will be placed opposite the relevant diagnosis/procedures
Variable Name SPSS HIPE-PAS interchange	DISCON DISCON D_CONSULT
Data Type Field Size	Integer 4
Populated in National File (<i>if no, this variable is only populated in</i> <i>the hospital version of HIPE and is not available</i>	Y - encrypted across hospitals)
Reported by Reported for	Hospital All cases reported to HIPE

Discharge Status

Variable	Discharge Status
Definition	Public/Private Status of Patient on Discharge
Definition source Source	ESRI HIPE unit Hospital PAS
Collected since	1999
Collected/Derived Code Set Data Entry Guideline	Collected <u>DIS_STATUS</u> Refers to whether the patient saw the consultant publicly or privately. It does not relate to the type of bed occupied nor is it an indicator of possession of private health insurance.
Variable Name SPSS HIPE-PAS interchange	DIS_STATUS DIS_STATUS DIS_STATUS
Data Type Field Size	Integer 1
Populated in National File (if no, this variable is only populated in	Y

the hospital version of HIPE and is not available across hospitals)

Reported by	Hospital
Reported for	All cases

Discharge Ward

Variable	Discharge Ward
Definition	The ward occupied prior to discharge
Definition source	Hospital
Source	Hospital PAS
Collected since	1996- optional; 2007 mandatory
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name	D_WARD
SPSS	D_WARD
HIPE-PAS interchange	D_WARD
Data Type	Alphanumeric
Field Size	6

Populated in National File Y (if no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Reported for Hospital All cases reported to HIPE

25b

Order in Instruction Manual

Health Research & Information Division, Economic & Social Research Institute 2009

Episode Number

Variable	Episode Number
Definition	PAS or HIS unique number for this patient episode
Definition source Source	Hospital Hospital PAS
Collected since	2000
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	EP_NUM EP_NUM EP_NUM
Data Type Field Size	Alphanumeric 8
Populated in National File (<i>if no, this variable is only populated in</i> <i>the hospital version of HIPE and is not available</i>	N across hospitals)

Reported by	Hospital
Reported for	All cases

Hospital Number

Variable	Hospital Number
Definition	Unique numeric identifier assigned to each hospital by HIPE
Definition source Source	ESRI HIPE unit Assigned by ESRI HIPE unit
Collected since	pre 1990
Collected/Derived Code Set Data Entry Guideline	Collected <u>Hospital Codes</u> The 3-digit number is allocated to the hospital by ESRI for HIPE purposes and is automatically assigned by the W-HIPE software. This code number differs from the DOHC hospital codes which are used for transfers to and from hospitals
Variable Name SPSS HIPE-PAS interchange	HOSPITAL HOSPITAL
Data Type Field Size	Alphanumeric 3
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)
Reported by Reported for	Hospital All cases reported to HIPE

Order in Instruction Manual

1

Intensive Care Consultant

Variable	Intensive Care Consultant
Definition Definition source Source	Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure will be captured here. Up to 10 consultants codes can be added, all stored in this variable (1st consultant code position 1-4, 2nd consultant code 5-9 etc) ESRI HIPE unit Chart
Collected since	1st Sep 2008
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	ICUCON ICUCON
Data Type Field Size	Alphanumeric 40
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y - encrypted across hospitals)
Reported by Reported for	Hospital All cases where ITU_DAYS greater than 0

21f

Marital Status

Variable

Definition Definition source Source Current marital status of the patient ESRI HIPE unit Hospital PAS

Collected since pre 1990 Updated in 2001 to include divorced

Marital Status

Collected/Derived Code Set Data Entry Guideline Collected MARR

Y

Variable Name	MARR
SPSS	MARR
HIPE-PAS interchange	MARR
Data Type	Integer
Field Size	1

Populated in National File

(if no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by	Hospital
Reported for	All cases

Medical Card

Variable

Medical Card

Definition Medical Card Indicator **Definition source ESRI HIPE unit** Source **Hospital PAS**

Collected since

Collected/Derived Code Set **Data Entry Guideline** 1994

Collected **MCARD**

MEDICAL

MEDICAL

MED_CARD

Variable Name SPSS **HIPE-PAS** interchange

Data Type **Field Size**

Integer 1

Populated in National File Y (if no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by	Hospital
Reported for	All cases

Medical Card Number

Variable	Medical Card Number
Definition	General Medical Services/Medical Card Number
Definition source Source	DOHC Hospital PAS
Collected since	1999 - optional; 2008 mandatory where medical=1
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	MCN MCN MCN
Data Type Field Size	Alphanumeric 8
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)
Reported by	Hospital

13

Reported by Reported for Hospital All cases where Medical Card = 1, Yes

Medical Record Number

Variable	Medical Record Number
Definition Definition source Source	Unique identifier assigned by hospital to this patient within this hospital but not necessarily unique to this patient encounter. All encounters relating to a particular patient in the same hospital should be recorded under the same MRN, but this is not always possible. Hospital Hospital PAS
Collected since	pre 1990
Collected/Derived Code Set Data Entry Guideline	Collected Determined by the hospital, if number of digits is less than 7, place leading zeros before the Chart Number. Up to 2 alphanumeric digits allowed, place these before the chart number and in the first position. Chart numbers that are keyed as 6-digits are stored with # in the first position on the National File
Variable Name SPSS HIPE-PAS interchange Data Type	MRN MRN MRN Alphanumeric
Field Size	7
Populated in National File	Υ

(if no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases reported to HIPE

Order in Instruction Manual

Mode of Emergency Admission

Variable	Mode of Emergency Admission
Definition Definition source Source	Indicates where the patient was treated prior to being admitted into the hospital as an inpatient or when the patient was treated only in a registered Medical Assessment Unit (MAU). (MAU must be registered with DOHC) ESRI HIPE unit Hospital PAS
Collected since	2004
Collected/Derived Code Set Data Entry Guideline	Collected <u>EMADM</u> use code = 2 where Patient is admitted as In- Patient through the MAU. Use code 5 if the patient is admitted to the MAU and discharged from there on the same day.
Variable Name SPSS HIPE-PAS interchange	EMADM EMADM EMADM
Data Type Field Size	Integer 1
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)
Reported by	Hospital

Reported for

Hospital All cases reported to HIPE where Admission Type is 4 (Emergency), 5 (Emergency Readmission), or 7 (New born)

Order in Instruction Manual

Non Acute Length of Stay: Temporary Leave Days

Variable Days	Non Acute Length of Stay: Temporary Leave
Definition Definition source Source	Number of days a patient did not spend in hospital during an episode DOHCC Chart
Collected since	2007
Collected/Derived Code Set Data Entry Guideline	Collected A patient is temporarily discharged when: the patient is allowed to leave the hospital for a short number of days;their bed in hospital remains for their use and is not available for another patient;the patient returns after the specified amount of time to continue their ongoing care. Temporary Leave Days do NOT apply in the following situations: *patient is considered clinically discharged but continues to reside in a bed prior to transfer elsewhere *patient is temporarily sent to another hospital for a day to undergo a particular procedure *where the patient returns home during a day and returns to hospital before midnight *where a patient returns home for more than 3 days and is then readmitted
Variable Name SPSS HIPE-PAS interchange	NALOS NALOS NONACUTE
Data Type Field Size	Integer 3
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)
Reported by Reported for	Hospital

26

Number of Days in Intensive Care Environment

Variable Environment	Number of Days in Intensive Care
Definition	Number of Days patient spent in Intensive care
Definition source Source	Environment e.g. ICU/ITU/Ccu/HDU/NITU ESRI HIPE unit Hospital PAS
Collected since	1996 - optional; 2002 - mandatory
Collected/Derived Code Set	Collected
Data Entry Guideline	Based on Midnight census
Variable Name SPSS HIPE-PAS interchange	ITU_DAYS ITU_DAYS ITU_DAYS
Data Type Field Size	Integer 1
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y across hospitals)

Reported by	Hospital
Reported for	All cases

Order in Instruction Manual 19

Health Research & Information Division, Economic & Social Research Institute 2009

Patient's name

Variable	Patient's name
Definition Definition source Source	The patient's Name Hospital Hospital PAS
Collected since	pre 1990
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	NAMEVAL NAMEVAL NAME
Data Type Field Size	Alphanumeric 15
Populated in National File (if no, this variable is only populated in the begnital version of HIPE and is not available of	N

the hospital version of HIPE and is not available across hospitals)

Reported by	Hospital
Reported for	All cases

Order in Instruction Manual

Health Research & Information Division, Economic & Social Research Institute 2009

2e

Variable	Primary Consultant
Definition	The primary consultant of a case is the consultant who has overall responsibility for the case.
Definition source Source	ESRI HIPE unit Hospital PAS
Collected since	1990
Collected/Derived Code Set	Collected
Data Entry Guideline	Where the entire case is handled by one consultant his/her code number need be entered only opposite the principal diagnosis. If more than one consultant is involved in a case the relevant consultant number will be placed opposite the relevant diagnosis/procedures
Variable Name SPSS HIPE-PAS interchange	DCON DCON PRICON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y - encrypted across hospitals)
Reported by Reported for	Hospital All cases reported to HIPE
Order in Instruction Manual	30a

Principal Diagnosis

Variable	Principal Diagnosis
Definition	The diagnosis established after study to be chiefly responsible for occasioning the episode of admitted patient care
Definition source Source	6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	pre 1990
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS
Variable Name SPSS HIPE-PAS interchange	DIAG DIAG
Data Type Field Size	Alphanumeric 5
Populated in National File (<i>if no, this variable is only populated in</i> <i>the hospital version of HIPE and is not available</i>	Y across hospitals)
Reported by	Hospital

Reported for

All cases

30

Principal Procedure

Variable	Principal Procedure
Definition Definition source Source	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	pre 1990
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis
Variable Name SPSS HIPE-PAS interchange	PROC PROC
Data Type Field Size	Integer 6
Populated in National File (<i>if no, this variable is only populated in</i> <i>the hospital version of HIPE and is not available</i>	Y across hospitals)

Reported by Reported for

Hospital All cases where a procedure was performed

Order in Instruction Manual

Principal Procedure Anaesthetist

Variable	Principal Procedure Anaesthetist
Definition	Anaesthetist responsible for anaesthetics in
Definition source Source	principal procedure ESRI HIPE unit Chart
Collected since	01-SEP-08
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	P1ANA P1ANA
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the bosnital version of HIPE and is not available a	Y - encrypted

the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where the procedure is performed with anaesthetic

Principal Procedure Consultant

Variable	Principal Procedure Consultant
Definition	Consultant responsible for principal procedure
Definition source Source	ESRI HIPE unit Chart
Collected since	pre-1990
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PCON PCON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted across hospitals)

Reported by Reported for Hospital All cases where a procedure is performed

Private Bed

Variable	Private Bed
Definition	Number of Days patient spent in private/semi private bed
Definition source Source	ESRI HIPE unit Hospital PAS
Collected since	2002
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PRIV_DAYS PRIV_DAYS PRIV_DAYS
Data Type Field Size	Integer 3
Populated in National File	Υ

(if no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases reported to HIPE

Public Bed

Variable	Public Bed
Definition Definition source Source	Number of Days spent in a public bed ESRI HIPE unit Hospital PAS
Collected since	2002 - optional; 2008 mandatory
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PUB_DAYS PUB_DAYS PUB_DAYS
Data Type Field Size	Integer 3
Populated in National File	Y

(if no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases reported to HIPE

Sex

Variable	Sex
Definition	The sex of the patient
Definition source	ESRI HIPE unit
Source	Hospital PAS
Collected since	pre 1990
Collected/Derived Code Set Data Entry Guideline	Collected <u>SEX</u>
Variable Name	SEX
SPSS	SEX
HIPE-PAS interchange	SEX
Data Type	Integer
Field Size	1

Populated in National File Y (if no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by	Hospital
Reported for	All cases

Order in Instruction Manual 10

Health Research & Information Division, Economic & Social Research Institute 2009

Variable	Source of Admission
Definition Definition source Source	Describes where the patient was residing prior to admission. It does not refer to where an emergency or accident occurred. ESRI HIPE unit Hospital PAS
Collected since	2002
Collected/Derived Code Set Data Entry Guideline	Collected <u>ADMSOURCE</u> Used to describe the nature of admission (routine or transfer) for a hospital inpatient event
Variable Name SPSS HIPE-PAS interchange	ADMSOURCE ADMSOURCE ADMSOURCE
Data Type	Integer

Data Type Field Size

Integer 1

5

Populated in National File Y (if no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases reported to HIPE

Transfer Hospital: From

Variable	Transfer Hospital: From
Definition	Hospital from which the patient was transferred
Definition source Source	DOHC Hospital PAS
Collected since	1994
Collected/Derived Code Set Data Entry Guideline	Collected <u>Hospital Codes</u> When ADMSOURCE is entered as 3, W-HIPE directs to TRANSFER_I question
Variable Name SPSS HIPE-PAS interchange	TRANSFER_I TRANSFER_I TRANSFER_I
Data Type	Integer

Data Type Field Size Integer 4

Populated in National File Y (if no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Reported for Hospital All cases reported to HIPE where Source of admission = 3

Transfer Hospital: to

Variable	Transfer Hospital: to
Definition	Hospital to which the patient was transferred
Definition source Source	DOHC Hospital PAS
Collected since	1994
Collected/Derived Code Set Data Entry Guideline	Collected <u>Hospital Codes</u> When DISC_CODE is entered as 3 or 4, W- HIPE directs to TRANSFER_O question
Variable Name SPSS HIPE-PAS interchange	TRANSFER_O TRANSFER_O TRANSFER_O
Data Type Field Size	Integer 4

7a

Populated in National File Y (if no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where Discharge code = 03 or 04

Order in Instruction Manual

Health Research & Information Division, Economic & Social Research Institute 2009

Variable	Type of Admission
Definition	The category of admission relating to this episode of care, indicates the priority of the admission.
Definition source Source	ESRI HIPE unit Hospital PAS
Collected since	2002; amended 2009
Collected/Derived Code Set Data Entry Guideline	Collected <u>ADMTYPE</u> Elective MAU Admissions to registered MAUs will record an elective admission type. The admitting ward will record the MAU ward code and the discharge ward will be coded as appropriate
Variable Name SPSS HIPE-PAS interchange	ADMTYPE ADMTYPE ADMTYPE
Data Type Field Size	Integer 1
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

Reported by Reported for

Hospital All cases reported to HIPE

Order in Instruction Manual

Waiting List Indicator

Variable	Waiting List Indicator
Definition	If the case funded by the National Treatment Purchase Fund
Definition source Source	ESRI HIPE unit Hospital PAS
Collected since	2004
Collected/Derived Code Set Data Entry Guideline	Collected WLIST
Variable Name SPSS HIPE-PAS interchange	WLIST WLIST WLIST
Data Type Field Size	Integer 1

4

Populated in National File Y (if no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by **Reported for** Hospital All cases reported to HIPE where Admission Type is 1 (Elective) or 2 (Elective Readmission)

Additional Diagnosis 1st additional

Variable	Additional Diagnosis 1st additional
Definition Definition source Source	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. 1st additional diagnosis 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	1990
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS
Variable Name SPSS HIPE-PAS interchange	C2DIA C2DIA
Data Type Field Size	Alphanumeric 5
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

Reported by Reported for Hospital All cases where at least additional diagnosis was made

1st Additional Diagnosis Consultant

Variable	1st Additional Diagnosis Consultant
Definition	Consultant attending 1st additional diagnosis
Definition source Source	ESRI HIPE unit Chart
Collected since	1990
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	C2CON C2CON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the bosnital version of HIPE and is not available a	Y - encrypted

the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where at least 1 additional diagnosis was made

1st Additional Procedure

Variable	1st Additional Procedure
Definition Definition source Source	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. 1st additional procedure 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	1990
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis
Variable Name SPSS HIPE-PAS interchange	P2PRO P2PRO
Data Type Field Size	Integer 6
Populated in National File (<i>if no, this variable is only populated in</i> <i>the hospital version of HIPE and is not available</i>	Y across hospitals)

Reported by Reported for Hospital All cases where at least one additional procedure was performed

1st Additional Procedure Anaesthetist

Variable	1st Additional Procedure Anaesthetist
Definition	Anaesthetist responsible for anaesthetics in 1st
Definition source Source	additional procedure ESRI HIPE unit Chart
Collected since	01-Sep-08
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	P2ANA P2ANA
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where the 1st additional procedure was performed with anaesthetic

1st Additional Procedure Consultant

Variable	1st Additional Procedure Consultant
Definition	Consultant responsible for 1st additional procedure
Definition source Source	ESRI HIPE unit Chart
Collected since	1990
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	P2CON P2CON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where at least 1 additional procedure was performed

2nd Additional Diagnosis

Variable	2nd Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. 2nd additional diagnosis
Definition source Source	6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	1990
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS
Variable Name SPSS HIPE-PAS interchange	C3DIA C3DIA
Data Type Field Size	Alphanumeric 5
Populated in National File (<i>if no, this variable is only populated in</i> <i>the hospital version of HIPE and is not available</i>	Y across hospitals)

Reported by Reported for Hospital All cases where a 2nd additional diagnosis was made

2nd Additional Diagnosis Consultant

Variable	2nd Additional Diagnosis Consultant
Definition	Consultant attending 2nd additional diagnosis
Definition source Source	ESRI HIPE unit Chart
Collected since	1990
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	C3CON C3CON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where a 2nd additional diagnoses were made

2nd Additional Procedure

Variable	2nd Additional Procedure
Definition Definition source Source	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. 2nd additional procedure 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	1990
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis
Variable Name SPSS HIPE-PAS interchange	P3PRO P3PRO
Data Type Field Size	Integer 6
Populated in National File (<i>if no, this variable is only populated in</i> <i>the hospital version of HIPE and is not available</i>	Y across hospitals)

Reported by Reported for Hospital All cases where a 2nd additional procedure was performed

Order in Instruction Manual

2nd Additional Procedure Anaesthetist

Variable	2nd Additional Procedure Anaesthetist
Definition	Anaesthetist responsible for anaesthetics in 2nd additional procedure
Definition source Source	ESRI HIPE unit Chart
Collected since	01-Sep-08
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	P3ANA P3ANA
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted across hospitals)

Reported by Reported for

Hospital All cases where a 2nd additional procedures was performed with anaesthetic

2nd Additional Procedure Consultant

Variable	2nd Additional Procedure Consultant
Definition	Consultant responsible for 2nd additional
Definition source Source	procedure ESRI HIPE unit Chart
Collected since	1990
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	P3CON P3CON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted across hospitals)

Reported by Reported for

Hospital All cases where a 2nd additional procedures was performed

3rd Additional Diagnosis

Variable	3rd Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. 3rd additional diagnosis
Definition source Source	6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	1990
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS
Variable Name SPSS HIPE-PAS interchange	C4DIA C4DIA
Data Type Field Size	Alphanumeric 5
Populated in National File (<i>if no, this variable is only populated in</i> <i>the hospital version of HIPE and is not available</i>	Y across hospitals)

Reported by Reported for Hospital All cases where a 3rd additional diagnosis was made

3rd Additional Diagnosis Consultant

Variable	3rd Additional Diagnosis Consultant
Definition	Consultant attending 3rd additional diagnosis
Definition source Source	ESRI HIPE unit Chart
Collected since	1990
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	C4CON C4CON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in	Y - encrypted

the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where a third additional diagnosis was made

3rd Additional Procedure

Variable	3rd Additional Procedure
Definition Definition source Source	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. 3rd additional procedure 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	1990
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis
Variable Name SPSS HIPE-PAS interchange	P4PRO P4PRO
Data Type Field Size	Integer 6
Populated in National File (<i>if no, this variable is only populated in</i> <i>the hospital version of HIPE and is not available</i>	Y across hospitals)

Reported by Reported for

Hospital All cases where a 3rd additional procedure was performed

Order in Instruction Manual

3rd Additional Procedure Anaesthetist

Variable	3rd Additional Procedure Anaesthetist
Definition	Anaesthetist responsible for anaesthetics in 3rd
Definition source Source	additional procedure ESRI HIPE unit Chart
Collected since	01-Sep-08
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	P4ANA P4ANA
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the boshital version of HIPE and is not available a	Y - encrypted

the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where a 3rd additional procedure was performed with anaesthetic

3rd Additional Procedure Consultant

Variable	3rd Additional Procedure Consultant
Definition	Consultant responsible for 3rd additional procedure
Definition source Source	ESRI HIPE unit Chart
Collected since	1990
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	P4CON P4CON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where a 3rd additional procedures were performed

4th Additional Diagnosis

Variable	4th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. 4th additional diagnosis
Definition source Source	6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	1990
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS
Variable Name SPSS HIPE-PAS interchange	C5DIA C5DIA
Data Type Field Size	Alphanumeric 5
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

Reported by Reported for Hospital All cases where a 4th additional diagnosis was made

4th Additional Diagnosis Consultant

Variable	4th Additional Diagnosis Consultant
Definition	Consultant attending 4th additional diagnosis
Definition source Source	ESRI HIPE unit Chart
Collected since	1990
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	C5CON C5CON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the bosnital version of HIPE and is not available a	Y - encrypted

the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where a 4th additional diagnosis was made

4th Additional Procedure

Variable	4th Additional Procedure
Definition Definition source Source	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. 4th additional procedure 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2002
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis
Variable Name SPSS HIPE-PAS interchange	P5PRO P5PRO
Data Type Field Size	Integer 6
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

Reported by Reported for

Hospital All cases where a 4th additional procedure was performed

Order in Instruction Manual

Variable	4th Additional Procedure Anaesthetist
Definition	Anaesthetist responsible for anaesthetics in 4th
Definition source Source	additional procedure ESRI HIPE unit Chart
Collected since	01-Sep-08
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	P5ANA P5ANA
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where a 4th additional procedure was performed with anaesthetic

4th Additional Procedure Consultant

Variable	4th Additional Procedure Consultant
Definition	Consultant responsible for 4th additional
Definition source Source	procedure ESRI HIPE unit Chart
Collected since	2002
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	P5CON P5CON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where a 4th additional procedure was performed

5th Additional Diagnosis

Variable	5th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. 5th additional diagnosis
Definition source Source	6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	1990
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS
Variable Name SPSS HIPE-PAS interchange	C6DIA C6DIA
Data Type Field Size	Alphanumeric 5
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

Reported by Reported for Hospital All cases where a 5th additional diagnosis was made

5th Additional Diagnosis Consultant

Variable	5th Additional Diagnosis Consultant
Definition	Consultant attending 5th additional diagnosis
Definition source Source	ESRI HIPE unit Chart
Collected since	1990
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	C6CON C6CON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where a 5th additional diagnosis was made

5th Additional Procedure

Variable	5th Additional Procedure
Definition Definition source Source	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. 5th additional procedure 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2002
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis
Variable Name SPSS HIPE-PAS interchange	P6PRO P6PRO
Data Type Field Size	Integer 6
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

Reported by Reported for Hospital All cases where a 5th additional procedure was performed

Order in Instruction Manual

66

Variable	5th Additional Procedure Anaesthetist
Definition	Anaesthetist responsible for anaesthetics in 5th
Definition source Source	additional procedure ESRI HIPE unit Chart
Collected since	01-Sep-08
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	P6ANA P6ANA
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where a 5th additional procedure was performed with anaesthetic

5th Additional Procedure Consultant

Variable	5th Additional Procedure Consultant
Definition	Consultant responsible for 5th additional procedure
Definition source Source	ESRI HIPE unit Chart
Collected since	2002
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	P6CON P6CON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where a 5th additional procedure was performed

6th Additional Diagnosis

Variable	6th Additional Diagnosis
Definition Definition source Source	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. 6th additional diagnosis 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2002
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS
Variable Name SPSS HIPE-PAS interchange	C7DIA C7DIA
Data Type Field Size	Alphanumeric 5
Populated in National File (<i>if no, this variable is only populated in</i> <i>the hospital version of HIPE and is not available</i>	Y across hospitals)

Reported by Reported for Hospital All cases where a 6th additional diagnosis was made

6th Additional Diagnosis Consultant

Variable	6th Additional Diagnosis Consultant
Definition	Consultant attending 6th additional diagnosis
Definition source Source	ESRI HIPE unit Chart
Collected since	2002
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	C7CON C7CON
Data Type Field Size	Alphanumeric 4
Populated in National File	Y - encrypted

(if no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where a 6th additional diagnosis was made

6th Additional Procedure

Variable	6th Additional Procedure
Definition Definition source Source	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. 6th additional procedure 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2002
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis
Variable Name SPSS HIPE-PAS interchange	P7PRO P7PRO
Data Type Field Size	Integer 6
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

Reported by Reported for Hospital All cases where a 6th additional procedure was performed

Order in Instruction Manual

67

Variable	6th Additional Procedure Anaesthetist
Definition	Anaesthetist responsible for anaesthetics in 6th
Definition source Source	additional procedure ESRI HIPE unit Chart
Collected since	01-Sep-08
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	P7ANA P7ANA
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where a 6th additional procedure was performed with anaesthetic

6th Additional Procedure Consultant

Variable	6th Additional Procedure Consultant
Definition	Consultant responsible for 6th additional procedure
Definition source Source	ESRI HIPE unit Chart
Collected since	2002
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	P7CON P7CON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where a 6th additional procedure was performed

7th Additional Diagnosis

Variable	7th Additional Diagnosis
Definition Definition source Source	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. 7th additional diagnosis 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2002
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS
Variable Name SPSS HIPE-PAS interchange	C8DIA C8DIA
Data Type Field Size	Alphanumeric 5
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

Reported by Reported for Hospital All cases where a 7th additional diagnosis was made

7th Additional Diagnosis Consultant

Variable	7th Additional Diagnosis Consultant
Definition	Consultant attending 7th additional diagnosis
Definition source Source	ESRI HIPE unit Chart
Collected since	2002
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	C8CON C8CON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the begintal version of HIPE and is not available of	Y - encrypted

the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where a 7th additional diagnosis was made

7th Additional Procedure

Variable	7th Additional Procedure
Definition Definition source Source	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. 7th additional procedure 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2002
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis
Variable Name SPSS HIPE-PAS interchange	P8PRO P8PRO
Data Type Field Size	Integer 6
Populated in National File (<i>if no, this variable is only populated in</i> <i>the hospital version of HIPE and is not available</i>	Y across hospitals)

Reported by Reported for

Hospital All cases where a 7th additional procedure was performed

Order in Instruction Manual

68

Variable	7th Additional Procedure Anaesthetist
Definition	Anaesthetist responsible for anaesthetics in 7th
Definition source Source	additional procedure ESRI HIPE unit Chart
Collected since	01-Sep-08
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	P8ANA P8ANA
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where a 7th additional procedure was performed with anaesthetic

7th Additional Procedure Consultant

Variable	7th Additional Procedure Consultant
Definition	Consultant responsible for 7th additional procedure
Definition source Source	ESRI HIPE unit Chart
Collected since	2002
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	P8CON P8CON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where a 7th additional procedure was performed

8th Additional Diagnosis

Variable	8th Additional Diagnosis
Definition Definition source Source	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. 8th additional diagnosis 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2002
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS
Variable Name SPSS HIPE-PAS interchange	C9DIA C9DIA
Data Type Field Size	Alphanumeric 5
Populated in National File (<i>if no, this variable is only populated in</i> <i>the hospital version of HIPE and is not available</i>	Y across hospitals)

Reported by Reported for Hospital All cases where an 8th additional diagnosis was made

8th Additional Diagnosis Consultant

Variable	8th Additional Diagnosis Consultant
Definition	Consultant attending 8th additional diagnosis
Definition source Source	ESRI HIPE unit Chart
Collected since	2002
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	C9CON C9CON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in	Y - encrypted

the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where an 8th additional diagnosis was made

8th Additional Procedure

Variable	8th Additional Procedure
Definition Definition source Source	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. 8th additional procedure 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2002
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis
Variable Name SPSS HIPE-PAS interchange	P9PRO P9PRO
Data Type Field Size	Integer 6
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

Reported by Reported for

Hospital All cases where an 8th additional procedure was performed

Order in Instruction Manual

69

Variable	8th Additional Procedure Anaesthetist
Definition	Anaesthetist responsible for anaesthetics in 8th
Definition source Source	additional procedure ESRI HIPE unit Chart
Collected since	01-Sep-08
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	P9ANA P9ANA
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where an 8th additional procedure was performed

8th Additional Procedure Consultant

Variable	8th Additional Procedure Consultant
Definition	Consultant responsible for 8th additional procedure
Definition source Source	ESRI HIPE unit Chart
Collected since	2002
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	P9CON P9CON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where an 8th additional procedure was performed

9th Additional Diagnosis

Variable	9th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. 9th additional diagnosis
Definition source Source	6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2002
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS
Variable Name SPSS HIPE-PAS interchange	CaDIA CaDIA
Data Type Field Size	Alphanumeric 5
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

Reported by Reported for Hospital All cases where a 9th additional diagnosis was made

9th Additional Diagnosis Consultant

Variable	9th Additional Diagnosis Consultant
Definition	Consultant attending 9th additional diagnosis
Definition source Source	ESRI HIPE unit Chart
Collected since	2002
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	CaCON CaCON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where a 9th additional diagnosis was made

9th Additional Procedure

Variable	9th Additional Procedure
Definition Definition source Source	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. 9th additional procedure 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2002
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis
Variable Name SPSS HIPE-PAS interchange	PaPRO PaPRO
Data Type Field Size	Integer 6
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

Reported by Reported for

Hospital All cases where a 9th additional procedure was performed

Variable	9th Additional Procedure Anaesthetist
Definition	Anaesthetist responsible for anaesthetics in 9th additional procedure
Definition source Source	ESRI HIPE unit Chart
Collected since	01-Sep-08
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PaANA PaANA
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted across hospitals)

Reported by Reported for

Hospital All cases where a 9th additional procedure was performed

9th Additional Procedure Consultant

Variable	9th Additional Procedure Consultant
Definition	Consultant responsible for 9th additional procedure
Definition source Source	ESRI HIPE unit Chart
Collected since	2002
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PaCON PaCON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where a 9th additional procedure was performed

10th Additional Diagnosis

Variable	10th Additional Diagnosis
Definition Definition source Source	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. 10th additional diagnosis 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS
Variable Name SPSS HIPE-PAS interchange	CbDIA CbDIA
Data Type Field Size	Alphanumeric 5
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

Reported by Reported for Hospital All cases where a 10th additional diagnosis was made

10th Additional Diagnosis Consultant

Variable	10th Additional Diagnosis Consultant
Definition	Consultant attending 10th additional diagnosis
Definition source Source	ESRI HIPE unit Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	CbCON CbCON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the bosnital varsion of HIPE and is not available a	Y - encrypted

the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where a 10th additional diagnosis was made

10th Additional Procedure

Variable	10th Additional Procedure
Definition Definition source Source	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. 10th additional procedure 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis
Variable Name SPSS HIPE-PAS interchange	PbPRO PbPRO
Data Type Field Size	Integer 6
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where a 10th additional procedure was performed

Variable	10th Additional Procedure Anaesthetist
Definition	Anaesthetist responsible for anaesthetics in
Definition source Source	10th additional procedure ESRI HIPE unit Chart
Collected since	01-Sep-08
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PbANA PbANA
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where a 10th additional procedure was performed with anaesthetic

10th Additional Procedure Consultant

Variable	10th Additional Procedure Consultant
Definition	Consultant responsible for 10th additional procedure
Definition source Source	ESRI HIPE unit Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PbCON PbCON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted across hospitals)

Reported by Reported for

Hospital All cases where a 10th additional procedure was performed

11th Additional Diagnosis

Variable	11th Additional Diagnosis
Definition Definition source Source	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. 11th additional diagnosis 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS
Variable Name SPSS HIPE-PAS interchange	CcDIA CcDIA
Data Type Field Size	Alphanumeric 5
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

Reported by Reported for Hospital All cases where an 11th additional diagnosis was made

11th Additional Diagnosis Consultant

Variable	11th Additional Diagnosis Consultant
Definition	Consultant attending 11th additional diagnosis
Definition source Source	ESRI HIPE unit Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	CcCON CcCON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where an 11th additional diagnosis was made

11th Additional Procedure

Variable	11th Additional Procedure
Definition Definition source Source	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. 11th additional procedure 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis
Variable Name SPSS HIPE-PAS interchange	PcPRO PcPRO
Data Type Field Size	Integer 6
Populated in National File (if no, this variable is only populated in	Y

the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where an 11th additional procedure was performed

Variable	11th Additional Procedure Anaesthetist
Definition	Anaesthetist responsible for anaesthetics in 11th additional procedure
Definition source Source	ESRI HIPE unit Chart
Collected since	01-Sep-08
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PcANA PcANA
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted across hospitals)

Reported by Reported for

Hospital All cases where an 11th additional procedure was performed

Variable	11th Additional Procedure Consultant
Definition	Consultant responsible for 11th additional procedure
Definition source Source	ESRI HIPE unit Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PcCON PcCON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted across hospitals)

Reported by Reported for

Hospital All cases where an 11th additional procedure was performed

12th Additional Diagnosis

Variable	12th Additional Diagnosis
Definition Definition source Source	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. 12th additional diagnosis 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS
Variable Name SPSS HIPE-PAS interchange	CdDIA CdDIA
Data Type Field Size	Alphanumeric 5
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

Reported by Reported for Hospital All cases where an 11th additional diagnosis was made

12th Additional Diagnosis Consultant

Variable	12th Additional Diagnosis Consultant
Definition	Consultant attending 12th additional diagnosis
Definition source Source	ESRI HIPE unit Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	CdCON CdCON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the pospital version of HIPE and is not available a	Y - encrypted

the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where a 12th additional diagnosis was made

12th Additional Procedure

Variable	12th Additional Procedure
Definition Definition source Source	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. 12th additional procedure 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis
Variable Name SPSS HIPE-PAS interchange	PdPRO PdPRO
Data Type Field Size	Integer 6
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

Reported by Reported for

Hospital All cases where a 12th additional procedure was performed

Order in Instruction Manual

73

12th Additional Procedure Anaesthetist

Variable	12th Additional Procedure Anaesthetist
Definition	Anaesthetist responsible for anaesthetics in 12th additional procedure
Definition source Source	ESRI HIPE unit Chart
Collected since	01-Sep-08
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PdANA PdANA
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where a 12th additional procedure was performed with anaesthetic

Variable	12th Additional Procedure Consultant
Definition	Consultant responsible for 12th additional
Definition source Source	procedure ESRI HIPE unit Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PdCON PdCON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where a 12th additional procedure was performed

13th Additional Diagnosis

Variable	13th Additional Diagnosis
Definition Definition source Source	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. 13th additional diagnosis 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS
Variable Name SPSS HIPE-PAS interchange	CeDIA CeDIA
Data Type Field Size	Alphanumeric 5
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

Reported by Reported for Hospital All cases where a 13th additional diagnosis was made

13th Additional Diagnosis Consultant

Variable	13th Additional Diagnosis Consultant
Definition	Consultant attending 13th additional diagnosis
Definition source Source	ESRI HIPE unit Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	CeCON CeCON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where a 13th additional diagnosis was made

13th Additional Procedure

Variable	13th Additional Procedure
Definition Definition source Source	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. 13th additional procedure 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis
Variable Name SPSS HIPE-PAS interchange	PePRO PePRO
Data Type Field Size	Integer 6
Populated in National File (if no, this variable is only populated in	Y

(if no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where a 13th additional procedure was performed

Order in Instruction Manual

74

13th Additional Procedure Anaesthetist

Variable	13th Additional Procedure Anaesthetist
Definition	Anaesthetist responsible for anaesthetics in 13th additional procedure
Definition source Source	ESRI HIPE unit Chart
Collected since	01-Sep-08
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PeANA PeANA
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted across hospitals)

Reported by Reported for

Hospital All cases where a 13th additional procedure was performed with anaesthetic

Order in Instruction Manual 74b

108

Variable	13th Additional Procedure Consultant
Definition	Consultant responsible for 13th additional
Definition source Source	procedure ESRI HIPE unit Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PeCON PeCON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where a 13th additional procedure was performed

14th Additional Diagnosis

Variable	14th Additional Diagnosis
Definition Definition source Source	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. 14th additional diagnosis 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS
Variable Name SPSS HIPE-PAS interchange	CfDIA CfDIA
Data Type Field Size	Alphanumeric 5
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

Reported by Reported for Hospital All cases where a 14th additional diagnosis was made

14th Additional Diagnosis Consultant

Variable	14th Additional Diagnosis Consultant
Definition	Consultant attending 14th additional diagnosis
Definition source Source	ESRI HIPE unit Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	CfCON CfCON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in	Y - encrypted

the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where a 14th additional diagnosis was made

14th Additional Procedure

Variable	14th Additional Procedure
Definition Definition source Source	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. 14th additional procedure 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis
Variable Name SPSS HIPE-PAS interchange	PfPRO PfPRO
Data Type Field Size	Integer 6
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

Reported by Reported for

Hospital All cases where a 14th additional procedure was performed

Order in Instruction Manual

75

14th Additional Procedure Anaesthetist

Variable	14th Additional Procedure Anaesthetist
Definition	Anaesthetist responsible for anaesthetics in 14th additional procedure
Definition source Source	ESRI HIPE unit Chart
Collected since	01-Sep-08
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PfANA PfANA
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where a 14th additional procedure was performed with anaesthetic

Variable	14th Additional Procedure Consultant
Definition	Consultant responsible for 14th additional
Definition source Source	procedure ESRI HIPE unit Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PfCON PfCON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where a 14th additional procedure was performed

15th Additional Diagnosis

Variable	15th Additional Diagnosis
Definition Definition source Source	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. 15th additional diagnosis 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Source	Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS
Variable Name SPSS HIPE-PAS interchange	CgDIA CgDIA
Data Type Field Size	Alphanumeric 5
Populated in National File (<i>if no, this variable is only populated in</i> <i>the hospital version of HIPE and is not available</i>	Y across hospitals)

Reported by Reported for Hospital All cases where a 15th additional diagnosis made

15th Additional Diagnosis Consultant

Variable	15th Additional Diagnosis Consultant
Definition	Consultant attending 15th additional diagnosis
Definition source Source	ESRI HIPE unit Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	CgCON CgCON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where a 15th additional diagnosis made

15th Additional Procedure

Variable	15th Additional Procedure
Definition Definition source Source	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. 15th additional procedure 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis
Variable Name SPSS HIPE-PAS interchange	PgPRO PgPRO
Data Type Field Size	Integer 6
Populated in National File (if no, this variable is only populated in	Υ

the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where a 15th additional procedure was performed

Order in Instruction Manual

76

15th Additional Procedure Anaesthetist

Variable	15th Additional Procedure Anaesthetist
Definition	Anaesthetist responsible for anaesthetics in 15th additional procedure
Definition source Source	ESRI HIPE unit Chart
Collected since	01-Sep-08
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PgANA PgANA
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted across hospitals)

Reported by Reported for

Hospital All cases where a 15th additional procedure was performed with anaesthetic

Variable	15th Additional Procedure Consultant
Definition	Consultant responsible for 15th additional
Definition source Source	procedure ESRI HIPE unit Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PgCON PgCON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted across hospitals)

76a

Reported by Reported for

Hospital All cases where a 15th additional procedure was performed

16th Additional Diagnosis

Variable	16th Additional Diagnosis
Definition Definition source Source	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. 16th additional diagnosis 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS
Variable Name SPSS HIPE-PAS interchange	ChDIA ChDIA
Data Type Field Size	Alphanumeric 5
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

Reported by Reported for Hospital All cases where a 16th additional diagnosis was made

16th Additional Diagnosis Consultant

Variable	16th Additional Diagnosis Consultant
Definition	Consultant attending 16th additional diagnosis
Definition source Source	ESRI HIPE unit Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	ChCON ChCON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the bosnital varsion of HIPE and is not available a	Y - encrypted

the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where a 16th additional diagnosis was made

16th Additional Procedure

Variable	16th Additional Procedure
Definition Definition source Source	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. 16th additional procedure 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis
Variable Name SPSS HIPE-PAS interchange	PhPRO PhPRO
Data Type Field Size	Integer 6
Populated in National File (if no, this variable is only populated in the bosnital version of HIPE and is not available	Y across hospitals)

the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where a 16th additional procedure was performed

16th Additional Procedure Anaesthetist

Variable	16th Additional Procedure Anaesthetist
Definition	Anaesthetist responsible for anaesthetics in
Definition source Source	16th additional procedure ESRI HIPE unit Chart
Collected since	01-Sep-08
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PhANA PhANA
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted across hospitals)

Reported by Reported for

Hospital All cases where a 16th additional procedure was performed with anaesthetic

Variable	16th Additional Procedure Consultant
Definition	Consultant responsible for 16th additional
Definition source Source	procedure ESRI HIPE unit Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PhCON PhCON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where a 16th additional procedure was performed

17th Additional Diagnosis

Variable	17th Additional Diagnosis
Definition Definition source Source	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. 17th additional diagnosis 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS
Variable Name SPSS HIPE-PAS interchange	CiDIA CiDIA
Data Type Field Size	Alphanumeric 5
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

Reported by Reported for Hospital All cases where a 17th additional diagnosis was made

17th Additional Diagnosis Consultant

Variable	17th Additional Diagnosis Consultant
Definition	Consultant attending 17th additional diagnosis
Definition source Source	ESRI HIPE unit Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	CiCON CiCON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where a 17th additional diagnosis was made

17th Additional Procedure

Variable	17th Additional Procedure
Definition Definition source Source	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. 17th additional procedure 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis
Variable Name SPSS HIPE-PAS interchange	PiPRO PiPRO
Data Type Field Size	Integer 6
Populated in National File (if no, this variable is only populated in	Y

the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where a 17th additional procedure was performed

Order in Instruction Manual

78

17th Additional Procedure Anaesthetist

Variable	17th Additional Procedure Anaesthetist
Definition	Anaesthetist responsible for anaesthetics in 17th additional procedure
Definition source Source	ESRI HIPE unit Chart
Collected since	01-Sep-08
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PiANA PiANA
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where a 17th additional procedure was performed with anaesthetic

Variable	17th Additional Procedure Consultant
Definition	Consultant responsible for 17th additional
Definition source Source	procedure ESRI HIPE unit Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PiCON PiCON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where a 17th additional procedure was performed

18th Additional Diagnosis

Variable	18th Additional Diagnosis
Definition Definition source	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. 18th additional diagnosis 6th ed ICD-10-AM/ACHI/ACS/ICS
Source	Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS
Variable Name SPSS HIPE-PAS interchange	CjDIA CjDIA
Data Type Field Size	Alphanumeric 5
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

Reported by Reported for Hospital All cases where an 18th additional diagnosis was made

18th Additional Diagnosis Consultant

Variable	18th Additional Diagnosis Consultant
Definition	Consultant attending 18th additional diagnosis
Definition source Source	ESRI HIPE unit Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	CjCON CjCON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where an 18th additional diagnosis was made

18th Additional Procedure

Variable	18th Additional Procedure
Definition Definition source Source	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. 18th additional procedure 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis
Variable Name SPSS HIPE-PAS interchange	PjPRO PjPRO
Data Type Field Size	Integer 6
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

Reported by Reported for

Hospital All cases where an 18th additional procedure was performed

Order in Instruction Manual

79

18th Additional Procedure Anaesthetist

Variable	18th Additional Procedure Anaesthetist
Definition	Anaesthetist responsible for anaesthetics in 18th additional procedure
Definition source Source	ESRI HIPE unit Chart
Collected since	01-Sep-08
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PjANA PjANA
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where an 18th additional procedure was performed with anaesthetic

Variable	18th Additional Procedure Consultant
Definition	Consultant responsible for 18th additional
Definition source Source	procedure ESRI HIPE unit Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PjCON PjCON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where an 18th additional procedure was performed

19th Additional Diagnosis

Variable	19th Additional Diagnosis
Definition Definition source Source	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. 19th additional diagnosis 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2005
Collected/Derived	Collected
Code Set Data Entry Guideline	6th ed ICD-10-AM/ACHI/ACS/ICS
Variable Name SPSS HIPE-PAS interchange	CkDIA CkDIA
Data Type Field Size	Alphanumeric 5
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available	Y across hospitals)

Reported by Reported for Hospital All cases where a 19th additional diagnosis was made

Order in Instruction Manual 48

19th Additional Diagnosis Consultant

Variable	19th Additional Diagnosis Consultant
Definition	Consultant attending anaesthetics in 19th
Definition source Source	additional diagnosis ESRI HIPE unit Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	CkCON CkCON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted

Reported by Reported for

Hospital All cases where a 19th additional diagnosis was made

Order in Instruction Manual 49a

19th Additional Procedure

Variable	19th Additional Procedure
Definition Definition source Source	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. 19th additional procedure 6th ed ICD-10-AM/ACHI/ACS/ICS Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis
Variable Name SPSS HIPE-PAS interchange	PkPRO PkPRO
Data Type Field Size	Integer 6
Populated in National File (if no, this variable is only populated in the bospital version of HIPF and is not available.	Y across hospitals)

the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where a 19th additional procedure was performed

Order in Instruction Manual

80

19th Additional Procedure Anaesthetist

Variable	19th Additional Procedure Anaesthetist
Definition	Anaesthetist responsible for 19th additional
Definition source Source	procedure ESRI HIPE unit Chart
Collected since	01-Sep-08
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PkANA PkANA
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in	Y - encrypted

(if no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Reported for

Hospital All cases where a 19th additional procedure was performed with anaesthetic

Order in Instruction Manual 80b

19th Additional Procedure Consultant

Variable	19th Additional Procedure Consultant
Definition	Consultant responsible for 19th additional
Definition source Source	procedure ESRI HIPE unit Chart
Collected since	2005
Collected/Derived Code Set Data Entry Guideline	Collected
Variable Name SPSS HIPE-PAS interchange	PkCON PkCON
Data Type Field Size	Alphanumeric 4
Populated in National File (if no, this variable is only populated in the hospital version of HIPE and is not available a	Y - encrypted across hospitals)

80a

Reported by Reported for

Hospital All cases where a 19th additional procedure was performed

Order in Instruction Manual

Appendix I - CODE SETS

Code	Description	Note
1	Home Transfer from nursing home/convalescent home or	
2	other long stay accommodation	When the coder enters a transfer (3) as a source of admission the system will respond with a request to identify the hospital in question - identified using
	Transfer from Hospital in HIPE Hospital listing or transfer from any Acute Hospital not specified in HIPE	the 4-digit Department of Health and Children hospital
3	hospital listing Transfer from Non-Acute hospital not in HIPE Hospital	code
4	listing	
5	Transfer from hospice not in HIPE hospital listing	
6	Transfer from psychiatric hospital/unit	
7	New born	
8	Temporary Place of residence	
•		

ADMSOURCE – Source of Admission

9 Prison

_

0 Other

-

ADMTYPE - Admission Type

Code	Description	Definition
1	Elective	The patient's condition permits adequate time to schedule the availability of suitable accommodation, an elective admission can be delayed without substantial risk to the health of the individual
2	Elective readmission	Patient admitted electively to the same hospital where they had previous treatment/care to continue ongoing treatment or care
4	Emergency	The patient requires immediate care and treatment as a result of a severe, life threatening or potentially disabling condition. Generally the patient is admitted through the Accident and Emergency Department
5	Emergency Readmission	This is an unscheduled readmission following previous spell of treatment in same hospital and relating to the treatment or care previously given
6	Maternity	The patient is admitted related to their obstetrical experience. (From conception to 6 weeks post delivery)
7	New born	Neonate (0 - 27 days old) admitted to hospital for care or observation as an emergency or unplanned.

Code	Description
0	Inpatient
1	Daycase

DISC_CODE - Discharge Code

Code	Description
00	Self discharge
01	Home
02	Nursing home, convalescent home or long stay accommodation
03	Transfer to Hospital in HIPE Hospital listing or transfer to <i>any</i> <u>Acute</u> Hospital not specified in HIPE Hospital listing (see pages 15 – 16 in this manual). Emergency Transfer to Hospital in HIPE Hospital listing or transfer to <i>any</i> <u>Acute</u> Hospital not specified in HIPE Hospital listing (see pages 15 – 16 in this manual). Non
04	Emergency
05	Transfer to psychiatric hospital/unit
06	Died with post mortem
07	Died no post mortem
08	Transfer to Non-Acute hospital not in HIPE Hospital Listing - Emergency
09	Transfer to Non-Acute hospital not in HIPE Hospital Listing - Non Emergency
10	Transfer to external rehabilitation facility (not in HIPE Hospital Listing)
11	Hospice (not in HIPE Hospital Listing)
12	Prison
13	Absconded
14	Other (e.g. Foster care)
15	Temporary place of residence (e.g. hotel)

DIS_STATUS- Discharge Status

Code	Description
1	Public
2	Private

EMADM - Mode of Emergency Admission

Code Description

- 1 A&E Accident and Emergency
- 2 MAU (admitted as inpatient)
- 3 Other
- 4 Unknown
- 5 MAU Day only

HIPE		
code	Hospital	DOHC code
038	Coombe Women's Hospital	0930
503	Midland Regional Hospital, Mullingar	0202
506	Midland Regional Hospital, Portlaoise	0201
501	Midland Regional Hospital, Tullamore	0203
004	Naas General Hospital, Naas	0102
040	National Maternity Hospital, Holles st	0931
026	National Rehabilitation Hospital, Rochestown Dun Laoghaire	0960
001	Our Lady's Hospital for Sick Children, Crumlin	0941
027	Our Lady's Hospice (St Joseph's unit)	1225
028	Our Lady's Hospice (St Michael's ward)	0978
009	Peamont Hospital	0925
024	Royal Victorian Eye and Ear Hospital	0950
003	St. Columcille's Hospital, Loughlinstown	0101
021	St. James' Hospital	0904
015	St. Luke's Hospital, Rathgar	0947
023	St. Michael's Hospital, Dun Laoghaire	0912
007	St. Vincent's University Hospital, Elm Park	0910
0.14	The Adelaide & Meath Hospital, incorporating the National	4070
041	Children's Hospital, Tallaght	1270
037	Beaumont Hospital	0923
035	Cherry Orchard Hospital, Ballyfermot	0106
022	Connolly Hospital, Blanchardstown	0108
702 047	General Hospital, Cavan	0402 0954
703	Incorporated Orthopaedic Hospital of Ireland, Clontarf Louth County Hospital	0400
005	Mater Misericordiae University Hospital, Eccles St	0908
704	Monaghan General Hospital	0404
011	National Orthopaedic Hospital, Cappagh	0955
701	Our Lady of Lourdes Hospital, Drogheda	0922
705	Our Lady's Hospital, Navan	0403
039	Rotunda Hospital	0932
044	St Joseph's Hospital, Raheny	1762
014	The Children's University Hospital, Temple st	0940
202	Bantry General Hospital, Co Cork	0704
235	Cork University Hospital	0724
104	Lourdes Orthopedic Hospital, Kilcreene	0602
207	Mallow General Hospital, Cork	0703
203	Mercy University Hospital, Cork	0913
102	Our Lady's Hospital, Cashel	0608
206	South Infirmary / Victoria Hospital, Cork	0915
105	South Tipperary General Hospital, Clonmel	0607
200	St. Finbarr's Hospital, Cork	0705
101	St. Luke's General Hospital, Kilkenny	0601
208	St. Mary's Orthopaedic Hospital, Gurranabraher	0701
236	Tralee General Hospital	0726
100	Waterford Regional Hospital	0600
103	Wexford General Hospital	0605

307	Ennis General Hospital	0305
601	Letterkenny General Hospital	0500
405	Mayo General Hospital	0802
412	Merlin Park Regional Hospital,	0801
303	Midwestern Regional Hospital	0300
304	Midwestern Regional Orthopaedic Hospital	0302
403	Portiuncula Hospital	0919
302	Regional Maternity Hospital	0301
401	Roscommon County Hospital	0803
602	Sligo General Hospital	0501
305	St. John's Hospital, Limerick	0918
308	St. Joseph's General Hospital, Nenagh	0304
404	University College Hospital, Galway	0800

MARR- Marital Status

Code	Description
1	Single
2	Married
3	Widowed
4	Other (includes separated)
5	Unknown
6	Divorced

MCARD-Medical Card

Code	Description
0	No (not medical card holder)
1	Yes (medical card holder)
2	Unknown (medical card possession unknown)

RESID – Area of Residence

Code	Area of Residence	HSE Region of Residence
0000	No fixed abode	N/A
0500	Carlow	HSE South
2900	Cavan	HSE Dublin North East
1600	Clare	HSE West
1101	Cork city	HSE South
1200	Cork county	HSE South
2800	Donegal	HSE West
0100	North Dublin city and county	HSE Dublin North East
0200	South Dublin city and county	HSE Dublin Mid-Leinster
1801	Galway (city)	HSE West
1900	Galway (county)	HSE West
1300	Kerry	HSE South
0300	Kildare	HSE Dublin Mid-Leinster
0700	Kilkenny	HSE South
2500	Laois	HSE Dublin Mid-Leinster
2600	Leitrim	HSE West
1401	Limerick city	HSE West
1500	Limerick county	HSE West

2200	Longford	HSE Dublin Mid-Leinster
3100	Louth	HSE Dublin North East
2100	Мауо	HSE West
3200	Meath	HSE Dublin North East
3000	Monaghan	HSE Dublin North East
2400	Offaly	HSE Dublin Mid-Leinster
2000	Roscommon	HSE West
2700	Sligo	HSE West
1700	Tipperary North Riding	HSE West
0800	Tipperary South Riding	HSE South
0901	Waterford city	HSE South
1000	Waterford county	HSE South
2300	Westmeath	HSE Dublin Mid-Leinster
0600	Wexford	HSE South
0400	Wicklow	HSE Dublin Mid-Leinster
3310	Northern Ireland	N/A
3318	Austria	N/A
3301	Belgium	N/A
3331	Bulgaria	N/A
3321	Cyprus	N/A
3322	Czech Republic	N/A
3302	Denmark	N/A
3303	England	N/A
3323	Estonia	N/A
3316	Finland	N/A N/A
		N/A N/A
3304	France	N/A N/A
3305	Germany	
3306	Greece	N/A
3307	Holland	N/A N/A
3324	Hungary	
3308	Italy	N/A
3325	Latvia	N/A
3326	Lithuania	N/A
3309	Luxembourg	N/A
3327	Malta	N/A
3317	Norway	N/A
3328	Poland	N/A
3314	Portugal	N/A
3332	Romania	N/A
3311	Scotland	N/A
3329	Slovak republic	N/A
3330	Slovenia	N/A
3313	Spain	N/A
3315	Sweden	N/A
3320	Wales	N/A
3350	Other European	N/A
3400	Africa	N/A
3501	America North and Canada	N/A
3502	America South, Central and Caribbean	N/A
3600	Asia, Middle East, Far East, South East Asia	N/A
3700	Australia, New Zealand, Oceania	N/A
5100	Australia, New Zealallu, Uteallia	11/ <i>Г</i> Л

Code	Description
1	Male
2	Female
3	Unknown

Specialty

Code	Subcode	Speciality
100		Cardiology
300		Dermatology
400		Endocrinology
	402	Diabetes Mellitus
600		Otolaryngology (ENT)
	601	Paediatric EN
700		Gastro-Enterology
800		Genito-Urinary medicine
900		Geriatric medicine
	902	Psychogeriatric medicine
1100		Haematology
	1102	Transfusion Medicine
1300		Neurology
	1302	Paediatric Neurology
1400		Neurosurgery
4500	1402	Paediatric Neurosurgery
1500	1500	Obstetrics/Gynaecology
	1502	Obstetrics
4000	1503	Gynaecology
1600		Oncology On http://www.com/com/com/com/com/com/com/com/com/com/
1700	1700	Ophthalmology
	1702 1703	Neuro-Ophthalmic Surgery Vitro-Retinal Surgery
1800	1703	Orthopaedics
1000	1802	Paediatric Orthopaedic Surgery
1900	1002	Paediatrics
1900	1902	Paediatric Cardiology
	1903	Paediatric Oncology
	1903	Neonatology
	1905	
		Paediatric Endocrinology
	1906	Paediatric Gastro-enterology
	1907	Paediatric Haematology
	1908	Paediatric A/E Medicine
	1909	Paediatric Infectious Diseases
	1910	Paediatric Metabolic Medicine
	1911	Paediatric Nephrology
	1912	Paediatric Respiratory Medicine
	1913	Perinatal Paediatrics
	1914	Paediatric Physical Handicap
	1915	Paediatric Dermatology
		. actually bonnatorogy

	1916	Paediatrics Development
2000	2003	Plastic Surgery Maxillo-Facial
2100		Psychiatry
	2102	Child/adolescent Psychiatry
	2103	Forensic Psychiatry
	2104	Substance Abuse
	2105	Old Age Psychiatry
	2106	Rehabilitation Psychiatry
2200		Radiology
	2202	Paediatric Radiology
0000	2203	Neuroradiology
2300		Nephrology Respiratory Madising
2400		Respiratory Medicine
2500 2600		Rheumatology General Surgery
2000	2602	General Surgery Gastro-Intestinal Surgery
	2602	Hepato-Biliary Surgery
	2603	Vascular Surgery
2700	2004	Infectious Diseases
	2702	Tropical
2800		Accident & Emergency
3000		Rehabilitation Medicine
	3002	Spinal paralysis
5000		General Medicine
6000		Audiological Medicine
6100		Public Health Medicine
6200		Clinical Neurophysiology
6300		Clinical Pharmacology
6400		Clinical Physiology
6500		G.P. Medicine
6700		Clinical (Medical) Genetics
6800		Mental Handicap
6900		Nuclear Medicine
7000	7004	Dental Surgery
	7001	Oral Surgery Orthodontics
7100	7002	Occupational Medicine
7200		Paediatric Surgery
7300		Palliative Medicine
7400		Pathology
7500		Radiotherapy
7600		Cardio-Thoracic Surgery
7700		Metabolic Medicine
7800		Urology
	7802	Renal Transplantation
	7803	Paediatric Urology
7900		Clinical Immunology
8000		Anaesthetics
	8002	Intensive Care
	8003	Pain Relief
	8004	Paediatric Anaesthetics
8300		General Pathology
8400		Chemical Pathology

8500	8402	Paediatric Chemical Pathology Histopathology
	8502	Neuropathology
8600		Biochemistry
8700		Cytology
8800		Immunology
8900		Microbiology
	8902	Virology
9000		Other

WARDIND - Registered Day ward Indicator

Code Description

0 No

1 Yes

2 Unknown

WLIST – Waiting List Indicator

CodeDescription0Not NTPF (National Treatment Purchase Fund)1NTPF

Appendix II - Classifications

Coding Classification

ICD-10-AM / ACHI / ACS 6th Edition

Casemix Classification

Australian Refined Diagnosis Related Groups (AR-DRGs)

Appendix III - Abbreviations

Adm	Admission
Admwt	Admission Weight
ACHI	Australian Classification of Health Interventions
ACS	Australian Coding Standards
AICD	Automatic Implantable Cardioverter-Defibrillator
AR-DRG	·
	Australian Refined Diagnosis Related Group
CABG	Coronary Artery Bypass Graft
DoH&C	Department of Health and Children (DOHC)
DRG	Diagnosis Related Group
ESRI	Economic and Social Research Institute
g	Grams
GMS	General Medical Services
GP	General Practitioner
HIS	Hospital Information System (also known as PAS)
HIPE	Hospital In-Patient Enquiry
HRID	Health Research and Information Division
HSE	Health Service Executive
ICD-10- AM	Tenth Revision of the International Classification of Diseases, Australian Modification, 6 th Edition
LOS	Length of Stay
MAU	Medical Assessment Unit
MDC	Major Diagnostic Category
NCCH	National Centre for Classification in Health
NPRS	National Perinatal Reporting System
NTPF	National Treatment Purchase Fund
PAS	Patient Administration System

Appendix IV - Source Documents

HIPE System

Instruction Manual

Discharge Summary

Health Research and Information Division

Appendix V - Organisations

Department of Health and Children

Health Service Executive

Irish National Casemix Programme