

Hospital In-Patient Enquiry (HIPE)

Data Dictionary 2016

Version 8.1

© Copyright Healthcare Pricing Office, 2016

Produced by the Healthcare Pricing Office, Health Service Executive, Dublin, Ireland.

This work is copyright. It may be reproduced in part for study and training purposes within the Hospital In-Patient Enquiry (HIPE) scheme in Ireland subject to the inclusion of an acknowledgement of the source and no commercial usage or resale. Reproduction for other purposes than those stated above requires the written permission of the Healthcare Pricing Office.

Contents

Contents	ii
Introduction	xi
Variables.....	1
Admission Date	2
Admission Weight	3
Admitting Consultant	4
Admitting Ward.....	5
Age	6
Age in Weeks.....	7
Area of Residence	8
Australian Refined - Diagnosis Related Group	9
Batch Coded	10
Civil Status.....	11
Consultant Specialty.....	12
Date First Coded.....	13
Date of Birth	14
Date of Discharge	15
Date of Principal Procedure	16
Date of procedure sequenced 2nd	17
Date of procedure sequenced 3rd	18
Date of procedure sequenced 4th	19
Date of procedure sequenced 5th	20
Date of procedure sequenced 6th	21
Date of procedure sequenced 7th	22
Date of procedure sequenced 8th	23
Date of procedure sequenced 9th	24
Date of procedure sequenced 10th	25
Date of procedure sequenced 11th	26
Date of procedure sequenced 12th	27
Date of procedure sequenced 13th	28
Date of procedure sequenced 14th	29
Date of procedure sequenced 15th	30
Date of procedure sequenced 16th	31
Date of procedure sequenced 17th	32

Date of procedure sequenced 18th	33
Date of procedure sequenced 19th	34
Date of procedure sequenced 20th	35
Date of Transfer to Pre-Discharge Unit/Rehab	36
Day Case Indicator.....	37
Day Ward Identifier	38
Day Ward Indicator	39
Discharge Code.....	40
Discharge Consultant	41
Discharge Specialty	42
Discharge Status.....	43
Discharge Ward	44
Episode Number.....	45
Health Insurer.....	46
Hospital Acquired Diagnosis 1.....	47
Hospital Acquired Diagnosis 2.....	48
Hospital Acquired Diagnosis 3.....	49
Hospital Acquired Diagnosis 4.....	50
Hospital Acquired Diagnosis 5.....	51
Hospital Acquired Diagnosis 6.....	52
Hospital Acquired Diagnosis 7.....	53
Hospital Acquired Diagnosis 8.....	54
Hospital Acquired Diagnosis 9.....	55
Hospital Acquired Diagnosis 10.....	56
Hospital Acquired Diagnosis 11.....	57
Hospital Acquired Diagnosis 12.....	58
Hospital Acquired Diagnosis 13.....	59
Hospital Acquired Diagnosis 14.....	60
Hospital Acquired Diagnosis 15.....	61
Hospital Acquired Diagnosis 16.....	62
Hospital Acquired Diagnosis 17.....	63
Hospital Acquired Diagnosis 18.....	64
Hospital Acquired Diagnosis 19.....	65
Hospital Acquired Diagnosis 20.....	66

Hospital Acquired Diagnosis 21.....	67
Hospital Acquired Diagnosis 22.....	68
Hospital Acquired Diagnosis 23.....	69
Hospital Acquired Diagnosis 24.....	70
Hospital Acquired Diagnosis 25.....	71
Hospital Acquired Diagnosis 26.....	72
Hospital Acquired Diagnosis 27.....	73
Hospital Acquired Diagnosis 28.....	74
Hospital Acquired Diagnosis 29.....	75
Hospital Acquired Diagnosis 30.....	76
Hospital Number	77
Intensive Care Consultant 1	78
Intensive Care Consultant 2	79
Intensive Care Consultant 3	80
Intensive Care Consultant 4	81
Intensive Care Consultant 5	82
Intensive Care Consultant 6	83
Intensive Care Consultant 7	84
Intensive Care Consultant 8	85
Intensive Care Consultant 9	86
Intensive Care Consultant 10	87
Last Changed Date/Time	88
Major Diagnostic Category (MDC)	89
Medical Card	90
Medical Card Number	91
Medical Record Number	92
Mode of Emergency Admission	93
Non Acute Length of Stay: Temporary Leave Days	94
Number of Days in Critical Care Bed	95
Number of Days in Intensive Care Environment.....	96
Number of Days in Intensive Care Environment Single Occupancy.....	97
Number of Days in Intensive Care Environment Multiple Occupancy.....	98
Oncology Day Ward Flag	99
Parity: Live births.....	100

Parity: Still births	101
Patient's name.....	102
Primary Consultant.....	103
Principal Diagnosis	104
Principal Diagnosis Consultant	105
Principal Procedure	106
Principal Procedure Anaesthetist.....	107
Principal Procedure Consultant.....	108
Private Bed	109
Private Bed Single Occupancy	110
Private Bed Multiple Occupancy	111
Public Bed.....	112
Public Bed Single Occupancy.....	113
Public Bed Multiple Occupancy.....	114
Semi Private Bed	115
Semi Private Bed Single Occupancy	116
Semi Private Bed Multiple Occupancy	117
Sex	118
Source of Admission.....	119
Time of Admission.....	120
Time of Discharge.....	121
Transfer Hospital: From	122
Transfer Hospital: To	123
Type of Admission.....	124
Type of Elective Admission.....	125
Waiting List Indicator	126
1st Additional Diagnosis.....	127
1st Additional Diagnosis Consultant	128
1st Additional Procedure	129
1st Additional Procedure Anaesthetist	130
1st Additional Procedure Consultant	131
2nd Additional Diagnosis.....	132
2nd Additional Diagnosis Consultant	133
2nd Additional Procedure	134

2nd Additional Procedure Anaesthetist.....	135
2nd Additional Procedure Consultant.....	136
3rd Additional Diagnosis	137
3rd Additional Diagnosis Consultant.....	138
3rd Additional Procedure.....	139
3rd Additional Procedure Anaesthetist.....	140
3rd Additional Procedure Consultant	141
4th Additional Diagnosis	142
4th Additional Diagnosis Consultant.....	143
4th Additional Procedure	144
4th Additional Procedure Anaesthetist.....	145
4th Additional Procedure Consultant	146
5th Additional Diagnosis	147
5th Additional Diagnosis Consultant.....	148
5th Additional Procedure.....	149
5th Additional Procedure Anaesthetist.....	150
5th Additional Procedure Consultant	151
6th Additional Diagnosis	152
6th Additional Diagnosis Consultant.....	153
6th Additional Procedure.....	154
6th Additional Procedure Anaesthetist.....	155
6th Additional Procedure Consultant	156
7th Additional Diagnosis	157
7th Additional Diagnosis Consultant.....	158
7th Additional Procedure.....	159
7th Additional Procedure Anaesthetist.....	160
7th Additional Procedure Consultant	161
8th Additional Diagnosis	162
8th Additional Diagnosis Consultant.....	163
8th Additional Procedure.....	164
8th Additional Procedure Anaesthetist.....	165
8th Additional Procedure Consultant	166
9th Additional Diagnosis	167
9th Additional Diagnosis Consultant.....	168

9th Additional Procedure	169
9th Additional Procedure Anaesthetist.....	170
9th Additional Procedure Consultant	171
10th Additional Diagnosis	172
10th Additional Diagnosis Consultant.....	173
10th Additional Procedure	174
10th Additional Procedure Anaesthetist.....	175
10th Additional Procedure Consultant	176
11th Additional Diagnosis	177
11th Additional Diagnosis Consultant.....	178
11th Additional Procedure	179
11th Additional Procedure Anaesthetist.....	180
11th Additional Procedure Consultant	181
12th Additional Diagnosis	182
12th Additional Diagnosis Consultant.....	183
12th Additional Procedure	184
12th Additional Procedure Anaesthetist.....	185
12th Additional Procedure Consultant	186
13th Additional Diagnosis	187
13th Additional Diagnosis Consultant.....	188
13th Additional Procedure	189
13th Additional Procedure Anaesthetist.....	190
13th Additional Procedure Consultant	191
14th Additional Diagnosis	192
14th Additional Diagnosis Consultant.....	193
14th Additional Procedure	194
14th Additional Procedure Anaesthetist.....	195
14th Additional Procedure Consultant	196
15th Additional Diagnosis	197
15th Additional Diagnosis Consultant.....	198
15th Additional Procedure	199
15th Additional Procedure Anaesthetist.....	200
15th Additional Procedure Consultant	201
16th Additional Diagnosis	202

16th Additional Diagnosis Consultant.....	203
16th Additional Procedure.....	204
16th Additional Procedure Anaesthetist.....	205
16th Additional Procedure Consultant	206
17th Additional Diagnosis	207
17th Additional Diagnosis Consultant.....	208
17th Additional Procedure.....	209
17th Additional Procedure Anaesthetist.....	210
17th Additional Procedure Consultant	211
18th Additional Diagnosis	212
18th Additional Diagnosis Consultant.....	213
18th Additional Procedure.....	214
18th Additional Procedure Anaesthetist.....	215
18th Additional Procedure Consultant	216
19th Additional Diagnosis	217
19th Additional Diagnosis Consultant.....	218
19th Additional Procedure.....	219
19th Additional Procedure Anaesthetist.....	220
19th Additional Procedure Consultant	221
20th Additional Diagnosis	222
20th Additional Diagnosis Consultant.....	223
21st Additional Diagnosis.....	224
21st Additional Diagnosis Consultant	225
22nd Additional Diagnosis.....	226
22nd Additional Diagnosis Consultant	227
23rd Additional Diagnosis	228
23rd Additional Diagnosis Consultant.....	229
24th Additional Diagnosis	230
24th Additional Diagnosis Consultant.....	231
25th Additional Diagnosis	232
25th Additional Diagnosis Consultant.....	233
26th Additional Diagnosis	234
26th Additional Diagnosis Consultant.....	235
27th Additional Diagnosis	236

27th Additional Diagnosis Consultant.....	237
28th Additional Diagnosis	238
28th Additional Diagnosis Consultant.....	239
29th Additional Diagnosis	240
29th Additional Diagnosis Consultant.....	241
Appendix I - CODE SETS.....	242
ADMSOURCE - Source of Admission	242
ADMTYPE - Type of Admission	242
DAYCASE.....	242
DISC_CODE – Discharge Code	243
DIS_STATUS – Discharge Status	243
ElectiveType – Type of Elective Admission	243
EMADM – Mode of Emergency Admission	243
Health Insurer.....	244
Hospital Code List.....	245
MARR – Civil Status	247
MCARD – Medical Card	247
RESID – Area of Residence	248
RepeatStatus – Oncology Day Ward Flag.....	249
SEX.....	249
SPECIALTY	250
WARDIND – Registered Day Ward Indicator.....	251
WLIST – Waiting List Indicator.....	251
Appendix II – ASCII File Names.....	252
Appendix III - Classifications.....	259
Appendix IV- Abbreviations.....	259
Appendix V – HIPE Source Documents.....	260
Appendix VI - Organisations.....	260

Introduction

The Hospital In-Patient Enquiry (HIPE) scheme is a health information system designed to collect clinical and administrative data on discharges from, and deaths in, acute hospitals in Ireland.¹ It is the principal source of national data on discharges from acute hospitals. The Healthcare Pricing Office (HPO) oversees the administration and management of this scheme, including the development and support of the data collection and reporting software, training of coders and data quality audit, reporting, and responding to requests for data.² The figure below summarises the HIPE data collection and reporting process. Further information on the development of the HIPE scheme can be found in our annual report series.³




Figure: The HIPE Data Collection and Reporting Process

¹ The Hospital In-Patient Enquiry (HIPE) scheme was established in 1971 by the Health Research Board (HRB). Between 1990 and 2013 the Economic and Social Research Institute (ESRI) oversaw the administration and management of this scheme on behalf of the Health Service Executive (HSE) and the Department of Health (DoH). From January 1, 2014 the National Casemix Programme and the Health Research and Information Division at the ESRI became the Healthcare Pricing Office (HPO). This Office has responsibility for the HIPE scheme. While the HPO will initially be established on an administrative basis, in the HSE, it is planned that this Office will ultimately be established on a statutory basis. This development is in line with the proposals in the 'Money Follows the Patient' policy paper published by the Department of Health in February 2013.

² The HPO also has responsibility for the National Perinatal Reporting System (NPRS). Between 1999 and 2013 the ESRI oversaw the administration and management of this system on behalf of the HSE and the DoH.

³ HIPE Annual Reports can be found on www.hpo.ie

Objectives of HIPE Data Dictionary Version 8.0

HIPE collects information on in-patient and day patient activity from participating hospitals. A HIPE discharge record is created when a patient is discharged from (or dies in) hospital. This record contains administrative, demographic and clinical information for a discrete episode of care. An episode of care begins at admission to hospital, as a day or in-patient, and ends at discharge from (or death in) that hospital.

This dictionary provides definitions and codes for data collected within HIPE as of 2016. It provides standard definitions for variables with the objective of ensuring that consistency and data quality are maintained. It is also hoped that the dictionary will be of use to researchers, clinicians and hospital management in understanding and analysing HIPE data.

Using the Data Dictionary

The HIPE Data Dictionary provides information on the variables collected by HIPE.⁴ Internal variables relating to data quality and the HIPE database structure are not included. Other exclusions from the HIPE Data Dictionary Version 8.0 are data and non-HIPE cases collected through the HIPE system but not included in the national file.⁵

All variables are listed alphabetically and an alphabetic index is included in the table of contents. The code sets used for variables are listed in [Appendix I](#) and can be accessed via hyperlinks. [Appendix II](#) provides the ASCII file name for all variables. For information on the classifications for diagnoses and procedures and the Casemix classification and grouping software see [Appendix III](#).

A glossary of abbreviations is provided in [Appendix IV](#) and hyperlinks to source documents and organisations are provided in [Appendices V](#) and [VI](#) respectively.

Updates

⁴ In fulfilling a request, made in good faith, the HPO will supply HPO data, provided the request does not conflict with our obligations of confidentiality or with those under the Data Protection Acts 1988 and 2003; for this reason certain variables described in this document may not be available for information requests. Availability of information for requests can also be dependent on data quality and coverage too.

⁵ From the 01/01/2011 all cases categorised as in-patients or day cases are to be downloaded from the hospital PAS to HIPE, including those cases not normally coded on HIPE. It is expected that the additional cases in the download will be for non-acute (not normally coded) activity on the hospital campus such as rehabilitation or psychiatry. The Healthcare Pricing Office identifies for individual hospitals, a list of wards which should be downloaded as part of this change. These additional downloaded records are not included on the national file.

For patients discharged on or after 01/01/2011, the HIPE record will also collect information on internal ward transfers of the patient during the episode of stay. This information is typically stored in a "ward transfer file" or "ward transfer database" as part of the PAS/HIS system. This information will be downloaded to the HIPE portal and can be viewed by the coder but cannot be amended. The information will be exported by the hospital monthly to the Healthcare Pricing Office as part of the normal export process.

This document will be updated as variables are added or amended.

Summary of Changes between version 1.0 and 2.0 of Data Dictionary

Addition of variable: Oncology Day Ward Flag to store the value of oncology day ward repeat status.

Addition of code set: RepeatStatus; values for Oncology Day Ward Flag.

Addition of Blackrock Hospice to hospital codes code set.

Summary of Changes between version 2.0 and 3.0 of Data Dictionary

The migration from Windows HIPE (a windows based data entry and reporting system) to the HIPE Portal (a web based portal based on SQL server) has resulted in changes to variable names.

Changes to Variable Name

Diagnoses: Rename variables from diag-CxDIA → **DIAG1–DIAG30**

Diagnosis Consultants: Rename variables from DCON - CxCON → DIAGCONS1 – DIAGCONS30

Procedures: Rename procedure variables from PROC –PkPRO → PROC1-PROC20

Procedure Consultants: Rename procedure consultant variables from PCON – PkCON → PROCON1-PROCON20

Procedure dates: Rename procedure date variables from P1Date or Theatre → PROCDATE1- PROCDATE20

Procedure Anaesthetist: Rename procedure date variables from P1ANA-PkANA → ANACONS1-ANACONS20

Additional Variables in 2011

Hospital Acquired Diagnosis

Health Insurer

Parity Live births

Parity Still births

Procedure dates

Days in Semi Private Bed

Changes to Data Entry Guideline Number of Days in Intensive Care Environment

Additional Codes to Code sets

Additional **Specialty** Code 2605 Breast Surgery

Hospital code for removal of temporary transfer code for CUMH

Summary of Changes between version 3.0 and 4.0 of Data Dictionary

Additional Variables

Time of Admission

Time of Discharge

Code Set Changes

Marital Status – changed to **Marital/Civil Status**, addition of *Civil Partner*, *Former Civil Partner* and *Surviving Civil Partner*

Health Insurer of the Patient - removal of *Hospital Saturday Fund*

Hospital Code – removal of 412, HIPE activity data from University College Hospital Galway and Merlin Park Regional Hospital are now reported as 404, Galway University Hospitals.

Hospital Transfer Codes – addition of 0948, 0949

Errata to Version 3.0

Addition of **DIAGCONS1** variable

Correction of details of **PRIMARYCONS** variable

Correction of data entry guideline at **MEDICAL** variable

Abbreviations

Department of Health & Children (DoHC) changed to Department of Health (DoH)

Summary of Changes between version 4.0 and 5.0 of Data Dictionary

Additional Variables

Type of Elective Admission

Discharge Specialty

Changes to Variable Categories

Health Insurer of the Patient Renamed *Quinn Healthcare* to *Laya*

Mode of Emergency Admission

2 changed to AMAU admitted as inpatient

5 changed to AMAU only and updated explanation to state: "This code is assigned if the patient is admitted as an emergency to the AMAU and discharged from there."

Code Set Changes

Health Insurer of the Patient - New Category *Glohealth*

Changes in terminology

Mode of Emergency Admission was updated to include the term Acute Medical Assessment Unit (AMAU).

Summary of Changes between version 5.0 and 6.0 of Data Dictionary

Some changes to this data dictionary reflect the transfer of HIPE from the ESRI to the HPO.

Additional Variables

- Batch Coded
- Date First Coded
- Last Changed Date/Time

Update variable information to reflect establishment of HPO

- Admitting Consultant
- Discharge Consultant
- Hospital Number

Changes to Variable label

- Marital/Civil Status updated to Civil Status

Code Set Changes

- Area of Residence - added Croatia and Switzerland, updated The Netherlands (Holland)

Changes to Data Entry Guideline

- Mode of Emergency Admission data entry guideline was updated

Additional Appendix

- ASCI I File Names

Removal of variables from data dictionary as these are not available on national file

- Additional consultant involvement - encounter consultant
- Additional consultant involvement - encounter position
- Additional consultant involvement - encounter type

Summary of Changes between version 6.0 and 7.0 of Data Dictionary

Additional Variables

- Hospital Acquired Diagnosis 1
- Number of Days in Critical Care Bed
- Number of Days in Intensive Care Environment Single Occupancy
- Number of Days in Intensive Care Environment Multiple Occupancy
- Private Bed Single Occupancy
- Private Bed Multiple Occupancy
- Public Bed Single Occupancy
- Public Bed Multiple Occupancy
- Semi Private Bed Single Occupancy
- Semi Private Bed Multiple Occupancy

Update variable information to reflect update of clinical coding classification to 8th ed ICD-10-AM/ACHI/ACS

- Principal Diagnosis

Principal Procedure
1st Additional Diagnosis - 29th Additional Diagnosis
1st Additional Procedure - 19th Additional Procedure

Summary of Changes between version 7.0 and 8.0 of Data Dictionary

Update

Contact details

Updated Field Size and Reported for

Episode Number

Update Definition Source and Collected since

Australian Refined - Diagnosis Related Group

Update Definition, Definition Source and Collected since

Major Diagnostic Category (MDC)

Update Order in Instruction Manual

Hospital Number

Summary of Changes between version 8.0 and 8.1 of Data Dictionary

Updated fields:

Definition of Principal Procedure, Additional Procedure 1 – 19

Definition changed from

Clinical intervention that is surgical in nature , carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.

To

Clinical intervention that is surgical in nature **and/or** carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.

Reason for change:

Definition of procedure updated to reflect definition used in ACHI 8th edition.

Page Layout

While each page does not necessarily include all fields, each page in the data dictionary has a consistent format as follows:

Variable	Name of variable
Definition	Provides a description of the variable.
Definition Source⁶	What is the source of the definition of this information - e.g. HPO
Source	Information may come from Chart, Hospital PAS, assigned by HPO or it may be derived from other variables.
Collected since⁷	Month and year when collection of variable commenced.
Collected/Derived	Is this variable collected from Chart or is it derived from the HIPE Portal data entry software?
Code Set	Details the information options available for each variable.
Data Entry Guideline	Provides further guidance on how a variable is assigned to case.
Variable Name	Variable name in Portal
Data Type	Integer or Alphanumeric
Field Size	Number of characters in the variable
Populated in National File	If no, this variable is only populated in the hospital version of HIPE and is not available on the national file.
Reported by	Who reports this variable? This will generally be the Hospital.
Reported for	For what cases/discharges is this information reported?
Order in Instruction Manual	The HIPE Instruction Manual forms part of the training material provided by the HPO. It provides details of administrative and demographic variables collected and is updated to reflect any changes or updates in data collection, this order is numerically based.
Irish Coding Standard	The Irish Coding Standards (ICS) are used in conjunction with the International Statistical Classification of Diseases and Related Health Problems, Tenth Revision, Australian Modification (ICD-10-AM), Australian Classification of Health Interventions (ACHI) and Australian Coding Standards (ACS) and apply to all activity coded in HIPE in Ireland.

⁶ As the ESRI oversaw the administration and management of the HIPE scheme on behalf of the HSE and the DoH for the period between 1990 and 2013, *ESRI HIPE Unit*, may be recorded as the definition source for a number of variables.

⁷ Between 1990 and 2013 the ESRI managed the HIPE scheme; variables in operation prior to this data will be marked as pre-1990.

PRODUCED BY AND CONTACT DETAILS

Healthcare Pricing Office (HPO)

Brunel Building
Heuston South Quarter
St. John's Road West
Dublin 8
D08 X01F
Ireland
Fax: (353-1) 7718414
Website: www.hpo.ie
Email: info@hpo.ie

Admission Date

Variable	Admission Date
Definition	The date on which a patient was admitted as an in-patient or day case to the hospital for care.
Definition source	
Source	Hospital PAS
Collected since	pre-1990
Collected/Derived	Collected
Code Set	
Data Entry Guideline	DD/MM/YYYY must be less than or equal to DISDATE.
Variable Name	ADMDATE
Data Type	Date
Field Size	8
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	3
Irish Coding Standard	

Admission Weight

Variable	Admission Weight
Definition	Admission weight of patient in grams (Infant).
Definition source	ESRI HIPE Unit
Source	Hospital PAS
Collected since	2004
Collected/Derived	Collected
Code Set	
Data Entry Guideline	Limits: 400 to 9999. Can only enter less than 400 with an explanation. 9999 is entered where admission weight is unknown.
Variable Name	ADMWEIGHT
Data Type	Integer
Field Size	4
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where age was less than 28 days (0-27 days), or age was less than 1 year and weight less than 2,500 grams.
Order in Instruction Manual	9
Irish Coding Standard	HIPE Guidelines for Administrative Data VI

Admitting Consultant

Variable	Admitting Consultant
Definition	The consultant who admits the patient. If there is no clear information on the chart on the identity of the admitting consultant, the code for the primary consultant is used. Each consultant has a unique number/code assigned by the HPO, which may not be used for any other consultant. The unique number assigned by the HPO is encrypted to a unique alphanumeric code when HIPE data are exported from the hospitals. The encrypted values are stored on the HIPE National File and it is not possible to ascertain the identity of individual consultants from any of the consultant fields in the National File.
Definition source	ESRI HIPE unit
Source	Hospital PAS
Collected since	1994
Collected/Derived	Collected
Code Set	
Data Entry Guideline	Where the entire case is handled by one consultant his/her code number need be entered only opposite the principal diagnosis. If more than one consultant is involved in a case the relevant consultant number will be placed opposite the relevant diagnosis/procedures.
Variable Name	ADMCONS
Data Type	Integer
Field Size	4
Populated in National File	Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	22b
Irish Coding Standard	

Admitting Ward

Variable	Admitting Ward
Definition	The ward to which the patient is formally admitted, based on the midnight census on the day of admission.
Definition source	Hospital
Source	Hospital PAS
Collected since	1996-2006 optional; 2007 mandatory.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ADMWARD
Data Type	Alphanumeric
Field Size	6
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	24
Irish Coding Standard	HIPE Guidelines for Administrative Data II

Age

Variable	Age
Definition	The patient's age in years at admission. Calculated at hospital level.
Definition source	
Source	ADMDATE - DOB
Collected since	pre-1990
Collected/Derived	Derived
Code Set	
Data Entry Guideline	
Variable Name	AGE
Data Type	Integer
Field Size	3
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	n/a
Reported for	All cases reported to HIPE.
Order in Instruction Manual	
Irish Coding Standard	

Age in Weeks

Variable	Age in Weeks
Definition	Age in weeks where patient's age is less than 1 year. Calculated at hospital level.
Definition source	ESRI HIPE Unit
Source	ADMDATE - DOB where AGE < 1.
Collected since	2010
Collected/Derived	Derived
Code Set	
Data Entry Guideline	
Variable Name	AgeInWeeks
Data Type	Integer
Field Size	2
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	n/a
Reported for	All cases where age was less than 1 year.
Order in Instruction Manual	
Irish Coding Standard	

Area of Residence

Variable	Area of Residence
Definition	The place the patient would normally reside. Foreign nationals resident in Ireland should have a code assigned for their Irish place of residence. Foreign visitors on short stay should be coded to their country of residence.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	pre-1990
Collected/Derived	Collected
Code Set	RESID
Data Entry Guideline	
Variable Name	RESID
Data Type	Integer
Field Size	4
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	14
Irish Coding Standard	

Australian Refined - Diagnosis Related Group

Variable	Australian Refined - Diagnosis Related Group
Definition	The DRG scheme enables the disaggregation of patients into homogeneous groups, which are expected to undergo similar treatment processes and incur similar levels of resource use. The data required for DRG assignment include principal and additional diagnoses, procedures performed, age, sex, and discharge status.
Definition source	Grouper Version 6.0 and 8.0 ⁸
Source	Grouping Programme
Collected since	2005 using Grouper Version 5.1; 2009-2014 Grouper Version 6.0; 2015 onwards using Grouper Versions V6.0 and V8.0.
Collected/Derived	Derived
Code Set	
Data Entry Guideline	
Variable Name	DRG
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	
Reported for	All cases reported to HIPE.
Order in Instruction Manual	
Irish Coding Standard	

⁸ For the purposes of Activity Based Funding HIPE data will be grouped using Versions 6.0 and 8.0 of the AR-DRG Classification.

Batch Coded

Variable	Batch Coded
Definition	Indicates that a case is batch coded by the hospital. A batch coded case is flagged on the national file with the value 1.
Definition source	
Source	HIPE Portal Batch Coder
Collected since	2013
Collected/Derived	Derived (system generated)
Code Set	
Data Entry Guideline	
Variable Name	BATCH_CODE_BATCH
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	
Reported for	All cases reported to HIPE.
Order in Instruction Manual	
Irish Coding Standard	

Civil Status

Variable	Civil Status
Definition	Current civil status of the patient.
Definition source	ESRI HIPE Unit
Source	Hospital PAS
Collected since	Pre-1990; updated in 2001 and updated 2012 following Civil Partnership and Certain Rights and Obligations of Cohabitants Act 2010. Variable label updated in 2014 from Marital/Civil Status to Civil Status.
Collected/Derived	Collected
Code Set	MARR
Data Entry Guideline	
Variable Name	MARRSTATUS
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	11
Irish Coding Standard	

Consultant Specialty

Variable	Consultant Specialty
Definition	A specialty code is assigned to the record on the basis of the specialty assignment of the consultant associated with the principal diagnosis. The specialty of the consultant is the specialty in which s/he is formally recognised and contracted to work. A consultant may be formally recognised and contracted to work in more than one specialty; in these cases one specialty is recognised as the main one.
Definition source	DoH
Source	Hospital PAS
Collected since	1994
Collected/Derived	Collected
Code Set	SPECIALTY
Data Entry Guideline	Specialty is assigned locally at the hospital from the DoH list.
Variable Name	SPECIALTY
Data Type	Integer
Field Size	4
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	22
Irish Coding Standard	

Date First Coded

Variable	Date First Coded
Definition	This is the date and time an episode was first coded, that is when a principal diagnosis is added and saved to the episode.
Definition source	
Source	HIPE Portal Data Entry Module
Collected since	April 2013.
Collected/Derived	Derived (system generated)
Code Set	
Data Entry Guideline	
Variable Name	firstCodedDate
Data Type	Datetime
Field Size	12
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	
Reported for	All cases reported to HIPE.
Order in Instruction Manual	
Irish Coding Standard	

Date of Birth

Variable	Date of Birth
Definition	Patient's Date of Birth. At national level only month and year of birth are available with day of birth set to 15.
Definition source	ESRI HIPE Unit
Source	Hospital PAS
Collected since	pre-1990
Collected/Derived	Collected
Code Set	
Data Entry Guideline	At least year of birth is required. If Day/Month are unknown, enter as 00/00/YY. Day, month will be derived to 01, and the variable UNSURE is populated.
Variable Name	DOB
Data Type	Date
Field Size	8
Populated in National File	Y (month and year only) <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	8
Irish Coding Standard	

Date of Discharge

Variable	Date of Discharge
Definition	The date on which the patient is discharged from hospital following an episode of care. If the patient dies during the episode of care, the date of death is the date of discharge.
Definition source	ESRI HIPE Unit
Source	Hospital PAS
Collected since	pre-1990
Collected/Derived	Collected
Code Set	
Data Entry Guideline	DD/MM/YYYY must be greater than or equal to ADMDATE.
Variable Name	DISDATE
Data Type	Date
Field Size	8
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	6
Irish Coding Standard	

Date of Principal Procedure

Variable	Date of Principal Procedure
Definition	Date the Principal Procedure was performed.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	Name change 2011 - migration to Portal. Previously called THEATRE.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE. Mandatory where PROC1 is completed.
Variable Name	PROCDATE1
Data Type	Date
Field Size	8
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a principal procedure (PROC1) was performed.
Order in Instruction Manual	23
Irish Coding Standard	ICS 002x

Date of procedure sequenced 2nd

Variable	Date of procedure sequenced 2nd
Definition	Date of procedure sequenced 2nd.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE.
Variable Name	PROCDATE2
Data Type	Date
Field Size	8
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where 1st additional procedure (PROC2) was performed.
Order in Instruction Manual	23
Irish Coding Standard	ICS002x

Date of procedure sequenced 3rd

Variable	Date of procedure sequenced 3rd
Definition	Date of procedure sequenced 3rd.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE.
Variable Name	PROCDATE3
Data Type	Date
Field Size	8
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 2nd additional procedure (PROC3) was performed.
Order in Instruction Manual	23
Irish Coding Standard	ICS002x

Date of procedure sequenced 4th

Variable	Date of procedure sequenced 4th
Definition	Date of procedure sequenced 4th.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE.
Variable Name	PROCDATE4
Data Type	Date
Field Size	8
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 3rd additional procedure (PROC4) was performed.
Order in Instruction Manual	23
Irish Coding Standard	ICS002x

Date of procedure sequenced 5th

Variable	Date of procedure sequenced 5th
Definition	Date of procedure sequenced 5th.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE.
Variable Name	PROCDATE5
Data Type	Date
Field Size	8
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 4th additional procedure (PROC5) was performed.
Order in Instruction Manual	23
Irish Coding Standard	ICS002x

Date of procedure sequenced 6th

Variable	Date of procedure sequenced 6th
Definition	Date of procedure sequenced 6th.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE.
Variable Name	PROCDATE6
Data Type	Date
Field Size	8
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 5th additional procedure (PROC6) was performed.
Order in Instruction Manual	23
Irish Coding Standard	ICS002x

Date of procedure sequenced 7th

Variable	Date of procedure sequenced 7th
Definition	Date of procedure sequenced 7th.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE.
Variable Name	PROCDATE7
Data Type	Date
Field Size	8
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 6th additional procedure (PROC7) was performed.
Order in Instruction Manual	23
Irish Coding Standard	ICS002x

Date of procedure sequenced 8th

Variable	Date of procedure sequenced 8th
Definition	Date of procedure sequenced 8th.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE.
Variable Name	PROCDATE8
Data Type	Date
Field Size	8
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 7th additional procedure (PROC8) was performed.
Order in Instruction Manual	23
Irish Coding Standard	ICS002x

Date of procedure sequenced 9th

Variable	Date of procedure sequenced 9th
Definition	Date of procedure sequenced 9th.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISCHARGE date.
Variable Name	PROCDATE9
Data Type	Date
Field Size	8
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where an 8th additional procedure (PROC9) was performed.
Order in Instruction Manual	23
Irish Coding Standard	ICS002x

Date of procedure sequenced 10th

Variable	Date of procedure sequenced 10th
Definition	Date of procedure sequenced 10th.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE.
Variable Name	PROCDATE10
Data Type	Date
Field Size	8
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 9th additional procedure (PROC10) was performed.
Order in Instruction Manual	23
Irish Coding Standard	ICS002x

Date of procedure sequenced 11th

Variable	Date of procedure sequenced 11th
Definition	Date of procedure sequenced 11th.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE.
Variable Name	PROCDATE11
Data Type	Date
Field Size	8
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 10th additional procedure (PROC11) was performed.
Order in Instruction Manual	23
Irish Coding Standard	ICS002x

Date of procedure sequenced 12th

Variable	Date of procedure sequenced 12th
Definition	Date of procedure sequenced 12th.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE.
Variable Name	PROCDATE12
Data Type	Date
Field Size	8
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where an 11th additional procedure (PROC12) was performed.
Order in Instruction Manual	23
Irish Coding Standard	ICS002x

Date of procedure sequenced 13th

Variable	Date of procedure sequenced 13th
Definition	Date of procedure sequenced 13th.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE.
Variable Name	PROCDATE13
Data Type	Date
Field Size	8
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 12th additional procedure (PROC13) was performed.
Order in Instruction Manual	23
Irish Coding Standard	ICS002x

Date of procedure sequenced 14th

Variable	Date of procedure sequenced 14th
Definition	Date of procedure sequenced 14th.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE.
Variable Name	PROCDATE14
Data Type	Date
Field Size	8
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 13th additional procedure (PROC14) was performed.
Order in Instruction Manual	23
Irish Coding Standard	ICS002x

Date of procedure sequenced 15th

Variable	Date of procedure sequenced 15th
Definition	Date of procedure sequenced 15th.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE.
Variable Name	PROCDATE15
Data Type	Date
Field Size	8
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 14th additional procedure (PROC15) was performed.
Order in Instruction Manual	23
Irish Coding Standard	ICS002x

Date of procedure sequenced 16th

Variable	Date of procedure sequenced 16th
Definition	Date of procedure sequenced 16th.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE.
Variable Name	PROCDATE16
Data Type	Date
Field Size	8
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 15th additional procedure (PROC16) was performed.
Order in Instruction Manual	23
Irish Coding Standard	ICS002x

Date of procedure sequenced 17th

Variable	Date of procedure sequenced 17th
Definition	Date of procedure sequenced 17th.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE.
Variable Name	PROCDATE17
Data Type	Date
Field Size	8
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 16th additional procedure (PROC17) was performed.
Order in Instruction Manual	23
Irish Coding Standard	ICS002x

Date of procedure sequenced 18th

Variable	Date of procedure sequenced 18th
Definition	Date of procedure sequenced 18th.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE.
Variable Name	PROCDATE18
Data Type	Date
Field Size	8
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 17th additional procedure (PROC18) was performed.
Order in Instruction Manual	23
Irish Coding Standard	ICS002x

Date of procedure sequenced 19th

Variable	Date of procedure sequenced 19th
Definition	Date of procedure sequenced 19th.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE.
Variable Name	PROCDATE19
Data Type	Date
Field Size	8
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where an 18th additional procedure (PROC19) was performed.
Order in Instruction Manual	23
Irish Coding Standard	ICS002x

Date of procedure sequenced 20th

Variable	Date of procedure sequenced 20th
Definition	Date of procedure sequenced 20th.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE.
Variable Name	PROCDATE20
Data Type	Date
Field Size	8
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 19th additional procedure (PROC20) was performed.
Order in Instruction Manual	23
Irish Coding Standard	ICS002x

Date of Transfer to Pre-Discharge Unit/Rehab

Variable	Date of Transfer to Pre-Discharge Unit/Rehab
Definition	Date when a patient is transferred to a registered Pre-Discharge Unit/Rehab within the hospital prior to discharge.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2004
Collected/Derived	Collected
Code Set	
Data Entry Guideline	DD/MM/YYYY - must be greater than or equal to ADMDATE & less than DISDATE. Hospitals must register the pre-Discharge Unit/Rehab with the Healthcare Pricing Office.
Variable Name	PDUTRANSDATE
Data Type	Date
Field Size	8
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional
Order in Instruction Manual	
Irish Coding Standard	

Day Case Indicator

Variable	Day Case Indicator
Definition	Day Case.
Definition source	DoH
Source	Hospital PAS
Collected since	2000
Collected/Derived	Collected
Code Set	DAYCASE
Data Entry Guideline	A day case is a patient who is admitted to hospital on an elective basis for care and/or treatment which does not require use of a hospital bed overnight and who is discharged as scheduled. If Daycase is indicated, Day Ward Indicator/Identifier must be completed.
Variable Name	ISDAYCASE
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	16
Irish Coding Standard	

Day Ward Identifier

Variable	Day Ward Identifier
Definition	Name of pre-registered Day Ward - to identify the day place where the patient was treated.
Definition source	ESRI HIPE Unit
Source	Hospital PAS
Collected since	2005
Collected/Derived	Collected
Code Set	
Data Entry Guideline	Dedicated Day Wards must be registered with the Healthcare Pricing Office.
Variable Name	DAYWARD
Data Type	Alphanumeric
Field Size	6
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where WARDIND = 1.
Order in Instruction Manual	18
Irish Coding Standard	

Day Ward Indicator

Variable	Day Ward Indicator
Definition	Indicates if a day case patient was admitted to a dedicated Day Ward.
Definition source	ESRI HIPE Unit
Source	Hospital PAS
Collected since	2004
Collected/Derived	Collected
Code Set	WARDIND
Data Entry Guideline	Dedicated Day Wards must be registered with the Healthcare Pricing Office. WARDIND = 0 if patient is marked as a day case but the episode was not admitted to a dedicated Day Ward, WARDIND = 1 if patient is marked as a day case and the episode was admitted to a dedicated Day Ward, WARDIND = 2 If the patient is marked as a day case and the setting of the episode is unknown.
Variable Name	WASINDAYWARD
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where DAYCASE = 1.
Order in Instruction Manual	17
Irish Coding Standard	HIPE Guideline V

Discharge Code

Variable	Discharge Code
Definition	Identifies the discharge destination.
Definition source	ESRI HIPE Unit
Source	Hospital PAS
Collected since	2002
Collected/Derived	Collected
Code Set	DISC_CODE
Data Entry Guideline	
Variable Name	DISCHARGECODE
Data Type	Integer
Field Size	2
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	7
Irish Coding Standard	

Discharge Consultant

Variable	Discharge Consultant
Definition	The consultant who discharges the patient at the end of the episode. Each consultant has a unique number/code assigned by the HPO, which may not be used for any other consultant. The unique number assigned by the HPO is encrypted to a unique Alphanumeric code when HIPE data are exported from the hospitals. The encrypted values are stored on the HIPE National File and it is not possible to ascertain the identity of individual consultants from any of the consultant fields in the National File.
Definition source	ESRI HIPE Unit
Source	Hospital PAS
Collected since	1996 - 2001 optional; 2002 - mandatory.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	Where the entire case is handled by one consultant his/her code number need be entered only opposite the principal diagnosis. If more than one consultant is involved in a case the relevant consultant number will be placed opposite the relevant diagnosis/procedures
Variable Name	DISCONS
Data Type	Integer
Field Size	4
Populated in National File	Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	22c
Irish Coding Standard	

Discharge Specialty

Variable	Discharge Specialty
Definition	The specialty of the discharge consultant identified by a four digit code
Definition source	DoH
Source	Hospital PAS
Collected since	2013
Collected/Derived	Collected
Code Set	Specialty
Data Entry Guideline	Specialty is assigned locally at the hospital from the DoH list.
Variable Name	DisConsSpec
Data Type	Integer
Field Size	4
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	22(d)
Irish Coding Standard	

Discharge Status

Variable	Discharge Status
Definition	Public/Private status of patient on discharge.
Definition source	ESRI HIPE Unit
Source	Hospital PAS
Collected since	1999
Collected/Derived	Collected
Code Set	DIS_STATUS
Data Entry Guideline	Refers to the public/private status of patient, it does not relate to the type of bed occupied nor is it an indicator of possession of private health insurance.
Variable Name	DISSTATUS
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	15
Irish Coding Standard	

Discharge Ward

Variable	Discharge Ward
Definition	The ward occupied prior to discharge.
Definition source	Hospital
Source	Hospital PAS
Collected since	1996-2006 optional; 2007 mandatory.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DISWARD
Data Type	Alphanumeric
Field Size	6
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	24
Irish Coding Standard	HIPE Guideline II

Episode Number

Variable	Episode Number
Definition	PAS or HIS episode identifier. Definition varies by hospital and may not be completed by all hospitals.
Definition source	Hospital
Source	Hospital PAS
Collected since	2000 locally, 2010 national level.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	EPISODENUMBER (ExtEpisodeNumber)
Data Type	Alphanumeric
Field Size	12
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases downloaded from a PAS or HIS system. For cases discharged from 01/01/2016, the download will be changed to allow the transfer of an Extended Episode Number consisting of 12 characters. Prior to this the maximum length of the episode number was 8 characters.
Order in Instruction Manual	
Irish Coding Standard	

Health Insurer

Variable	Health Insurer
Definition	Name of Health Insurer. At national level categories available are <i>Named Health Insurer/Not Stated/Other/No Insurance</i>
Definition source	Casemix Technical Group
Source	PAS
Collected since	2011 - migration to Portal, updated 2013.
Collected/Derived	Collected
Code Set	Health Insurer
Data Entry Guideline	
Variable Name	HealthInsurer
Data Type	Integer
Field Size	2
Populated in National File	Y (<i>Named health insurer/Not Stated/Other/No Insurance</i>) <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where DIS STATUS = 2 (private).
Order in Instruction Manual	15
Irish Coding Standard	

Hospital Acquired Diagnosis 1

Variable	Hospital Acquired Diagnosis 1
Definition	Flag: diagnosis acquired during the neonates birth episode, principal diagnosis.
Definition source	HPO
Source	Chart
Collected since	2015
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX1
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for neonates aged less than 28 days on their birth episode only.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 2

Variable	Hospital Acquired Diagnosis 2
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 1 st additional diagnosis (DIAG2).
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX2
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 3

Variable	Hospital Acquired Diagnosis 3
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 2nd additional diagnosis (DIAG3).
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX3
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 4

Variable	Hospital Acquired Diagnosis 4
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 3rd additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX4
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 5

Variable	Hospital Acquired Diagnosis 5
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 4th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX5
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 6

Variable	Hospital Acquired Diagnosis 6
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 5th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX6
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 7

Variable	Hospital Acquired Diagnosis 7
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 6th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX7
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 8

Variable	Hospital Acquired Diagnosis 8
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 7th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX8
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 9

Variable	Hospital Acquired Diagnosis 9
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 8th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX9
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 10

Variable	Hospital Acquired Diagnosis 10
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 9th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX10
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 11

Variable	Hospital Acquired Diagnosis 11
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 10th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX11
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 12

Variable	Hospital Acquired Diagnosis 12
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 11th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX12
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 13

Variable	Hospital Acquired Diagnosis 13
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 12th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX13
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 14

Variable	Hospital Acquired Diagnosis 14
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 13th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX14
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 15

Variable	Hospital Acquired Diagnosis 15
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 14th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX15
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 16

Variable	Hospital Acquired Diagnosis 16
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 15th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX16
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 17

Variable	Hospital Acquired Diagnosis 17
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 16th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX17
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 18

Variable	Hospital Acquired Diagnosis 18
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 17th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX18
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 19

Variable	Hospital Acquired Diagnosis 19
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 18th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX19
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 20

Variable	Hospital Acquired Diagnosis 20
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 19th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX20
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 21

Variable	Hospital Acquired Diagnosis 21
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 20th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX21
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 22

Variable	Hospital Acquired Diagnosis 22
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 21st additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX22
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 23

Variable	Hospital Acquired Diagnosis 23
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 22nd additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX23
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 24

Variable	Hospital Acquired Diagnosis 24
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 23rd additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX24
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 25

Variable	Hospital Acquired Diagnosis 25
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 24th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX25
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 26

Variable	Hospital Acquired Diagnosis 26
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 25th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX26
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 27

Variable	Hospital Acquired Diagnosis 27
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 26th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX27
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 28

Variable	Hospital Acquired Diagnosis 28
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 27th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX28
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 29

Variable	Hospital Acquired Diagnosis 29
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 28th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX29
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Acquired Diagnosis 30

Variable	Hospital Acquired Diagnosis 30
Definition	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 29th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	1 = Hospital Acquired Diagnosis, otherwise null
Data Entry Guideline	
Variable Name	HADX30
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all additional diagnoses.
Order in Instruction Manual	
Irish Coding Standard	ICS 0048

Hospital Number

Variable	Hospital Number
Definition	Unique numeric identifier assigned to each hospital by HIPE for operational purposes.
Definition source	ESRI HIPE Unit
Source	Assigned by the HPO.
Collected since	pre-1990
Collected/Derived	Collected
Code Set	Hospital Code List
Data Entry Guideline	The 3-digit number is allocated to the hospital by the HPO for HIPE purposes and is automatically assigned by the HIPE software. This code number differs from the DoH hospital codes which are used for transfers to and from hospitals.
Variable Name	HOSPITAL
Data Type	Alphanumeric
Field Size	3
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	28
Irish Coding Standard	

Intensive Care Consultant 1

Variable	Intensive Care Consultant 1
Definition	Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 1.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 JAN 2012; previously all 10 ICU consultants collected together in ICUCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ICUCONS1
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all cases where Number of Days in Intensive Care Environment (ITUDAYS) greater than or equal to 0.
Order in Instruction Manual	22f
Irish Coding Standard	

Intensive Care Consultant 2

Variable	Intensive Care Consultant 2
Definition	Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 2.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 JAN 2012; previously all 10 ICU consultants collected together in ICUCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ICUCONS2
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all cases where Number of Days in Intensive Care Environment (ITUDAYS) greater than or equal to 0.
Order in Instruction Manual	22f
Irish Coding Standard	

Intensive Care Consultant 3

Variable	Intensive Care Consultant 3
Definition	Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 3.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 JAN 2012; previously all 10 ICU consultants collected together in ICUCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ICUCONS3
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all cases where Number of Days in Intensive Care Environment (ITUDAYS) greater than or equal to 0.
Order in Instruction Manual	22f
Irish Coding Standard	

Intensive Care Consultant 4

Variable	Intensive Care Consultant 4
Definition	Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 4.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 JAN 2012; previously all 10 ICU consultants collected together in ICUCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ICUCONS4
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all cases where Number of Days in Intensive Care Environment (ITUDAYS) greater than or equal to 0.
Order in Instruction Manual	22f
Irish Coding Standard	

Intensive Care Consultant 5

Variable	Intensive Care Consultant 5
Definition	Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 5.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 JAN 2012; previously all 10 ICU consultants collected together in ICUCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ICUCONS5
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all cases where Number of Days in Intensive Care Environment (ITUDAYS) greater than or equal to 0.
Order in Instruction Manual	22f
Irish Coding Standard	

Intensive Care Consultant 6

Variable	Intensive Care Consultant 6
Definition	Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 6.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 JAN 2012; previously all 10 ICU consultants collected together in ICUCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ICUCONS6
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all cases where Number of Days in Intensive Care Environment (ITUDAYS) greater than or equal to 0.
Order in Instruction Manual	22f
Irish Coding Standard	

Intensive Care Consultant 7

Variable	Intensive Care Consultant 7
Definition	Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 7.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 JAN 2012; previously all 10 ICU consultants collected together in ICUCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ICUCONS7
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all cases where Number of Days in Intensive Care Environment (ITUDAYS) greater than or equal to 0.
Order in Instruction Manual	22f
Irish Coding Standard	

Intensive Care Consultant 8

Variable	Intensive Care Consultant 8
Definition	Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 8.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 JAN 2012; previously all 10 ICU consultants collected together in ICUCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ICUCONS8
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all cases where Number of Days in Intensive Care Environment (ITUDAYS) greater than or equal to 0.
Order in Instruction Manual	22f
Irish Coding Standard	

Intensive Care Consultant 9

Variable	Intensive Care Consultant 9
Definition	Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 9.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 JAN 2012; previously all 10 ICU consultants collected together in ICUCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ICUCONS9
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all cases where Number of Days in Intensive Care Environment (ITUDAYS) greater than or equal to 0.
Order in Instruction Manual	22f
Irish Coding Standard	

Intensive Care Consultant 10

Variable	Intensive Care Consultant 10
Definition	Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 10.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 JAN 2012; previously all 10 ICU consultants collected together in ICUCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ICUCONS10
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Optional for all cases where Number of Days in Intensive Care Environment (ITUDAYS) greater than or equal to 0.
Order in Instruction Manual	22f
Irish Coding Standard	

Last Changed Date/Time

Variable	Last Changed Date/Time
Definition	This is the latest date and time an episode was either fully coded or the latest date and time a fully coded episode was last edited.
Definition source	
Source	HIPE Portal Data Entry Module
Collected since	
Collected/Derived	Derived (system generated)
Code Set	
Data Entry Guideline	
Variable Name	codedDate
Data Type	Datetime
Field Size	12
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	
Reported for	All cases reported to HIPE.
Order in Instruction Manual	
Irish Coding Standard	

Major Diagnostic Category (MDC)

Variable	Major Diagnostic Category (MDC)
Definition	The MDC is a category generally based on a single body system or aetiology that is associated with a particular medical specialty. However, records assigned to MDCs 01, 15, 18 and 21 may have principal diagnoses associated with other categories. In AR-DRG Versions 6.0 and 8.0 there are 23 MDCs.
Definition source	Grouper Version 6.0 and 8.0 ⁹
Source	Grouping Programme
Collected since	2005 using Grouper Version 5.1; 2009-2014 Grouper Version 6.0; 2015 onwards using Grouper Versions V6.0 and V8.0.
Collected/Derived	Derived
Code Set	
Data Entry Guideline	
Variable Name	MDC
Data Type	Alphanumeric
Field Size	2
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	
Reported for	All cases reported to HIPE.
Order in Instruction Manual	
Irish Coding Standard	

⁹ For the purposes of Activity Based Funding HIPE data will be grouped using Versions 6.0 and 8.0 of the AR-DRG Classification.

Medical Card

Variable	Medical Card
Definition	Medical Card Indicator.
Definition source	ESRI HIPE Unit
Source	Hospital PAS
Collected since	1994
Collected/Derived	Collected
Code Set	MCARD
Data Entry Guideline	
Variable Name	HASMEDCARD
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	12
Irish Coding Standard	

Medical Card Number

Variable	Medical Card Number
Definition	General Medical Services Patient Number/Medical Card Number.
Definition source	DoH
Source	Hospital PAS
Collected since	1999 - 2007 optional; 2008 mandatory where medical=1. From Oct 2010 not populated in National File.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	"NA" may be entered if the specific medical card number is unknown but it is known that the patient has a medical card.
Variable Name	MCN
Data Type	Alphanumeric
Field Size	8
Populated in National File	N
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where MCARD = 1, Yes.
Order in Instruction Manual	13
Irish Coding Standard	

Medical Record Number

Variable	Medical Record Number
Definition	Unique identifier assigned by hospital to this patient within this hospital but not necessarily unique to this patient encounter. All encounters relating to a particular patient in the same hospital should be recorded under the same MRN, but this is not always possible.
Definition source	Hospital
Source	Hospital PAS
Collected since	pre-1990
Collected/Derived	Collected
Code Set	
Data Entry Guideline	Determined by the hospital, if number of digits is less than 7, place leading zeros before the Chart Number. Up to 2 Alphanumeric digits allowed, place these before the chart number and in the first position. Chart numbers that are keyed as 6-digits are stored with # in the first position on the National File.
Variable Name	MRN
Data Type	Alphanumeric
Field Size	7
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	2
Irish Coding Standard	

Mode of Emergency Admission

Variable	Mode of Emergency Admission
Definition	Indicates where the patient was treated prior to being admitted into the hospital as an emergency in-patient or when the patient was treated only in a registered Acute Medical Assessment Unit (AMAU). (AMAU must be registered with Healthcare Pricing Office).
Definition source	ESRI HIPE Unit
Source	Hospital PAS
Collected since	2004
Collected/Derived	Collected
Code Set	EMADM
Data Entry Guideline	Use code = 2 (AMAU admitted as in-patient) where the patient is admitted as an emergency to the hospital through the AMAU. Use code =5 (AMAU only) where the patient is admitted as an emergency to the AMAU and discharged from there.
Variable Name	EMADM
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE where ADMTYPE was 4 (Emergency), 5 (Emergency Readmission), or 7 (New born).
Order in Instruction Manual	4
Irish Coding Standard	

Non Acute Length of Stay: Temporary Leave Days

Variable	Non Acute Length of Stay: Temporary Leave Days
Definition	Number of days a patient did not spend in hospital during an episode.
Definition source	DoH
Source	Chart
Collected since	2007
Collected/Derived	Collected
Code Set	
Data Entry Guideline	A patient is temporarily discharged when: the patient is allowed to leave the hospital for a short number of days; their bed in hospital remains for their use and is not available for another patient; the patient returns after the specified amount of time to continue their ongoing care. Temporary Leave Days do NOT apply in the following situations: 1) patient is considered clinically discharged but continues to reside in a bed prior to transfer elsewhere 2) patient is temporarily sent to another hospital for a day to undergo a particular procedure 3) patient returns home during a day and returns to hospital before midnight 4) patient returns home for more than 3 days and is then readmitted.
Variable Name	TLDAYS
Data Type	Integer
Field Size	3
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE where a patient was temporarily discharged.
Order in Instruction Manual	25
Irish Coding Standard	HIPE Guidelines for Administrative Data I

Number of Days in Critical Care Bed

Variable	Number of Days in Critical Care Bed
Definition	This identifies the number of days a patient spent in a Level 2, Level 3 or Level 3s critical care bed.
Definition source	National Clinical Programme for Critical Care, HSE
Source	Hospital PAS
Collected since	2015
Collected/Derived	Collected
Code Set	
Data Entry Guideline	<p>The number of days is to be based on the midnight census. Intensive care beds are considered to be non-designated and as such are neither public nor private. Level 2 care = Active management by the critical care team to treat and support critically ill patients with primarily single organ failure. Level 3 care = Active management by the critical care team to treat and support critically ill patients with two or more organ failures. Level 3(s) = care Level 3 with regional/national service.</p> <p>http://www.hse.ie/eng/about/Who/clinical/natclinprog/criticalcareprogramme/modelofcare/criticalcare.pdf</p>
Variable Name	CriticalCareBedDays
Data Type	Integer
Field Size	3
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	26
Irish Coding Standard	

Number of Days in Intensive Care Environment

Variable	Number of Days in Intensive Care Environment
Definition	This identifies the number of days, or part thereof, the patient spent in an intensive care environment e.g. ICU/ITU/CCU/HDU/NITU etc.
Definition source	ESRI HIPE Unit
Source	Hospital PAS
Collected since	1996 - optional; 2002 - mandatory. 2011 - definition revised from "based on midnight census" to "can be based on midnight census".
Collected/Derived	Collected
Code Set	
Data Entry Guideline	The midnight census can be used to determine the number of days spent in these environments. If the patient spends less than 1 day in these environments and is not present at the time of the midnight census, a stay of less than one day can optionally be recorded as '1' day. Where part of day is spent in ICU the allocation of public/private/semi- private days can be adjusted accordingly.
Variable Name	ITUDAYS
Data Type	Integer
Field Size	3
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	19
Irish Coding Standard	

Number of Days in Intensive Care Environment Single Occupancy

Variable	Number of Days in Intensive Care Environment Single Occupancy
Definition	This identifies the number of days, or part thereof, the patient spent in an intensive care environment e.g. ICU/ITU/CCU/HDU/NITU etc. - single occupancy room/ward.
Definition source	HPO
Source	Hospital PAS
Collected since	2015
Collected/Derived	Collected
Code Set	
Data Entry Guideline	The midnight census can be used to determine the number of days spent in these environments. If the patient spends less than 1 day in these environments and is not present at the time of the midnight census, a stay of less than one day can optionally be recorded as '1' day. Where part of day is spent in ICU the allocation of public/private/semi- private days can be adjusted accordingly.
Variable Name	ITUDAYSSINGLE
Data Type	Integer
Field Size	3
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported where DIS_STATUS = 2 (private).
Order in Instruction Manual	19
Irish Coding Standard	

Number of Days in Intensive Care Environment Multiple Occupancy

Variable	Number of Days in Intensive Care Environment Multiple Occupancy
Definition	This identifies the number of days, or part thereof, the patient spent in an intensive care environment e.g. ICU/ITU/CCU/HDU/NITU etc. - multiple occupancy room/ward.
Definition source	HPO
Source	Hospital PAS
Collected since	2015
Collected/Derived	Collected
Code Set	
Data Entry Guideline	The midnight census can be used to determine the number of days spent in these environments. If the patient spends less than 1 day in these environments and is not present at the time of the midnight census, a stay of less than one day can optionally be recorded as '1' day. Where part of day is spent in ICU the allocation of public/private/semi- private days can be adjusted accordingly.
Variable Name	ITUDAYSMULTI
Data Type	Integer
Field Size	3
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported where DIS_STATUS = 2 (private).
Order in Instruction Manual	19
Irish Coding Standard	

Oncology Day Ward Flag

Variable	Oncology Day Ward Flag
Definition	Oncology Ward Repeat Status.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2010
Collected/Derived	Collected
Code Set	RepeatStatus
Data Entry Guideline	Stores the value of the oncology ward repeat status.
Variable Name	RepeatStatus
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	18
Irish Coding Standard	ICS 02X0

Parity: Live births

Variable	Parity: Live births
Definition	Number of previous live births.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	Current pregnancy is not included. If information is not available please enter NA.
Variable Name	LiveBirths
Data Type	Char
Field Size	2
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Mandatory where ADMTYPE = 6 (maternity), optional for other female patients.
Order in Instruction Manual	27
Irish Coding Standard	HIPE Guidelines for Administrative Data VII

Parity: Still births

Variable	Parity: Still births
Definition	Number of previous still births.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	Current pregnancy is not included. If information is not available please enter NA.
Variable Name	Stillbirths
Data Type	Char
Field Size	2
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	Mandatory where ADMTYPE = 6 (maternity), optional for other female patients.
Order in Instruction Manual	27
Irish Coding Standard	HIPE Guidelines for Administrative Data VII

Patient's name

Variable	Patient's name
Definition	The patient's name.
Definition source	Hospital
Source	Hospital PAS
Collected since	pre-1990
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	FULLNAME
Data Type	Alphanumeric
Field Size	15
Populated in National File	N
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	
Irish Coding Standard	

Primary Consultant

Variable	Primary Consultant
Definition	The primary consultant of a case is the consultant who has overall responsibility for the case.
Definition source	ESRI HIPE Unit
Source	Hospital PAS
Collected since	01/09/2008
Collected/Derived	Collected
Code Set	
Data Entry Guideline	Where the entire case is handled by one consultant his/her code number need be entered only opposite the principal diagnosis. If more than one consultant is involved in a case the relevant consultant number will be placed opposite the relevant diagnosis/procedures.
Variable Name	PrimaryCons
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	22a
Irish Coding Standard	

Principal Diagnosis

Variable	Principal Diagnosis
Definition	The diagnosis established after study to be chiefly responsible for occasioning the episode of admitted patient care.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	Pre-1990. Name Change 2011 from DIAG to DIAG1.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG1
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	
Irish Coding Standard	

Principal Diagnosis Consultant

Variable	Principal Diagnosis Consultant
Definition	Consultant responsible for the principal diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	Pre-1990. Name change 2011, formerly DCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS1
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	22
Irish Coding Standard	

Principal Procedure

Variable	Principal Procedure
Definition	The principal procedure is the procedure performed for treatment of the principal diagnosis or a diagnostic/exploratory procedure related to the principal diagnosis. A procedure is defined as a clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	Pre-1990. Name change 2011 formerly PROC.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
Variable Name	PROC1
Data Type	Integer
Field Size	7
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

Principal Procedure Anaesthetist

Variable	Principal Procedure Anaesthetist
Definition	Consultant anaesthetist responsible for anaesthetics in principal procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 Sep 2008. Name change 2011, formerly P1ANA.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ANACONS1
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where the procedure was performed with anaesthetic.
Order in Instruction Manual	22e
Irish Coding Standard	

Principal Procedure Consultant

Variable	Principal Procedure Consultant
Definition	Consultant responsible for principal procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	Pre-1990. Name change 2011, formerly PCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PROCCONS1
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

Private Bed

Variable	Private Bed
Definition	Number of days patient spent in a private bed.
Definition source	ESRI HIPE Unit
Source	Hospital PAS
Collected since	2002
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PRIVDAYS
Data Type	Integer
Field Size	3
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	20
Irish Coding Standard	

Private Bed Single Occupancy

Variable	Private Bed Single Occupancy
Definition	Number of days patient spent in a private bed - single occupancy room/ward.
Definition source	HPO
Source	Hospital PAS
Collected since	2015
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PRIVDAYSSINGLE
Data Type	Integer
Field Size	3
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported where DIS STATUS = 2 (private).
Order in Instruction Manual	20
Irish Coding Standard	

Private Bed Multiple Occupancy

Variable	Private Bed Multiple Occupancy
Definition	Number of days patient spent in a private bed - multiple occupancy room/ward.
Definition source	HPO
Source	Hospital PAS
Collected since	2015
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PRIVDAYSMULTI
Data Type	Integer
Field Size	3
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported where DIS STATUS = 2 (private).
Order in Instruction Manual	20
Irish Coding Standard	

Public Bed

Variable	Public Bed
Definition	Number of days patient spent in a public bed.
Definition source	ESRI HIPE Unit
Source	Hospital PAS
Collected since	2002 - optional; 2008 mandatory.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PUBDAYS
Data Type	Integer
Field Size	3
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	21
Irish Coding Standard	

Public Bed Single Occupancy

Variable	Public Bed Single Occupancy
Definition	Number of days patient spent in a public bed - single occupancy room/ward.
Definition source	HPO
Source	Hospital PAS
Collected since	2015
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PUBDAYSSINGLE
Data Type	Integer
Field Size	3
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported where DIS STATUS = 2 (private).
Order in Instruction Manual	21
Irish Coding Standard	

Public Bed Multiple Occupancy

Variable	Public Bed Multiple Occupancy
Definition	Number of days patient spent in a public bed - multiple occupancy room/ward.
Definition source	HPO
Source	Hospital PAS
Collected since	2015
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PUBDAYSMULTI
Data Type	Integer
Field Size	3
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported where DIS STATUS = 2 (private).
Order in Instruction Manual	21
Irish Coding Standard	

Semi Private Bed

Variable	Semi Private Bed
Definition	Number of days patient spent in a semi private bed.
Definition source	ESRI HIPE Unit
Source	Hospital PAS
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	SEMIPRIVDAYS
Data Type	Integer
Field Size	3
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	20
Irish Coding Standard	

Semi Private Bed Single Occupancy

Variable	Semi Private Bed Single Occupancy
Definition	Number of days patient spent in a semi private bed – single occupancy.
Definition source	HPO
Source	Hospital PAS
Collected since	2015
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	SPRIVDAYSSINGLE
Data Type	Integer
Field Size	3
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported where DIS STATUS = 2 (private).
Order in Instruction Manual	20
Irish Coding Standard	

Semi Private Bed Multiple Occupancy

Variable	Semi Private Bed Multiple Occupancy
Definition	Number of days patient spent in a semi private bed – multiple occupancy.
Definition source	HPO
Source	Hospital PAS
Collected since	2015
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	SPRIVDAYSMULTI
Data Type	Integer
Field Size	3
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported where DIS STATUS = 2 (private).
Order in Instruction Manual	20
Irish Coding Standard	

Sex

Variable	Sex
Definition	The sex of the patient.
Definition source	ESRI HIPE Unit
Source	Hospital PAS
Collected since	pre-1990
Collected/Derived	Collected
Code Set	SEX
Data Entry Guideline	
Variable Name	SEX
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	10
Irish Coding Standard	

Source of Admission

Variable	Source of Admission
Definition	Describes where the patient was admitted from. It does not refer to where an emergency or accident occurred.
Definition source	ESRI HIPE Unit
Source	Hospital PAS
Collected since	2002
Collected/Derived	Collected
Code Set	ADMSOURCE
Data Entry Guideline	
Variable Name	ADMSOURCE
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	5
Irish Coding Standard	

Time of Admission

Variable	Time of Admission
Definition	Time patient is admitted to ward.
Definition source	Casemix Technical Group
Source	Hospital PAS
Collected since	2012
Collected/Derived	Collected
Code Set	
Data Entry Guideline	Time (24 Hour)
Variable Name	ADMTIME
Data Type	Numeric
Field Size	4
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	3a
Irish Coding Standard	

Time of Discharge

Variable	Time of Discharge
Definition	Time patient is discharged from hospital.
Definition source	Casemix Technical Group
Source	Hospital PAS
Collected since	2012
Collected/Derived	Collected
Code Set	
Data Entry Guideline	Time (24 Hour)
Variable Name	DISTIME
Data Type	Numeric
Field Size	4
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	6a
Irish Coding Standard	

Transfer Hospital: From

Variable	Transfer Hospital: From
Definition	Hospital from which the patient was transferred.
Definition source	DoH
Source	Hospital PAS
Collected since	1994
Collected/Derived	Collected
Code Set	Hospital Code List
Data Entry Guideline	When ADMSOURCE is entered as 3 (transfer from acute hospital), Portal directs to TransInHosp question.
Variable Name	TransInHosp
Data Type	Integer
Field Size	4
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE where ADMSOURCE = 3 (transfer from acute hospital).
Order in Instruction Manual	5
Irish Coding Standard	

Transfer Hospital: To

Variable	Transfer Hospital: To
Definition	Hospital to which the patient was transferred.
Definition source	DoH
Source	Hospital PAS
Collected since	1994
Collected/Derived	Collected
Code Set	Hospital Code List
Data Entry Guideline	When DISC_CODE is entered as 03 (transfer to hospital – emergency) or 04 (transfer to hospital - non emergency), Portal directs to TransOutHosp question.
Variable Name	TransOutHosp
Data Type	Integer
Field Size	4
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where DISC_CODE is entered as 03 (transfer to hospital – emergency) or 04 (transfer to hospital - non emergency).
Order in Instruction Manual	7
Irish Coding Standard	

Type of Admission

Variable	Type of Admission
Definition	The category of admission relating to this episode of care, indicates the priority of the admission.
Definition source	ESRI HIPE Unit
Source	Hospital PAS
Collected since	2002; amended 2009.
Collected/Derived	Collected
Code Set	ADMTYPE
Data Entry Guideline	Elective AMAU Admissions to registered AMAUs will record an elective admission type. The admitting ward will record the AMAU ward code and the discharge ward will be coded as appropriate.
Variable Name	ADMTYPE
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE.
Order in Instruction Manual	4
Irish Coding Standard	

Type of Elective Admission

Variable	Type of Elective Admission
Definition	Indicates if the elective admission is from a waiting list or is a planned admission.
Definition source	Casemix Technical Group/SDU
Source	Hospital PAS
Collected since	2013
Collected/Derived	Collected
Code Set	ElectiveType
Data Entry Guideline	Use code = 1 where patient's admission is planned. Use code = 2 if the patient's admission is from a waiting list. Use code = 3 if it is unknown whether a patient's admission is planned or from a waiting list.
Variable Name	ElectiveType
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE where ADMTYPE was 1 (elective) or 2 (elective readmission).
Order in Instruction Manual	4
Irish Coding Standard	

Waiting List Indicator

Variable	Waiting List Indicator
Definition	Is the case funded by the National Treatment Purchase Fund, yes or no.
Definition source	ESRI HIPE Unit
Source	Hospital PAS
Collected since	2004
Collected/Derived	Collected
Code Set	WLIST
Data Entry Guideline	
Variable Name	WLIST
Data Type	Integer
Field Size	1
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases reported to HIPE where ADMTYPE was 1 (elective) or 2 (elective readmission).
Order in Instruction Manual	4
Irish Coding Standard	

1st Additional Diagnosis

Variable	1st Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	1990. Name change 2011, formerly C2DIA.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG2
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where at least 1 additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

1st Additional Diagnosis Consultant

Variable	1st Additional Diagnosis Consultant
Definition	Consultant attending 1st additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	1990. Name change 2011, formerly C2CON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS2
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where at least 1 additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

1st Additional Procedure

Variable	1st Additional Procedure
Definition	Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	1990. Name change 2011, formerly P2PRO.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
Variable Name	PROC2
Data Type	Integer
Field Size	7
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where at least one additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

1st Additional Procedure Anaesthetist

Variable	1st Additional Procedure Anaesthetist
Definition	Consultant anaesthetist responsible for anaesthetics in 1st additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 Sep 2008. Name change 2011, formerly P2ANA.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ANACONS2
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where the 1st additional procedure was performed with anaesthetic.
Order in Instruction Manual	22e
Irish Coding Standard	

1st Additional Procedure Consultant

Variable	1st Additional Procedure Consultant
Definition	Consultant responsible for 1st additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	1990. Name change 2011, formerly P2CON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PROCCONS2
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where at least 1 additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

2nd Additional Diagnosis

Variable	2nd Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	1990. Name change 2011, formerly C3DIA.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG3
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 2nd additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

2nd Additional Diagnosis Consultant

Variable	2nd Additional Diagnosis Consultant
Definition	Consultant attending 2nd additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	1990. Name change 2011, formerly C3CON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS3
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 2nd additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

2nd Additional Procedure

Variable	2nd Additional Procedure
Definition	Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	1990. Name change 2011, formerly P3PRO.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
Variable Name	PROC3
Data Type	Integer
Field Size	7
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 2nd additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

2nd Additional Procedure Anaesthetist

Variable	2nd Additional Procedure Anaesthetist
Definition	Consultant anaesthetist responsible for anaesthetics in 2nd additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 Sep 2008. Name change 2011, formerly P3ANA.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ANACONS3
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 2nd additional procedures was performed with anaesthetic.
Order in Instruction Manual	22e
Irish Coding Standard	

2nd Additional Procedure Consultant

Variable	2nd Additional Procedure Consultant
Definition	Consultant responsible for 2nd additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	1990. Name change 2011, formerly P3CON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PROCCONS3
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 2nd additional procedures was performed.
Order in Instruction Manual	
Irish Coding Standard	

3rd Additional Diagnosis

Variable	3rd Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	1990. Name change 2011, formerly C4DIA.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG4
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 3rd additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

3rd Additional Diagnosis Consultant

Variable	3rd Additional Diagnosis Consultant
Definition	Consultant attending 3rd additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	1990. Name change 2011, formerly C4CON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS4
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 3rd additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

3rd Additional Procedure

Variable	3rd Additional Procedure
Definition	Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	1990. Name change 2011, formerly P4PRO.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
Variable Name	PROC4
Data Type	Integer
Field Size	7
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 3rd additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

3rd Additional Procedure Anaesthetist

Variable	3rd Additional Procedure Anaesthetist
Definition	Consultant anaesthetist responsible for anaesthetics in 3rd additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	1990. Name change 2011, formerly P4ANA.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ANACONS4
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 3rd additional procedure was performed with anaesthetic.
Order in Instruction Manual	22e
Irish Coding Standard	

3rd Additional Procedure Consultant

Variable	3rd Additional Procedure Consultant
Definition	Consultant responsible for 3rd additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	1990. Name change 2011, formerly P4CON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PROCCONS4
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 3rd additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

4th Additional Diagnosis

Variable	4th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	1990. Name change 2011, formerly C5DIA.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG5
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 4th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

4th Additional Diagnosis Consultant

Variable	4th Additional Diagnosis Consultant
Definition	Consultant attending 4th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	1990. Name change 2011, formerly C5CON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS5
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 4th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

4th Additional Procedure

Variable	4th Additional Procedure
Definition	Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2002. Name change 2011, formerly P5PRO.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
Variable Name	PROC5
Data Type	Integer
Field Size	7
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 4th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

4th Additional Procedure Anaesthetist

Variable	4th Additional Procedure Anaesthetist
Definition	Consultant anaesthetist responsible for anaesthetics in 4th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 Sep 2008. Name change 2011, formerly P5ANA.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ANACONS5
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 4th additional procedure was performed with anaesthetic.
Order in Instruction Manual	22e
Irish Coding Standard	

4th Additional Procedure Consultant

Variable	4th Additional Procedure Consultant
Definition	Consultant responsible for 4th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2002. Name change 2011, formerly P5CON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PROCCONS5
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 4th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

5th Additional Diagnosis

Variable	5th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	1990. Name change 2011, formerly C6DIA.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG6
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 5th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

5th Additional Diagnosis Consultant

Variable	5th Additional Diagnosis Consultant
Definition	Consultant attending 5th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	1990 Name change 2011, formerly C6CON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS6
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 5th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

5th Additional Procedure

Variable	5th Additional Procedure
Definition	Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2002. Name change 2011, P6PRO.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
Variable Name	PROC6
Data Type	Integer
Field Size	7
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 5th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

5th Additional Procedure Anaesthetist

Variable	5th Additional Procedure Anaesthetist
Definition	Anaesthetist responsible for anaesthetics in 5th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 Sep 2008. Name change 2011, formerly P6ANA.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ANACONS6
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 5th additional procedure was performed with anaesthetic.
Order in Instruction Manual	22e
Irish Coding Standard	

5th Additional Procedure Consultant

Variable	5th Additional Procedure Consultant
Definition	Consultant responsible for 5th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2002. Name change 2011, formerly P6CON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PROCCONS6
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 5th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

6th Additional Diagnosis

Variable	6th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2002. Name change 2011, formerly C7DIA.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG7
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 6th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

6th Additional Diagnosis Consultant

Variable	6th Additional Diagnosis Consultant
Definition	Consultant attending 6th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2002 Name change 2011, formerly C7CON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS7
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 6th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

6th Additional Procedure

Variable	6th Additional Procedure
Definition	Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2002. Name change 2011, formerly P7PRO.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
Variable Name	PROC7
Data Type	Integer
Field Size	7
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 6th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

6th Additional Procedure Anaesthetist

Variable	6th Additional Procedure Anaesthetist
Definition	Consultant anaesthetist responsible for anaesthetics in 6th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 Sep 2008. Name change 2011, formerly P7ANA.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ANACONS7
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 6th additional procedure was performed with anaesthetic.
Order in Instruction Manual	22e
Irish Coding Standard	

6th Additional Procedure Consultant

Variable	6th Additional Procedure Consultant
Definition	Consultant responsible for 6th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2002. Name change 2011, formerly P7CON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PROCCONS7
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 6th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

7th Additional Diagnosis

Variable	7th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2002. Name change 2011, formerly C8DIA.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG8
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 7th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

7th Additional Diagnosis Consultant

Variable	7th Additional Diagnosis Consultant
Definition	Consultant attending 7th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2002. Name change 2011, formerly C8CON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS8
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 7th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

7th Additional Procedure

Variable	7th Additional Procedure
Definition	Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2002. Name change 2011, formerly P8PRO.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
Variable Name	PROC8
Data Type	Integer
Field Size	7
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 7th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

7th Additional Procedure Anaesthetist

Variable	7th Additional Procedure Anaesthetist
Definition	Consultant anaesthetist responsible for anaesthetics in 7th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 Sep 2008. Name change 2011, formerly P8ANA.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ANACONS8
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 7th additional procedure was performed with anaesthetic.
Order in Instruction Manual	22e
Irish Coding Standard	

7th Additional Procedure Consultant

Variable	7th Additional Procedure Consultant
Definition	Consultant responsible for 7th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2002. Name change 2011, formerly P8CON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PROCCONS8
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 7th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

8th Additional Diagnosis

Variable	8th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2002. Name change 2011, formerly C9DIA.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG9
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where an 8th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

8th Additional Diagnosis Consultant

Variable	8th Additional Diagnosis Consultant
Definition	Consultant attending 8th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2002. Name change 2011, formerly C9CON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS9
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where an 8th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

8th Additional Procedure

Variable	8th Additional Procedure
Definition	Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2002. Name change 2011, formerly P9PRO.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
Variable Name	PROC9
Data Type	Integer
Field Size	7
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where an 8th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

8th Additional Procedure Anaesthetist

Variable	8th Additional Procedure Anaesthetist
Definition	Consultant anaesthetist responsible for anaesthetics in 8th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 Sep 2008. Name change 2011, formerly P9ANA.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ANACONS9
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where an 8th additional procedure was performed.
Order in Instruction Manual	22e
Irish Coding Standard	

8th Additional Procedure Consultant

Variable	8th Additional Procedure Consultant
Definition	Consultant responsible for 8th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2002. Name change 2011, formerly P9CON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PROCCONS9
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where an 8th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

9th Additional Diagnosis

Variable	9th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2002. Name change 2011, formerly CaDIA.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG10
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 9th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

9th Additional Diagnosis Consultant

Variable	9th Additional Diagnosis Consultant
Definition	Consultant attending 9th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2002. Name change 2011, formerly CaCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS10
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 9th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

9th Additional Procedure

Variable	9th Additional Procedure
Definition	Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2002. Name change 2011, formerly PaPRO.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
Variable Name	PROC10
Data Type	Integer
Field Size	7
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 9th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

9th Additional Procedure Anaesthetist

Variable	9th Additional Procedure Anaesthetist
Definition	Consultant anaesthetist responsible for anaesthetics in 9th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 Sep 2008. Name change 2011, formerly PAANA.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ANACONS10
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 9th additional procedure was performed.
Order in Instruction Manual	22e
Irish Coding Standard	

9th Additional Procedure Consultant

Variable	9th Additional Procedure Consultant
Definition	Consultant responsible for 9th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2002. Name change 2011, formerly PACON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PROCCONS10
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 9th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

10th Additional Diagnosis

Variable	10th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2005. Name change 2011, formerly CbDIA.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG11
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 10th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

10th Additional Diagnosis Consultant

Variable	10th Additional Diagnosis Consultant
Definition	Consultant attending 10th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2005 Name change 2011, formerly CbCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS11
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 10th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

10th Additional Procedure

Variable	10th Additional Procedure
Definition	Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2005. Name change 2011, formerly PbPRO.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
Variable Name	PROC11
Data Type	Integer
Field Size	7
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 10th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

10th Additional Procedure Anaesthetist

Variable	10th Additional Procedure Anaesthetist
Definition	Consultant anaesthetist responsible for anaesthetics in 10th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 Sep 2008. Name change 2011, formerly PBANA.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ANACONS11
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 10th additional procedure was performed with anaesthetic.
Order in Instruction Manual	22e
Irish Coding Standard	

10th Additional Procedure Consultant

Variable	10th Additional Procedure Consultant
Definition	Consultant responsible for 10th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2005. Name change 2011, formerly PBCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PROCCONS11
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 10th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

11th Additional Diagnosis

Variable	11th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2005. Name change 2011, formerly CcDIA.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG12
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where an 11th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

11th Additional Diagnosis Consultant

Variable	11th Additional Diagnosis Consultant
Definition	Consultant attending 11th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2005. Name change 2011, formerly CCCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS12
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where an 11th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

11th Additional Procedure

Variable	11th Additional Procedure
Definition	Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2005. Name change 2011, formerly PcPRO.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
Variable Name	PROC12
Data Type	Integer
Field Size	7
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where an 11th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

11th Additional Procedure Anaesthetist

Variable	11th Additional Procedure Anaesthetist
Definition	Consultant anaesthetist responsible for anaesthetics in 11th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 Sep 2008. Name change 2011, formerly PCANA.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ANACONS12
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where an 11th additional procedure was performed.
Order in Instruction Manual	22e
Irish Coding Standard	

11th Additional Procedure Consultant

Variable	11th Additional Procedure Consultant
Definition	Consultant responsible for 11th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2005. Name change 2011, formerly PCCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PROCCONS12
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where an 11th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

12th Additional Diagnosis

Variable	12th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2005. Name change 2011, formerly CdDIA.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG13
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 12th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

12th Additional Diagnosis Consultant

Variable	12th Additional Diagnosis Consultant
Definition	Consultant attending 12th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2005. Name change 2011, formerly CdCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS13
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 12th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

12th Additional Procedure

Variable	12th Additional Procedure
Definition	Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2005. Name change 2011, formerly PdPRO.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
Variable Name	PROC13
Data Type	Integer
Field Size	7
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 12th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

12th Additional Procedure Anaesthetist

Variable	12th Additional Procedure Anaesthetist
Definition	Consultant anaesthetist responsible for anaesthetics in 12th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 Sep 2008. Name change 2011, formerly PdANA.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ANACONS13
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 12th additional procedure was performed with anaesthetic.
Order in Instruction Manual	22e
Irish Coding Standard	

12th Additional Procedure Consultant

Variable	12th Additional Procedure Consultant
Definition	Consultant responsible for 12th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2005. Name change 2011, formerly PdCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PROCCONS13
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 12th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

13th Additional Diagnosis

Variable	13th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2005. Name change 2011, formerly CeDIA.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG14
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 13th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

13th Additional Diagnosis Consultant

Variable	13th Additional Diagnosis Consultant
Definition	Consultant attending 13th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2005. Name change 2011, formerly CeCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS14
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 13th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

13th Additional Procedure

Variable	13th Additional Procedure
Definition	Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2005. Name change 2011, formerly PePRO.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
Variable Name	PROC14
Data Type	Integer
Field Size	7
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 13th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

13th Additional Procedure Anaesthetist

Variable	13th Additional Procedure Anaesthetist
Definition	Consultant anaesthetist responsible for anaesthetics in 13th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 Sep 2008. Name change 2011, formerly PeANA.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ANACONS14
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 13th additional procedure was performed with anaesthetic.
Order in Instruction Manual	22e
Irish Coding Standard	

13th Additional Procedure Consultant

Variable	13th Additional Procedure Consultant
Definition	Consultant responsible for 13th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2005. Name change 2011, formerly PeCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PROCCONS14
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 13th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

14th Additional Diagnosis

Variable	14th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2005. Name change 2011, formerly CfDIA.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG15
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 14th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

14th Additional Diagnosis Consultant

Variable	14th Additional Diagnosis Consultant
Definition	Consultant attending 14th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2005. Name change 2011, formerly CfCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS15
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 14th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

14th Additional Procedure

Variable	14th Additional Procedure
Definition	Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2005. Name change 2011, formerly PfPRO.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
Variable Name	PROC15
Data Type	Integer
Field Size	7
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 14th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

14th Additional Procedure Anaesthetist

Variable	14th Additional Procedure Anaesthetist
Definition	Consultant anaesthetist responsible for anaesthetics in 14th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 Sep 2008. Name change 2011, formerly PFANA.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ANACONS15
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 14th additional procedure was performed with anaesthetic.
Order in Instruction Manual	22e
Irish Coding Standard	

14th Additional Procedure Consultant

Variable	14th Additional Procedure Consultant
Definition	Consultant responsible for 14th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2005. Name change 2011, formerly PfCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PROCCONS15
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 14th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

15th Additional Diagnosis

Variable	15th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2005. Name change 2011, formerly CgDIA.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG16
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 15th additional diagnosis made.
Order in Instruction Manual	
Irish Coding Standard	

15th Additional Diagnosis Consultant

Variable	15th Additional Diagnosis Consultant
Definition	Consultant attending 15th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2005. Name change 2011, formerly CgCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS16
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 15th additional diagnosis made.
Order in Instruction Manual	
Irish Coding Standard	

15th Additional Procedure

Variable	15th Additional Procedure
Definition	Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2005. Name change 2011, formerly PgPRO.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
Variable Name	PROC16
Data Type	Integer
Field Size	7
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 15th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

15th Additional Procedure Anaesthetist

Variable	15th Additional Procedure Anaesthetist
Definition	Consultant anaesthetist responsible for anaesthetics in 15th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 Sep 2008. Name change 2011, formerly PgANA.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ANACONS16
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 15th additional procedure was performed with anaesthetic.
Order in Instruction Manual	22e
Irish Coding Standard	

15th Additional Procedure Consultant

Variable	15th Additional Procedure Consultant
Definition	Consultant responsible for 15th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2005. Name change 2011, formerly PgCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PROCCONS16
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 15th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

16th Additional Diagnosis

Variable	16th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2005. Name change 2011, formerly ChDIA.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG17
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 16th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

16th Additional Diagnosis Consultant

Variable	16th Additional Diagnosis Consultant
Definition	Consultant attending 16th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2005. Name change 2011, formerly ChCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS17
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 16th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

16th Additional Procedure

Variable	16th Additional Procedure
Definition	Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2005. Name change 2011, formerly PhPRO.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
Variable Name	PROC17
Data Type	Integer
Field Size	7
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 16th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

16th Additional Procedure Anaesthetist

Variable	16th Additional Procedure Anaesthetist
Definition	Consultant anaesthetist responsible for anaesthetics in 16th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 Sep 2008. Name change 2011, formerly PhANA.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ANACONS17
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 16th additional procedure was performed with anaesthetic.
Order in Instruction Manual	22e
Irish Coding Standard	

16th Additional Procedure Consultant

Variable	16th Additional Procedure Consultant
Definition	Consultant responsible for 16th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2005. Name change 2011, formerly PhCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PROCCONS17
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 16th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

17th Additional Diagnosis

Variable	17th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2005. Name change 2011, formerly CiDIA.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG18
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 17th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

17th Additional Diagnosis Consultant

Variable	17th Additional Diagnosis Consultant
Definition	Consultant attending 17th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2005. Name change 2011, formerly CiCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS18
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 17th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

17th Additional Procedure

Variable	17th Additional Procedure
Definition	Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2005. Name change 2011, formerly PiPRO.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
Variable Name	PROC18
Data Type	Integer
Field Size	7
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 17th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

17th Additional Procedure Anaesthetist

Variable	17th Additional Procedure Anaesthetist
Definition	Consultant anaesthetist responsible for anaesthetics in 17th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 Sep 2008. Name change 2011, formerly PiANA.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ANACONS18
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 17th additional procedure was performed with anaesthetic.
Order in Instruction Manual	22e
Irish Coding Standard	

17th Additional Procedure Consultant

Variable	17th Additional Procedure Consultant
Definition	Consultant responsible for 17th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2005. Name change 2011, formerly PiCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PROCCONS18
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 17th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

18th Additional Diagnosis

Variable	18th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2005. Name change 2011, formerly CjDIA.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG19
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where an 18th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

18th Additional Diagnosis Consultant

Variable	18th Additional Diagnosis Consultant
Definition	Consultant attending 18th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2005. Name change 2011, formerly CjCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS19
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where an 18th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

18th Additional Procedure

Variable	18th Additional Procedure
Definition	Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2005. Name change 2011, formerly PjPRO.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
Variable Name	PROC19
Data Type	Integer
Field Size	7
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where an 18th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

18th Additional Procedure Anaesthetist

Variable	18th Additional Procedure Anaesthetist
Definition	Consultant anaesthetist responsible for anaesthetics in 18th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 Sep 2008. Name change 2011, formerly PjANA.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ANACONS19
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where an 18th additional procedure was performed with anaesthetic.
Order in Instruction Manual	22e
Irish Coding Standard	

18th Additional Procedure Consultant

Variable	18th Additional Procedure Consultant
Definition	Consultant responsible for 18th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2005. Name change 2011, formerly Pjcon.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PROCCONS19
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where an 18th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

19th Additional Diagnosis

Variable	19th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2005. Name change 2011, formerly CkDIA.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG20
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 19th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

19th Additional Diagnosis Consultant

Variable	19th Additional Diagnosis Consultant
Definition	Consultant attending 19th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2005. Name change 2011, formerly CkCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS20
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 19th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

19th Additional Procedure

Variable	19th Additional Procedure
Definition	Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2005. Name change 2011, formerly PkPRO.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
Variable Name	PROC20
Data Type	Integer
Field Size	7
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 19th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

19th Additional Procedure Anaesthetist

Variable	19th Additional Procedure Anaesthetist
Definition	Consultant anaesthetist responsible for anaesthetics in 19th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	01 Sep 2008. Name change 2011, formerly PkANA.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	ANACONS20
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 19th additional procedure was performed with anaesthetic.
Order in Instruction Manual	22e
Irish Coding Standard	

19th Additional Procedure Consultant

Variable	19th Additional Procedure Consultant
Definition	Consultant responsible for 19th additional procedure.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2005. Name change 2011, formerly PkCON.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	PROCCONS20
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 19th additional procedure was performed.
Order in Instruction Manual	
Irish Coding Standard	

20th Additional Diagnosis

Variable	20th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG21
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 20th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

20th Additional Diagnosis Consultant

Variable	20th Additional Diagnosis Consultant
Definition	Consultant attending 20th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS21
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 20th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

21st Additional Diagnosis

Variable	21st Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG22
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 21st additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

21st Additional Diagnosis Consultant

Variable	21st Additional Diagnosis Consultant
Definition	Consultant attending 21st additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS22
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 21st additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

22nd Additional Diagnosis

Variable	22nd Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG23
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 22nd additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

22nd Additional Diagnosis Consultant

Variable	22nd Additional Diagnosis Consultant
Definition	Consultant attending 22nd additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011-migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS23
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 22nd additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

23rd Additional Diagnosis

Variable	23rd Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG24
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 23rd additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

23rd Additional Diagnosis Consultant

Variable	23rd Additional Diagnosis Consultant
Definition	Consultant attending 23rd additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011-migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS24
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 23rd additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

24th Additional Diagnosis

Variable	24th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG25
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 24th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

24th Additional Diagnosis Consultant

Variable	24th Additional Diagnosis Consultant
Definition	Consultant attending 24th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011-migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS25
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 24th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

25th Additional Diagnosis

Variable	25th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG26
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 25th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

25th Additional Diagnosis Consultant

Variable	25th Additional Diagnosis Consultant
Definition	Consultant attending 25th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011-migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS26
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 25th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

26th Additional Diagnosis

Variable	26th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG27
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 26th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

26th Additional Diagnosis Consultant

Variable	26th Additional Diagnosis Consultant
Definition	Consultant attending 26th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011-migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS27
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 26th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

27th Additional Diagnosis

Variable	27th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG28
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 27th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

27th Additional Diagnosis Consultant

Variable	27th Additional Diagnosis Consultant
Definition	Consultant attending 27th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011-migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS28
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 27th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

28th Additional Diagnosis

Variable	28th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG29
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 28th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

28th Additional Diagnosis Consultant

Variable	28th Additional Diagnosis Consultant
Definition	Consultant attending 28th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011-migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS29
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 28th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

29th Additional Diagnosis

Variable	29th Additional Diagnosis
Definition	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
Definition source	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Source	Chart
Collected since	2011 - migration to Portal.
Collected/Derived	Collected
Code Set	8th ed ICD-10-AM/ACHI/ACS and ICS (V7)
Data Entry Guideline	
Variable Name	DIAG30
Data Type	Alphanumeric
Field Size	5
Populated in National File	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 29th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

29th Additional Diagnosis Consultant

Variable	29th Additional Diagnosis Consultant
Definition	Consultant attending 29th additional diagnosis.
Definition source	ESRI HIPE Unit
Source	Chart
Collected since	2011-migration to Portal.
Collected/Derived	Collected
Code Set	
Data Entry Guideline	
Variable Name	DIAGCONS30
Data Type	Alphanumeric
Field Size	4
Populated in National File	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
Reported by	Hospital
Reported for	All cases where a 29th additional diagnosis was made.
Order in Instruction Manual	
Irish Coding Standard	

Appendix I - CODE SETS

ADMSOURCE - Source of Admission

Code	Description
1	Home
2	Transfer from nursing home/convalescent home or other long stay accommodation
3	Transfer from Acute Hospital. <i>When the coder enters a transfer (3) as a source of admission the system will respond with a request to identify the hospital in question - identified using the 4-digit Department of Health hospital code list.</i>
4	Transfer from Non-Acute Hospital not in HIPE hospital listing
5	Transfer from hospice not in HIPE hospital listing
6	Transfer from psychiatric hospital/unit
7	New born
8	Temporary place of residence
9	Prison
0	Other

ADMTYPE - Type of Admission

Code	Description	Definition
1	Elective	The patient's condition permits adequate time to schedule the availability of suitable services, an elective admission can be delayed without substantial risk to the health of the individual.
2	Elective Readmission	Patient admitted electively to the same hospital where they had previous treatment/care to continue ongoing treatment or care.
4	Emergency	The patient requires immediate care and treatment as a result of a severe, life threatening or potentially disabling condition. Generally the patient is admitted through the Emergency Department.
5	Emergency Readmission	This is an unscheduled readmission following previous spell of treatment in same hospital and relating to the treatment or care previously given.
6	Maternity	The patient is admitted related to their obstetrical experience. (From conception to 6 weeks post delivery).
7	New born	Neonate (0 - 27 days old) admitted to hospital for care or observation as an emergency or unplanned.

DAYCASE

Code	Description
0	In-patient
1	Day case

DISC_CODE – Discharge Code

Code	Description
00	Self discharge
01	Home
02	Nursing home, convalescent home or long stay accommodation
03	Transfer to Hospital - Emergency
04	Transfer to Hospital - Non Emergency
05	Transfer to psychiatric hospital/unit
06	Died with post mortem
07	Died no post mortem
08	Transfer to Non-Acute Hospital <u>not</u> in HIPE Hospital Listing - Emergency
09	Transfer to Non-Acute Hospital <u>not</u> in HIPE Hospital Listing - Non Emergency
10	Transfer to external rehabilitation facility (<u>not</u> in HIPE Hospital Listing)
11	Hospice (<u>not</u> in HIPE Hospital Listing)
12	Prison
13	Absconded
14	Other (e.g. Foster care)
15	Temporary place of residence (e.g. hotel)

DIS_STATUS – Discharge Status

Code	Description
1	Public
2	Private

ElectiveType – Type of Elective Admission

Code	Description
1	Planned Admission
2	Admission from Waiting List
3	Unknown

EMADM – Mode of Emergency Admission

Code	Description
1	ED (Emergency Department)
2	AMAU* admitted as in-patient This code is assigned if the patient is admitted as an emergency to the hospital through the AMAU.
3	Other
4	Unknown
5	AMAU* only . This code is assigned if the patient is admitted as an emergency to the AMAU and discharged from there.
	* also Includes AMU/MAU

Health Insurer

Health Insurer - Hospital Collection		National File - Data Provision	
Code	Description	Code	Description
1	Voluntary Health Insurance (VHI)	90	Named health insurer
2	Laya (formerly Quinn Healthcare)	90	Named health insurer
3	Aviva	90	Named health insurer
5	Company Insurance Plan (ESB etc.)	90	Named health insurer
6	State Employee Insurance (e.g. Prison officer, Garda, Army)	90	Named health insurer
7	GloHealth	90	Named health insurer
8	Not stated	91	Not Stated
9	Other	92	Other
0	No insurance	93	No Insurance

Hospital Code List

Hospital Code	Hospital	DoH Code (for use with transfers)
001	Our Lady's Children's Hospital, Crumlin	0941
003	St. Columcille's Hospital	0101
004	Naas General Hospital	0102
005	Mater Misericordiae University Hospital	0908
007	St. Vincent's University Hospital	0910
009	Peamont Hospital	0925
011	Cappagh National Orthopaedic Hospital	0955
014	Temple Street Children's University Hospital	0940
015	St. Luke's Hospital, Rathgar	0947
021	St. James's Hospital, Dublin	0904
022	Connolly Hospital, Blanchardstown	0108
023	St. Michael's Hospital, Dun Laoghaire	0912
024	Royal Victoria Eye and Ear Hospital, Dublin	0950
026	National Rehabilitation Hospital, Dun Laoghaire	0960
037	Beaumont Hospital, Dublin	0923
038	Coombe Women & Infants University Hospital	0930
039	Rotunda Hospital, Dublin	0932
040	National Maternity Hospital, Holles St, Dublin	0931
041	Tallaght Hospital	1270
044	St Joseph's Hospital, Raheny	1762
047	Incorporated Orthopaedic Hospital, Clontarf	0954
090	St Luke's Centre at St James's Hospital	0948
091	St Luke's Centre at Beaumont Hospital	0949
100	University Hospital Waterford	0600
101	St. Luke's General Hospital, Kilkenny	0601
103	Wexford General Hospital	0605
104	Kilcreene Orthopedic Hospital	0602
105	South Tipperary General Hospital, Clonmel	0607
200	St. Finbarr's Hospital, Cork	0705
202	Bantry General Hospital	0704
203	Mercy University Hospital, Cork	0913
206	South Infirmary Victoria University Hospital	0915
207	Mallow General Hospital	0703
235	Cork University Hospital	0724
236	University Hospital Kerry	0726
302	University Maternity Hospital Limerick	0301
303	University Hospital Limerick	0300
304	Croom Orthopaedic Hospital, Limerick	0302
305	St. John's Hospital, Limerick	0918
307	UL Hospitals, Ennis Hospital	0305
308	UL Hospitals, Nenagh Hospital	0304
401	Roscommon County Hospital	0803
403	Portiuncula Hospital, Ballinasloe	0919

Hospital Code List (continued)

HIPE code	Hospital	DoH Code (for use with transfers)
404	Galway University Hospitals	0800
405	Mayo University Hospital	0802
501	Midland Regional Hospital, Tullamore	0203
503	Midland Regional Hospital, Mullingar	0202
506	Midland Regional Hospital, Portlaoise	0201
601	Letterkenny University Hospital	0500
602	Sligo University Hospital	0501
701	Our Lady of Lourdes Hospital, Drogheda	0922
702	Cavan General Hospital	0402
703	Louth County Hospital	0400
704	Monaghan Hospital	0404
705	Our Lady's Hospital, Navan	0403
Not applicable	Acute Hospital in Northern Ireland	9030
Not applicable	Acute Hospital in England	9031
Not applicable	Acute Hospital in Scotland	9032
Not applicable	Acute Hospital in Wales	9033
Not applicable	Acute Hospital in France	9040
Not applicable	Acute Hospital in Germany	9041
Not applicable	Acute Hospital in the United States of America	9050
Not applicable	Private Hospital	9060
Not applicable	Other Acute Hospital	9099

MARR – Civil Status

Code	Description
1	Single
2	Married
3	Widowed
4	Other (includes married but separated)
5	Unknown
6	Divorced
7	Civil Partner
8	Former Civil Partner
9	Surviving Civil Partner

MCARD – Medical Card

Code	Description
0	No (not medical card holder)
1	Yes (medical card holder)
2	Unknown (medical card possession unknown)

RESID – Area of Residence (HSE Region only applies to Republic of Ireland)

Code	Area of Residence	HSE Region	Code	Area of Residence
0000	No fixed abode	N/A	3310	Northern Ireland
0500	Carlow	HSE South	3318	Austria
2900	Cavan	HSE Dublin North East	3301	Belgium
1600	Clare	HSE West	3331	Bulgaria
1101	Cork City	HSE South	3333	Croatia
1200	Cork County	HSE South	3321	Cyprus
2800	Donegal	HSE West	3322	Czech Republic
0100	North Dublin City and County	HSE Dublin North East	3302	Denmark
0200	South Dublin City and County	HSE Dublin Mid-Leinster	3303	England
1801	Galway (City)	HSE West	3323	Estonia
1900	Galway (County)	HSE West	3316	Finland
1300	Kerry	HSE South	3304	France
0300	Kildare	HSE Dublin Mid-Leinster	3305	Germany
0700	Kilkenny	HSE South	3306	Greece
2500	Laois	HSE Dublin Mid-Leinster	3324	Hungary
2600	Leitrim	HSE West	3308	Italy
1401	Limerick City	HSE West	3325	Latvia
1500	Limerick County	HSE West	3326	Lithuania
2200	Longford	HSE Dublin Mid-Leinster	3309	Luxembourg
3100	Louth	HSE Dublin North East	3327	Malta
2100	Mayo	HSE West	3317	Norway
3200	Meath	HSE Dublin North East	3328	Poland
3000	Monaghan	HSE Dublin North East	3314	Portugal
2400	Offaly	HSE Dublin Mid-Leinster	3332	Romania
2000	Roscommon	HSE West	3311	Scotland
2700	Sligo	HSE West	3329	Slovak Republic
1700	Tipperary North Riding	HSE West	3330	Slovenia
0800	Tipperary South Riding	HSE South	3313	Spain
0901	Waterford City	HSE South	3315	Sweden
1000	Waterford County	HSE South	3319	Switzerland
2300	Westmeath	HSE Dublin Mid-Leinster	3307	The Netherlands (Holland)
0600	Wexford	HSE South	3320	Wales
0400	Wicklow	HSE Dublin Mid-Leinster	3350	Other European
			3400	Africa
			3501	America North and Canada
			3502	America South, Central and Caribbean
			3600	Asia, Middle East, Far East, South East Asia
			3700	Australia, New Zealand, Oceania

RepeatStatus – Oncology Day Ward Flag

Code	Description
------	-------------

0	Not Applicable
---	----------------

1	Chemotherapy Case
---	-------------------

2	First Encounter Flag
---	----------------------

3	Non-Chemotherapy Procedure Flag
---	---------------------------------

4	Repeat Encounter Flag
---	-----------------------

SEX

Code	Description
------	-------------

1	Male
---	------

2	Female
---	--------

3	Unknown
---	---------

SPECIALTY (Department of Health Database list of consultant specialties)

Code	Specialty	Code	Specialty
0100	Cardiology	2300	Nephrology
0300	Dermatology	2400	Respiratory Medicine
0400	Endocrinology	2500	Rheumatology
0402	Diabetes Mellitus	2600	General Surgery
0600	Otolaryngology (ENT)	2602	Gastro-Intestinal Surgery
0601	Paediatric ENT	2603	Hepato-Biliary Surgery
0700	Gastro-Enterology	2604	Vascular Surgery
0800	Genito-Urinary Medicine	2605	Breast Surgery
0900	Geriatric Medicine	2700	Infectious Diseases
0902	Psychogeriatric Medicine	2702	Tropical
1100	Haematology	2800	Emergency Department
1102	Transfusion Medicine	3000	Rehabilitation Medicine
1300	Neurology	3002	Spinal Paralysis
1302	Paediatric Neurology	5000	General Medicine
1400	Neurosurgery	6000	Audiological Medicine
1402	Paediatric Neurosurgery	6100	Public Health Medicine
1500	Obstetrics/Gynaecology	6200	Clinical Neurophysiology
1502	Obstetrics	6300	Clinical Pharmacology
1503	Gynaecology	6400	Clinical Physiology
1600	Oncology	6500	G.P. Medicine
1700	Ophthalmology	6700	Clinical (Medical) Genetics
1702	Neuro-Ophthalmic Surgery	6800	Mental Handicap
1703	Vitro-Retinal Surgery	6900	Nuclear Medicine
1800	Orthopaedics	7000	Dental Surgery
1802	Paediatric Orthopaedic Surgery	7001	Oral Surgery
1900	Paediatrics	7002	Orthodontics
1902	Paediatric Cardiology	7100	Occupational Medicine
1903	Paediatric Oncology	7200	Paediatric Surgery
1904	Neonatology	7300	Palliative Medicine
1905	Paediatric Endocrinology	7400	Pathology
1906	Paediatric Gastro-enterology	7500	Radiotherapy
1907	Paediatric Haematology	7600	Cardio-Thoracic Surgery
1908	Paediatric E.D. Medicine	7700	Metabolic Medicine
1909	Paediatric Infectious Diseases	7800	Urology
1910	Paediatric Metabolic Medicine	7802	Renal Transplantation
1911	Paediatric Nephrology	7803	Paediatric Urology
1912	Paediatric Respiratory Medicine	7900	Clinical Immunology
1913	Perinatal Paediatrics	8000	Anaesthetics
1914	Paediatric Physical Handicap	8002	Intensive Care
1915	Paediatric Dermatology	8003	Pain Relief
1916	Paediatrics Development	8004	Paediatric Anaesthetics
2000	Plastic Surgery	8300	General Pathology
2003	Maxillo-Facial	8400	Chemical Pathology
2100	Psychiatry	8402	Paediatric Chemical Pathology
2102	Child/adolescent Psychiatry	8500	Histopathology
2103	Forensic Psychiatry	8502	Neuropathology
2104	Substance Abuse	8600	Biochemistry
2105	Old Age Psychiatry	8700	Cytology
2106	Rehabilitation Psychiatry	8800	Immunology
2200	Radiology	8900	Microbiology
2202	Paediatric Radiology	8902	Virology
2203	Neuroradiology	9000	Other

WARDIND – Registered Day Ward Indicator

Code	Description
-------------	--------------------

0	No
---	----

1	Yes
---	-----

2	Unknown
---	---------

WLIST – Waiting List Indicator

Code	Description
-------------	--------------------

0	Not NTPF (National Treatment Purchase Fund)
---	---

1	NTPF
---	------

Appendix II – ASCII File Names

Variable Label	Variable Name	ASCII File Name
Admission Date	AdmDate	Date of Admission
Admission Weight	ADMWeight	Infant Admission Weight
Admitting Consultant	AdmCons	Admitting Consultant
Admitting Ward	AdmWard	Admission Ward
Age	Age	AGE
Age in Weeks	AgeInWeeks	AGE in Weeks
Area of Residence	Resid	Area of Residence
Australian Refined - Diagnosis Related Group	DRG	DRG (AR-DRG V6.0 or V8.0)
Batch Coded	BATCH_CODE_BATCH	Batch Coded
Civil Status	MarrStatus	Marital Status
Consultant Specialty	Specialty	Specialty
Date of Birth	DOB	Date of Birth
Date of Discharge	DisDate	Date of Discharge
Date of Principal Procedure	ProcDate1	Date, Principal Procedure
Date of procedure sequenced 2nd	ProcDate2	Date, 2 nd Procedure
Date of procedure sequenced 3rd	ProcDate3	Date, 3 rd Procedure
Date of procedure sequenced 4th	ProcDate4	Date, 4 th Procedure
Date of procedure sequenced 5th	ProcDate5	Date, 5 th Procedure
Date of procedure sequenced 6th	ProcDate6	Date, 6 th Procedure
Date of procedure sequenced 7th	ProcDate7	Date, 7 th Procedure
Date of procedure sequenced 8th	ProcDate8	Date, 8 th Procedure
Date of procedure sequenced 9th	ProcDate9	Date, 9 th Procedure
Date of procedure sequenced 10th	ProcDate10	Date, 10 th Procedure
Date of procedure sequenced 11th	ProcDate11	Date, 11 th Procedure
Date of procedure sequenced 12th	ProcDate12	Date, 12 th Procedure
Date of procedure sequenced 13th	ProcDate13	Date, 13 th Procedure
Date of procedure sequenced 14th	ProcDate14	Date, 14 th Procedure
Date of procedure sequenced 15th	ProcDate15	Date, 15 th Procedure
Date of procedure sequenced 16th	ProcDate16	Date, 16 th Procedure
Date of procedure sequenced 17th	ProcDate17	Date, 17 th Procedure
Date of procedure sequenced 18th	ProcDate18	Date, 18 th Procedure
Date of procedure sequenced 19th	ProcDate19	Date, 19 th Procedure
Date of procedure sequenced 20th	ProcDate20	Date, 20 th Procedure
Date of Transfer to Pre-Discharge Unit/Rehab	PDUtransDate	Date of Transfer to PDU
Day Case Indicator	IsDayCase	Ward type
Day Ward Identifier	DayWard	Day Ward ID
Day Ward Indicator	WasInDayWard	Day Ward/Place Indicator
Discharge Code	DischargeCode	Type of Discharge
Discharge Consultant	DisCons	Discharge Consultant
Discharge Specialty	DisConsSpec	Discharge Consultant Specialty
Discharge Status	DisStatus	Patient Status on Discharge
Discharge Ward	DisWard	Discharge Ward
Episode Number	EpisodeNumber	Episode Number
Extended Episode Number	ExtEpisodeNumber	Extended Episode Number
Health Insurer	healthInsurer	Health Insurer
Hospital Acquired Diagnosis 1	HADx1	HADX, 1 st Diagnosis
Hospital Acquired Diagnosis 2	HADx2	HADX, 2 nd Diagnosis
Hospital Acquired Diagnosis 3	HADx3	HADX, 3 rd Diagnosis

Appendix II – ASCII File Names (continued)

Variable Label	Variable Name	ASCII File Name
Hospital Acquired Diagnosis 4	HADx4	HADX, 4 th Diagnosis
Hospital Acquired Diagnosis 5	HADx5	HADX, 5 th Diagnosis
Hospital Acquired Diagnosis 6	HADx6	HADX, 6 th Diagnosis
Hospital Acquired Diagnosis 7	HADx7	HADX, 7 th Diagnosis
Hospital Acquired Diagnosis 8	HADx8	HADX, 8 th Diagnosis
Hospital Acquired Diagnosis 9	HADx9	HADX, 9 th Diagnosis
Hospital Acquired Diagnosis 10	HADx10	HADX, 10 th Diagnosis
Hospital Acquired Diagnosis 11	HADx11	HADX, 11 th Diagnosis
Hospital Acquired Diagnosis 12	HADx12	HADX, 12 th Diagnosis
Hospital Acquired Diagnosis 13	HADx13	HADX, 13 th Diagnosis
Hospital Acquired Diagnosis 14	HADx14	HADX, 14 th Diagnosis
Hospital Acquired Diagnosis 15	HADx15	HADX, 15 th Diagnosis
Hospital Acquired Diagnosis 16	HADx16	HADX, 16 th Diagnosis
Hospital Acquired Diagnosis 17	HADx17	HADX, 17 th Diagnosis
Hospital Acquired Diagnosis 18	HADx18	HADX, 18 th Diagnosis
Hospital Acquired Diagnosis 19	HADx19	HADX, 19 th Diagnosis
Hospital Acquired Diagnosis 20	HADx20	HADX, 20 th Diagnosis
Hospital Acquired Diagnosis 21	HADx21	HADX, 21 th Diagnosis
Hospital Acquired Diagnosis 22	HADx22	HADX, 22 th Diagnosis
Hospital Acquired Diagnosis 23	HADx23	HADX, 23 th Diagnosis
Hospital Acquired Diagnosis 24	HADx24	HADX, 24 th Diagnosis
Hospital Acquired Diagnosis 25	HADx25	HADX, 25 th Diagnosis
Hospital Acquired Diagnosis 26	HADx26	HADX, 26 th Diagnosis
Hospital Acquired Diagnosis 27	HADx27	HADX, 27 th Diagnosis
Hospital Acquired Diagnosis 28	HADx28	HADX, 28 th Diagnosis
Hospital Acquired Diagnosis 29	HADx29	HADX, 29 th Diagnosis
Hospital Acquired Diagnosis 30	HADx30	HADX, 30 th Diagnosis
Hospital Number	Hospital	Hospital Code
Intensive Care Consultant 1	ICUcons1	ICU Consultant 1
Intensive Care Consultant 2	ICUcons2	ICU Consultant 2
Intensive Care Consultant 3	ICUcons3	ICU Consultant 3
Intensive Care Consultant 4	ICUcons4	ICU Consultant 4
Intensive Care Consultant 5	ICUcons5	ICU Consultant 5
Intensive Care Consultant 6	ICUcons6	ICU Consultant 6
Intensive Care Consultant 7	ICUcons7	ICU Consultant 7
Intensive Care Consultant 8	ICUcons8	ICU Consultant 8
Intensive Care Consultant 9	ICUcons9	ICU Consultant 9
Intensive Care Consultant 10	ICUcons10	ICU Consultant 10
Last Changed Date/Time	codedDate	Last Changed Date/Time
Major Diagnostic Category (MDC)	MDC	MDC (AR-DRG V6.0 or V8.0)
Medical Card	HasMedCard	Full Eligibility
Medical Card Number	MCN	Medical Card Number
Medical Record Number	MRN	Medical Record Number
Mode of Emergency Admission	EMADM	Mode of Emergency Admission
Non Acute Length of Stay: Temporary Leave Days	TLdays	Temporary Leave Days
Number of Days in a Critical Care Bed	CriticalCareBedDays	Critical Care Bed Days
Number of Days in Intensive Care Environment	ITUdays	ITU Length of stay

Appendix II – ASCII File Names (continued)

Variable Label	Variable Name	ASCII File Name
Number of Days in Intensive Care Environment Single Occupancy	ITUDaysSingle	ITU Days Single
Number of Days in Intensive Care Environment Multiple Occupancy	ITUDaysMulti	ITU Days Multiple
Oncology Day Ward Flag	repeatStatus	Oncology ward repeat status flag
Parity: Live births	LiveBirths	Live Births
Parity: Still births	Stillbirths	Still Births
Patient's name	FullName	Not applicable as not populated on national file
Primary Consultant	PrimaryCons	Primary Consultant
Principal Diagnosis	Diag1	Principal Diagnosis
Principal Diagnosis Consultant	DiagCons1	Consultant, Principal diagnosis
Principal Procedure	Proc1	Principal procedure
Principal Procedure Anaesthetist	AnaCons1	Anaesthetist Consultant 1
Principal Procedure Consultant	ProcCons1	Consultant, Principal procedure
Private Bed	PrivDays	Private Length of Stay
Private Bed Single Occupancy	PrivDaysSingle	Private Days Single
Private Bed Multiple Occupancy	PrivDaysMulti	Private Days Multiple
Public Bed	PubDays	Public Length of stay
Public Bed Single Occupancy	PubDaysSingle	Pub Days Single
Public Bed Multiple Occupancy	PubDaysMulti	Pub Days Multiple
Semi Private Bed	SemiPrivDays	Semi Private Length of stay
Semi Private Bed Single Occupancy	SPrivDaysSingle	Semi Private Days Single
Semi Private Bed Multiple Occupancy	SPrivDaysMulti	Semi Private Days Multiple
Sex	Sex	Sex
Source of Admission	AdmSource	Source of Admission
Time of Admission	admTime	Admission time
Time of Discharge	disTime	Discharge time
Transfer Hospital: From	TransInHosp	Transfer Hospital in
Transfer Hospital: To	TransOutHosp	Transfer Hospital out
Type of Admission	AdmType	Type of Admission
Type of Elective Admission	ElectiveType	Elective Type
Waiting List Indicator	Wlist	Waiting List Indicator
1st Additional Diagnosis	DIAG2	2 nd Diagnosis
1st Additional Diagnosis Consultant	DIAGCONS2	Consultant, 2 nd diagnosis
1st Additional Procedure	PROC2	2 nd procedure
1st Additional Procedure Anaesthetist	AnaCons2	Anaesthetist Consultant 2
1st Additional Procedure Consultant	PROCCONS2	Consultant, 2 nd procedure
2nd Additional Diagnosis	DIAG3	3 rd Diagnosis
2nd Additional Diagnosis Consultant	DIAGCONS3	Consultant, 3 rd diagnosis
2nd Additional Procedure	PROC3	3 rd procedure
2nd Additional Procedure Anaesthetist	AnaCons3	Anaesthetist Consultant 3
2nd Additional Procedure Consultant	PROCCONS3	Consultant, 3 rd procedure
3rd Additional Diagnosis	DIAG4	4 th Diagnosis

Appendix II – ASCII File Names (continued)

Variable Label	Variable Name	ASCII File Name
3rd Additional Diagnosis Consultant	DIAGCONS4	Consultant, 4 th diagnosis
3rd Additional Procedure	PROC4	4 th procedure
3rd Additional Procedure Anaesthetist	AnaCons4	Anaesthetist Consultant 4
3rd Additional Procedure Consultant	PROCCONS4	Consultant, 4 th procedure
4th Additional Diagnosis	DIAG5	5 th Diagnosis
4th Additional Diagnosis Consultant	DIAGCONS5	Consultant, 5 th diagnosis
4th Additional Procedure	PROC5	5 th procedure
4th Additional Procedure Anaesthetist	AnaCons5	Anaesthetist Consultant 5
4th Additional Procedure Consultant	PROCCONS5	Consultant, 5 th procedure
5th Additional Diagnosis	DIAG6	6 th Diagnosis
5th Additional Diagnosis Consultant	DIAGCONS6	Consultant, 6 th diagnosis
5th Additional Procedure	PROC6	6 th procedure
5th Additional Procedure Anaesthetist	AnaCons6	Anaesthetist Consultant 6
5th Additional Procedure Consultant	PROCCONS6	Consultant, 6 th procedure
6th Additional Diagnosis	DIAG7	7 th Diagnosis
6th Additional Diagnosis Consultant	DIAGCONS7	Consultant, 7 th diagnosis
6th Additional Procedure	PROC7	7 th procedure
6th Additional Procedure Anaesthetist	AnaCons7	Anaesthetist Consultant 7
6th Additional Procedure Consultant	PROCCONS7	Consultant, 7 th procedure
7th Additional Diagnosis	DIAG8	8 th Diagnosis
7th Additional Diagnosis Consultant	DIAGCONS8	Consultant, 8 th diagnosis
7th Additional Procedure	PROC8	8 th procedure
7th Additional Procedure Anaesthetist	AnaCons8	Anaesthetist Consultant 8
7th Additional Procedure Consultant	PROCCONS8	Consultant, 8 th procedure
8th Additional Diagnosis	DIAG9	9 th Diagnosis
8th Additional Diagnosis Consultant	DIAGCONS9	Consultant, 9 th diagnosis
8th Additional Procedure	PROC9	9 th procedure
8th Additional Procedure Anaesthetist	AnaCons9	Anaesthetist Consultant 9
8th Additional Procedure Consultant	PROCCONS9	Consultant, 9 th procedure
9th Additional Diagnosis	DIAG10	10 th Diagnosis
9th Additional Diagnosis Consultant	DIAGCONS10	Consultant, 10 th diagnosis
9th Additional Procedure	PROC10	10 th procedure
9th Additional Procedure Anaesthetist	AnaCons10	Anaesthetist Consultant 10

Appendix II – ASCII File Names (continued)

Variable Label	Variable Name	ASCII File Name
9th Additional Procedure Consultant	PROCCONS10	Consultant, 10 th procedure
10th Additional Diagnosis	DIAG11	11 th Diagnosis
10th Additional Diagnosis Consultant	DIAGCONS11	Consultant, 11 th diagnosis
10th Additional Procedure	PROC11	11 th procedure
10th Additional Procedure Anaesthetist	AnaCons11	Anaesthetist Consultant 11
10th Additional Procedure Consultant	PROCCONS11	Consultant, 11 th procedure
11th Additional Diagnosis	DIAG12	12 th Diagnosis
11th Additional Diagnosis Consultant	DIAGCONS12	Consultant, 12 th diagnosis
11th Additional Procedure	PROC12	12 th procedure
11th Additional Procedure Anaesthetist	AnaCons12	Anaesthetist Consultant 12
11th Additional Procedure Consultant	PROCCONS12	Consultant, 12 th procedure
12th Additional Diagnosis	DIAG13	13 th Diagnosis
12th Additional Diagnosis Consultant	DIAGCONS13	Consultant, 13 th diagnosis
12th Additional Procedure	PROC13	13 th procedure
12th Additional Procedure Anaesthetist	AnaCons13	Anaesthetist Consultant 13
12th Additional Procedure Consultant	PROCCONS13	Consultant, 13 th procedure
13th Additional Diagnosis	DIAG14	14 th Diagnosis
13th Additional Diagnosis Consultant	DIAGCONS14	Consultant, 14 th diagnosis
13th Additional Procedure	PROC14	14 th procedure
13th Additional Procedure Anaesthetist	AnaCons14	Anaesthetist Consultant 14
13th Additional Procedure Consultant	PROCCONS14	Consultant, 14 th procedure
14th Additional Diagnosis	DIAG15	15 th Diagnosis
14th Additional Diagnosis Consultant	DIAGCONS15	Consultant, 15 th diagnosis
14th Additional Procedure	PROC15	15 th procedure
14th Additional Procedure Anaesthetist	AnaCons15	Anaesthetist Consultant 15
14th Additional Procedure Consultant	PROCCONS15	Consultant, 15 th procedure
15th Additional Diagnosis	DIAG16	16 th Diagnosis
15th Additional Diagnosis Consultant	DIAGCONS16	Consultant, 16 th diagnosis
15th Additional Procedure	PROC16	16 th procedure
15th Additional Procedure Anaesthetist	AnaCons16	Anaesthetist Consultant 16
15th Additional Procedure Consultant	PROCCONS16	Consultant, 16 th procedure
16th Additional Diagnosis	DIAG17	17 th Diagnosis
16th Additional Diagnosis Consultant	DIAGCONS17	Consultant, 17 th diagnosis

Appendix II – ASCII File Names (continued)

Variable Label	Variable Name	ASCII File Name
16th Additional Procedure	PROC17	17 th procedure
16th Additional Procedure Anaesthetist	AnaCons17	Anaesthetist Consultant 17
16th Additional Procedure Consultant	PROCCONS17	Consultant, 17 th procedure
17th Additional Diagnosis	DIAG18	18 th Diagnosis
17th Additional Diagnosis Consultant	DIAGCONS18	Consultant, 18 th diagnosis
17th Additional Procedure	PROC18	18 th procedure
17th Additional Procedure Anaesthetist	AnaCons18	Anaesthetist Consultant 18
17th Additional Procedure Consultant	PROCCONS18	Consultant, 18 th procedure
18th Additional Diagnosis	DIAG19	19 th Diagnosis
18th Additional Diagnosis Consultant	DIAGCONS19	Consultant, 19 th diagnosis
18th Additional Procedure	PROC19	19 th procedure
18th Additional Procedure Anaesthetist	AnaCons19	Anaesthetist Consultant 19
18th Additional Procedure Consultant	PROCCONS19	Consultant, 19 th procedure
19th Additional Diagnosis	DIAG20	20 th Diagnosis
19th Additional Diagnosis Consultant	DIAGCONS20	Consultant, 20 th diagnosis
19th Additional Procedure	PROC20	20 th procedure
19th Additional Procedure Anaesthetist	AnaCons20	Anaesthetist Consultant 20
19th Additional Procedure Consultant	PROCCONS20	Consultant, 20 th procedure
20th Additional Diagnosis	DIAG21	21 st Diagnosis
20th Additional Diagnosis Consultant	DIAGCONS21	Consultant, 21 st diagnosis
21st Additional Diagnosis	DIAG22	22 nd Diagnosis
21st Additional Diagnosis Consultant	DIAGCONS22	Consultant, 22 nd diagnosis
22nd Additional Diagnosis	DIAG23	23 rd Diagnosis
22nd Additional Diagnosis Consultant	DIAGCONS23	Consultant, 23 rd diagnosis
23rd Additional Diagnosis	DIAG24	24 th Diagnosis
23rd Additional Diagnosis Consultant	DIAGCONS24	Consultant, 24 th diagnosis
24th Additional Diagnosis	DIAG25	25 th Diagnosis
24th Additional Diagnosis Consultant	DIAGCONS25	Consultant, 25 th diagnosis
25th Additional Diagnosis	DIAG26	26 th Diagnosis
25th Additional Diagnosis Consultant	DIAGCONS26	Consultant, 26 th diagnosis
26th Additional Diagnosis	DIAG27	27 th Diagnosis
26th Additional Diagnosis Consultant	DIAGCONS27	Consultant, 27 th diagnosis
27th Additional Diagnosis	DIAG28	28 th Diagnosis
27th Additional Diagnosis Consultant	DIAGCONS28	Consultant, 28 th diagnosis

Appendix II – ASCII File Names (continued)

Variable Label	Variable Name	ASCII File Name
28th Additional Diagnosis	DIAG29	29 th Diagnosis
28th Additional Diagnosis Consultant	DIAGCONS29	Consultant, 29 th diagnosis
29th Additional Diagnosis	DIAG30	30 th Diagnosis
29th Additional Diagnosis Consultant	DIAGCONS30	Consultant, 30 th diagnosis

Appendix III - Classifications

Coding Classification

[ICD-10-AM / ACHI / ACS 8th Edition](#)

Casemix Classification

[Australian Refined Diagnosis Related Groups \(AR-DRGs\)](#)

Appendix IV- Abbreviations

Adm	Admission
ACHI	Australian Classification of Health Interventions
ACS	Australian Coding Standards
AMAU	Acute Medical Assessment Unit
AR-DRG	Australian Refined Diagnosis Related Group
DoH	Department of Health
DRG	Diagnosis Related Group
ESRI	Economic and Social Research Institute
g	Grams
GMS	General Medical Services
GP	General Practitioner
HIS	Hospital Information System (also known as PAS)
HIPE	Hospital In-Patient Enquiry
HRID	Health Research and Information Division
HSE	Health Service Executive
HPO	Healthcare Pricing Office
ICD-10-AM	Tenth Revision of the International Classification of Diseases, Australian Modification
ICS	Irish Coding Standard
LOS	Length of Stay
MAU	Medical Assessment Unit
MDC	Major Diagnostic Category
NA	Not available
N/A	Not applicable
NCCC	National Casemix and Classification Centre
NHO	National Hospitals Office
NPRS	National Perinatal Reporting System
NTPF	National Treatment Purchase Fund
PAS	Patient Administration System

Appendix V – HIPE Source Documents

[HIPE Discharge Summary Sheet](#)

[Instruction Manual](#)

[Irish Coding Standards](#)

Appendix VI - Organisations

[Department of Health](#)

[Health Service Executive](#)

[Healthcare Pricing Office](#)

