

Hospital In-Patient Enquiry (HIPE)

Data Dictionary 2019

Version 11.1

© Copyright Healthcare Pricing Office, 2019

Produced by the Healthcare Pricing Office, Health Service Executive, Dublin, Ireland.

This work is copyright. It may be reproduced in part for study and training purposes within the Hospital In-Patient Enquiry (HIPE) scheme in Ireland subject to the inclusion of an acknowledgement of the source and no commercial usage or resale. Reproduction for other purposes than those stated above requires the written permission of the Healthcare Pricing Office.

Contents

| | |
|--|-----|
| Contents | ii |
| Introduction | xii |
| Variables..... | 1 |
| Admission Date | 2 |
| Admission Weight | 3 |
| Admitting Consultant | 4 |
| Admitting Ward..... | 5 |
| Age | 6 |
| Age in Weeks..... | 7 |
| Area of Residence | 8 |
| Australian Refined - Diagnosis Related Group | 9 |
| Batch Coded | 10 |
| Civil Status | 11 |
| Consultant Specialty..... | 12 |
| Date First Coded..... | 13 |
| Date of Birth | 14 |
| Date of Discharge | 15 |
| Date of Principal Procedure | 16 |
| Date of procedure sequenced 2nd | 17 |
| Date of procedure sequenced 3rd | 18 |
| Date of procedure sequenced 4th | 19 |
| Date of procedure sequenced 5th | 20 |
| Date of procedure sequenced 6th | 21 |
| Date of procedure sequenced 7th | 22 |
| Date of procedure sequenced 8th | 23 |
| Date of procedure sequenced 9th | 24 |
| Date of procedure sequenced 10th | 25 |
| Date of procedure sequenced 11th | 26 |
| Date of procedure sequenced 12th | 27 |
| Date of procedure sequenced 13th | 28 |
| Date of procedure sequenced 14th | 29 |
| Date of procedure sequenced 15th | 30 |
| Date of procedure sequenced 16th | 31 |
| Date of procedure sequenced 17th | 32 |

| | |
|--|----|
| Date of procedure sequenced 18th | 33 |
| Date of procedure sequenced 19th | 34 |
| Date of procedure sequenced 20th | 35 |
| Date of Transfer to Pre-Discharge Unit/Rehab | 36 |
| Day Case Indicator..... | 37 |
| Day Ward Identifier | 38 |
| Day Ward Indicator | 39 |
| Discharge Code..... | 40 |
| Discharge Consultant | 41 |
| Discharge Specialty | 42 |
| Discharge Status..... | 43 |
| Discharge Ward | 44 |
| Eircode Routing Key | 45 |
| Episode Number..... | 46 |
| Health Insurer..... | 47 |
| Hospital Acquired Diagnosis 1..... | 48 |
| Hospital Acquired Diagnosis 2..... | 49 |
| Hospital Acquired Diagnosis 3..... | 50 |
| Hospital Acquired Diagnosis 4..... | 51 |
| Hospital Acquired Diagnosis 5..... | 52 |
| Hospital Acquired Diagnosis 6..... | 53 |
| Hospital Acquired Diagnosis 7..... | 54 |
| Hospital Acquired Diagnosis 8..... | 55 |
| Hospital Acquired Diagnosis 9..... | 56 |
| Hospital Acquired Diagnosis 10..... | 57 |
| Hospital Acquired Diagnosis 11..... | 58 |
| Hospital Acquired Diagnosis 12..... | 59 |
| Hospital Acquired Diagnosis 13..... | 60 |
| Hospital Acquired Diagnosis 14..... | 61 |
| Hospital Acquired Diagnosis 15..... | 62 |
| Hospital Acquired Diagnosis 16..... | 63 |
| Hospital Acquired Diagnosis 17..... | 64 |
| Hospital Acquired Diagnosis 18..... | 65 |
| Hospital Acquired Diagnosis 19..... | 66 |

| | |
|--|-----|
| Hospital Acquired Diagnosis 20..... | 67 |
| Hospital Acquired Diagnosis 21..... | 68 |
| Hospital Acquired Diagnosis 22..... | 69 |
| Hospital Acquired Diagnosis 23..... | 70 |
| Hospital Acquired Diagnosis 24..... | 71 |
| Hospital Acquired Diagnosis 25..... | 72 |
| Hospital Acquired Diagnosis 26..... | 73 |
| Hospital Acquired Diagnosis 27..... | 74 |
| Hospital Acquired Diagnosis 28..... | 75 |
| Hospital Acquired Diagnosis 29..... | 76 |
| Hospital Acquired Diagnosis 30..... | 77 |
| Hospital Number | 78 |
| Hours of Continuous Ventilatory Support (CVS) | 79 |
| Intensive Care Consultant 1 | 80 |
| Intensive Care Consultant 2 | 81 |
| Intensive Care Consultant 3 | 82 |
| Intensive Care Consultant 4 | 83 |
| Intensive Care Consultant 5 | 84 |
| Intensive Care Consultant 6 | 85 |
| Intensive Care Consultant 7 | 86 |
| Intensive Care Consultant 8 | 87 |
| Intensive Care Consultant 9 | 88 |
| Intensive Care Consultant 10 | 89 |
| Last Changed Date/Time..... | 90 |
| Length of Stay..... | 91 |
| Major Diagnostic Category (MDC) | 92 |
| Medical Card | 93 |
| Medical Discharge Date/Medically Fit for Discharge Date | 94 |
| Medical Record Number | 95 |
| Mode of Emergency Admission | 96 |
| Non Acute Length of Stay: Temporary Leave Days..... | 97 |
| Number of Days in Critical Care Bed | 98 |
| Number of Days in Intensive Care Environment..... | 99 |
| Number of Days in Intensive Care Environment Single Occupancy..... | 100 |

| | |
|--|-----|
| Number of Days in Intensive Care Environment Multiple Occupancy..... | 101 |
| Number of Nights in an ED Virtual Ward | 102 |
| Parity: Live births..... | 103 |
| Parity: Still births | 104 |
| Patient's name..... | 105 |
| Primary Consultant..... | 106 |
| Principal Diagnosis | 107 |
| Principal Diagnosis Consultant | 108 |
| Principal Procedure | 109 |
| Principal Procedure Anaesthetist..... | 110 |
| Principal Procedure Consultant..... | 111 |
| Private Bed | 112 |
| Private Bed Single Occupancy | 113 |
| Private Bed Multiple Occupancy | 114 |
| Public Bed..... | 115 |
| Public Bed Single Occupancy..... | 116 |
| Public Bed Multiple Occupancy..... | 117 |
| Semi Private Bed | 118 |
| Semi Private Bed Single Occupancy | 119 |
| Semi Private Bed Multiple Occupancy | 120 |
| Sex | 121 |
| Source of Admission..... | 122 |
| Time of Admission..... | 123 |
| Time of Discharge..... | 124 |
| Transfer Admission Status..... | 125 |
| Transfer Hospital: From | 126 |
| Transfer Hospital: To | 127 |
| Type of Admission | 128 |
| Type of Elective Admission..... | 129 |
| Waiting List Indicator | 130 |
| 1st Additional Diagnosis | 131 |
| 1st Additional Diagnosis Consultant | 132 |
| 1st Additional Procedure | 133 |
| 1st Additional Procedure Anaesthetist | 134 |

| | |
|--|-----|
| 1st Additional Procedure Consultant | 135 |
| 2nd Additional Diagnosis..... | 136 |
| 2nd Additional Diagnosis Consultant | 137 |
| 2nd Additional Procedure | 138 |
| 2nd Additional Procedure Anaesthetist..... | 139 |
| 2nd Additional Procedure Consultant..... | 140 |
| 3rd Additional Diagnosis | 141 |
| 3rd Additional Diagnosis Consultant..... | 142 |
| 3rd Additional Procedure..... | 143 |
| 3rd Additional Procedure Anaesthetist..... | 144 |
| 3rd Additional Procedure Consultant | 145 |
| 4th Additional Diagnosis | 146 |
| 4th Additional Diagnosis Consultant..... | 147 |
| 4th Additional Procedure..... | 148 |
| 4th Additional Procedure Anaesthetist..... | 149 |
| 4th Additional Procedure Consultant | 150 |
| 5th Additional Diagnosis | 151 |
| 5th Additional Diagnosis Consultant..... | 152 |
| 5th Additional Procedure..... | 153 |
| 5th Additional Procedure Anaesthetist..... | 154 |
| 5th Additional Procedure Consultant | 155 |
| 6th Additional Diagnosis | 156 |
| 6th Additional Diagnosis Consultant..... | 157 |
| 6th Additional Procedure..... | 158 |
| 6th Additional Procedure Anaesthetist..... | 159 |
| 6th Additional Procedure Consultant | 160 |
| 7th Additional Diagnosis | 161 |
| 7th Additional Diagnosis Consultant..... | 162 |
| 7th Additional Procedure..... | 163 |
| 7th Additional Procedure Anaesthetist..... | 164 |
| 7th Additional Procedure Consultant | 165 |
| 8th Additional Diagnosis | 166 |
| 8th Additional Diagnosis Consultant..... | 167 |
| 8th Additional Procedure..... | 168 |

| | |
|---|-----|
| 8th Additional Procedure Anaesthetist..... | 169 |
| 8th Additional Procedure Consultant | 170 |
| 9th Additional Diagnosis | 171 |
| 9th Additional Diagnosis Consultant..... | 172 |
| 9th Additional Procedure..... | 173 |
| 9th Additional Procedure Anaesthetist..... | 174 |
| 9th Additional Procedure Consultant | 175 |
| 10th Additional Diagnosis | 176 |
| 10th Additional Diagnosis Consultant..... | 177 |
| 10th Additional Procedure..... | 178 |
| 10th Additional Procedure Anaesthetist..... | 179 |
| 10th Additional Procedure Consultant | 180 |
| 11th Additional Diagnosis | 181 |
| 11th Additional Diagnosis Consultant..... | 182 |
| 11th Additional Procedure..... | 183 |
| 11th Additional Procedure Anaesthetist..... | 184 |
| 11th Additional Procedure Consultant | 185 |
| 12th Additional Diagnosis | 186 |
| 12th Additional Diagnosis Consultant..... | 187 |
| 12th Additional Procedure..... | 188 |
| 12th Additional Procedure Anaesthetist..... | 189 |
| 12th Additional Procedure Consultant | 190 |
| 13th Additional Diagnosis | 191 |
| 13th Additional Diagnosis Consultant..... | 192 |
| 13th Additional Procedure..... | 193 |
| 13th Additional Procedure Anaesthetist..... | 194 |
| 13th Additional Procedure Consultant | 195 |
| 14th Additional Diagnosis | 196 |
| 14th Additional Diagnosis Consultant..... | 197 |
| 14th Additional Procedure..... | 198 |
| 14th Additional Procedure Anaesthetist..... | 199 |
| 14th Additional Procedure Consultant | 200 |
| 15th Additional Diagnosis | 201 |
| 15th Additional Diagnosis Consultant..... | 202 |

| | |
|---|-----|
| 15th Additional Procedure..... | 203 |
| 15th Additional Procedure Anaesthetist..... | 204 |
| 15th Additional Procedure Consultant | 205 |
| 16th Additional Diagnosis | 206 |
| 16th Additional Diagnosis Consultant..... | 207 |
| 16th Additional Procedure..... | 208 |
| 16th Additional Procedure Anaesthetist..... | 209 |
| 16th Additional Procedure Consultant | 210 |
| 17th Additional Diagnosis | 211 |
| 17th Additional Diagnosis Consultant..... | 212 |
| 17th Additional Procedure..... | 213 |
| 17th Additional Procedure Anaesthetist..... | 214 |
| 17th Additional Procedure Consultant | 215 |
| 18th Additional Diagnosis | 216 |
| 18th Additional Diagnosis Consultant..... | 217 |
| 18th Additional Procedure..... | 218 |
| 18th Additional Procedure Anaesthetist..... | 219 |
| 18th Additional Procedure Consultant | 220 |
| 19th Additional Diagnosis | 221 |
| 19th Additional Diagnosis Consultant..... | 222 |
| 19th Additional Procedure..... | 223 |
| 19th Additional Procedure Anaesthetist..... | 224 |
| 19th Additional Procedure Consultant | 225 |
| 20th Additional Diagnosis | 226 |
| 20th Additional Diagnosis Consultant..... | 227 |
| 21st Additional Diagnosis..... | 228 |
| 21st Additional Diagnosis Consultant | 229 |
| 22nd Additional Diagnosis..... | 230 |
| 22nd Additional Diagnosis Consultant | 231 |
| 23rd Additional Diagnosis | 232 |
| 23rd Additional Diagnosis Consultant..... | 233 |
| 24th Additional Diagnosis | 234 |
| 24th Additional Diagnosis Consultant..... | 235 |
| 25th Additional Diagnosis | 236 |

| | |
|---|-----|
| 25th Additional Diagnosis Consultant..... | 237 |
| 26th Additional Diagnosis | 238 |
| 26th Additional Diagnosis Consultant..... | 239 |
| 27th Additional Diagnosis | 240 |
| 27th Additional Diagnosis Consultant..... | 241 |
| 28th Additional Diagnosis | 242 |
| 28th Additional Diagnosis Consultant..... | 243 |
| 29th Additional Diagnosis | 244 |
| 29th Additional Diagnosis Consultant..... | 245 |
| Appendix I - CODE SETS..... | 246 |
| ADMSOURCE - Source of Admission..... | 246 |
| ADMTYPE - Type of Admission | 246 |
| DAYCASE | 246 |
| DISC_CODE – Discharge Code..... | 247 |
| DIS_STATUS – Discharge Status..... | 247 |
| EIRCODE..... | 248 |
| EIRCODE (continued)..... | 249 |
| ElectiveType – Type of Elective Admission..... | 249 |
| EMADM – Mode of Emergency Admission | 250 |
| Health Insurer..... | 250 |
| Hospital Code List..... | 251 |
| Hospital Code List (continued) | 252 |
| MARR – Civil Status | 253 |
| MCARD – Medical Card | 253 |
| RESID – Area of Residence..... | 254 |
| SEX | 255 |
| SPECIALTY (Department of Health Database list of consultant specialties)..... | 256 |
| WARDIND – Registered Day Ward Indicator | 257 |
| WLIST – Waiting List Indicator..... | 257 |
| Appendix II – ASCII File Names..... | 258 |
| Appendix II – ASCII File Names (continued)..... | 259 |
| Appendix II – ASCII File Names (continued)..... | 260 |
| Appendix II – ASCII File Names (continued)..... | 261 |
| Appendix II – ASCII File Names (continued)..... | 262 |

| | |
|---|-----|
| Appendix III - Classifications..... | 263 |
| Appendix IV- Abbreviations..... | 263 |
| Appendix V – HIPE Source Documents..... | 264 |
| Appendix VI - Organisations..... | 264 |

Introduction

The Hospital In-Patient Enquiry (HIPE) scheme is a health information system designed to collect clinical and administrative data on discharges from, and deaths in, acute hospitals in Ireland.¹ It is the principal source of national data on discharges from acute hospitals. The Healthcare Pricing Office (HPO) oversees the administration and management of this scheme, including the development and support of the data collection and reporting software, training of coders and data quality audit, reporting, and responding to requests for data.² The figure below summarises the HIPE data collection and reporting process. Further information on the development of the HIPE scheme can be found in our annual report series.³




Figure: The HIPE Data Collection and Reporting Process

¹ The Hospital In-Patient Enquiry (HIPE) scheme was established in 1971 by the Health Research Board (HRB). Between 1990 and 2013 the Economic and Social Research Institute (ESRI) oversaw the administration and management of this scheme on behalf of the Health Service Executive (HSE) and the Department of Health (DoH). From January 1, 2014 the National Casemix Programme and the Health Research and Information Division at the ESRI became the Healthcare Pricing Office (HPO). This Office has responsibility for the HIPE scheme. While the HPO will initially be established on an administrative basis, in the HSE, it is planned that this Office will ultimately be established on a statutory basis. This development is in line with the proposals in the ‘Money Follows the Patient’ policy paper published by the Department of Health in February 2013.

² The HPO also has responsibility for the National Perinatal Reporting System (NPRS). Between 1999 and 2013 the ESRI oversaw the administration and management of this system on behalf of the HSE and the DoH.

³ HIPE Annual Reports can be found on www.hpo.ie

Objectives of HIPE Data Dictionary Version 11.1

HIPE collects information on in-patient and day patient activity from participating hospitals. A HIPE discharge record is created when a patient is discharged from (or dies in) hospital. This record contains administrative, demographic and clinical information for a discrete episode of care. An episode of care begins at admission to hospital, as a day or in-patient, and ends at discharge from (or death in) that hospital.

This dictionary provides definitions and codes for data collected within HIPE as of 2019. It provides standard definitions for variables with the objective of ensuring that consistency and data quality are maintained. It is also hoped that the dictionary will be of use to researchers, clinicians and hospital management in understanding and analysing HIPE data.

Using the Data Dictionary

The HIPE Data Dictionary provides information on the variables collected by HIPE.⁴ Internal variables relating to data quality and the HIPE database structure are not included. Other exclusions from the HIPE Data Dictionary Version 11.1 are data and non-HIPE cases collected through the HIPE system but not included in the national file.⁵

All variables are listed alphabetically and an alphabetic index is included in the table of contents. The code sets used for variables are listed in [Appendix I](#) and can be accessed via hyperlinks. [Appendix II](#) provides the ASCII file name for all variables. For information on the classifications for diagnoses and procedures and the Casemix classification and grouping software see [Appendix III](#).

A glossary of abbreviations is provided in [Appendix IV](#) and hyperlinks to source documents and organisations are provided in [Appendices V](#) and [VI](#) respectively.

⁴ In fulfilling a request, made in good faith, the HPO will supply HPO data, provided the request does not conflict with our obligations of confidentiality or with those under the Data Protection Acts 1988 to 2018 and the General Data Protection Regulation; for this reason certain variables described in this document may not be available for information requests. Availability of information for requests can also be dependent on data quality and coverage too.

⁵ From the 01/01/2011 all cases categorised as in-patients or day cases are to be downloaded from the hospital PAS to HIPE, including those cases not normally coded on HIPE. It is expected that the additional cases in the download will be for non-acute (not normally coded) activity on the hospital campus such as rehabilitation or psychiatry. The Healthcare Pricing Office identifies for individual hospitals, a list of wards which should be downloaded as part of this change. These additional downloaded records are not included on the national file. For patients discharged on or after 01/01/2011, the HIPE record will also collect information on internal ward transfers of the patient during the episode of stay. This information is typically stored in a "ward transfer file" or "ward transfer database" as part of the PAS/HIS system. This information will be downloaded to the HIPE portal and can be viewed by the coder but cannot be amended. The information will be exported by the hospital monthly to the Healthcare Pricing Office as part of the normal export process.

Updates

This document will be updated as variables are added or amended.

Summary of Changes between version 1.0 and 2.0 of Data Dictionary

Addition of variable: Oncology Day Ward Flag to store the value of oncology day ward repeat status.

Addition of code set: RepeatStatus; values for Oncology Day Ward Flag.

Addition of Blackrock Hospice to hospital codes code set.

Summary of Changes between version 2.0 and 3.0 of Data Dictionary

The migration from Windows HIPE (a windows based data entry and reporting system) to the HIPE Portal (a web based portal based on SQL server) has resulted in changes to variable names.

Changes to Variable Name

Diagnoses: Rename variables from diag-CxDIA → **DIAG1–DIAG30**

Diagnosis Consultants: Rename variables from DCON - CxCON → DIAGCONS1 – DIAGCONS30

Procedures: Rename procedure variables from PROC –PkPRO → PROC1-PROC20

Procedure Consultants: Rename procedure consultant variables from PCON – PkCON → PROCON1-PROCON20

Procedure dates: Rename procedure date variables from P1Date or Theatre → PROCDATE1- PROCDATE20

Procedure Anaesthetist: Rename procedure date variables from P1ANA-PkANA → ANACONS1-ANACONS20

Additional Variables in 2011

Hospital Acquired Diagnosis

Health Insurer

Parity Live births

Parity Still births

Procedure dates

Days in Semi Private Bed

Changes to Data Entry Guideline Number of Days in Intensive Care Environment

Additional Codes to Code sets

Additional **Specialty** Code 2605 Breast Surgery

Hospital code for removal of temporary transfer code for CUMH

Summary of Changes between version 3.0 and 4.0 of Data Dictionary

Additional Variables

Time of Admission

Time of Discharge

Code Set Changes

Marital Status – changed to **Marital/Civil Status**, addition of *Civil Partner*, *Former Civil Partner* and *Surviving Civil Partner*

Health Insurer of the Patient - removal of *Hospital Saturday Fund*

Hospital Code – removal of 412, HIPE activity data from University College Hospital Galway and Merlin Park Regional Hospital are now reported as 404, Galway University Hospitals.

Hospital Transfer Codes – addition of 0948, 0949

Errata to Version 3.0

Addition of **DIAGCONS1** variable

Correction of details of **PRIMARYCONS** variable

Correction of data entry guideline at **MEDICAL** variable

Abbreviations

Department of Health & Children (DoHC) changed to Department of Health (DoH)

Summary of Changes between version 4.0 and 5.0 of Data Dictionary

Additional Variables

Type of Elective Admission

Discharge Specialty

Changes to Variable Categories

Health Insurer of the Patient Renamed *Quinn Healthcare* to *Laya*

Mode of Emergency Admission

2 changed to AMAU admitted as inpatient

5 changed to AMAU only and updated explanation to state: "This code is assigned if the patient is admitted as an emergency to the AMAU and discharged from there."

Code Set Changes

Health Insurer of the Patient - New Category *Glohealth*

Changes in terminology

Mode of Emergency Admission was updated to include the term Acute Medical Assessment Unit (AMAU).

Summary of Changes between version 5.0 and 6.0 of Data Dictionary

Some changes to this data dictionary reflect the transfer of HIPE from the ESRI to the HPO.

Additional Variables

- Batch Coded
- Date First Coded
- Last Changed Date/Time

Update variable information to reflect establishment of HPO

- Admitting Consultant
- Discharge Consultant
- Hospital Number

Changes to Variable label

- Marital/Civil Status updated to Civil Status

Code Set Changes

- Area of Residence - added Croatia and Switzerland, updated The Netherlands (Holland)

Changes to Data Entry Guideline

- Mode of Emergency Admission data entry guideline was updated

Additional Appendix

- ASCII File Names

Removal of variables from data dictionary as these are not available on national file

- Additional consultant involvement - encounter consultant
- Additional consultant involvement - encounter position
- Additional consultant involvement - encounter type

Summary of Changes between version 6.0 and 7.0 of Data Dictionary

Additional Variables

- Hospital Acquired Diagnosis 1
- Number of Days in Critical Care Bed
- Number of Days in Intensive Care Environment Single Occupancy
- Number of Days in Intensive Care Environment Multiple Occupancy
- Private Bed Single Occupancy
- Private Bed Multiple Occupancy
- Public Bed Single Occupancy
- Public Bed Multiple Occupancy
- Semi Private Bed Single Occupancy
- Semi Private Bed Multiple Occupancy

Update variable information to reflect update of clinical coding classification to 8th ed ICD-10-AM/ACHI/ACS

- Principal Diagnosis
- Principal Procedure

1st Additional Diagnosis - 29th Additional Diagnosis
1st Additional Procedure - 19th Additional Procedure

Summary of Changes between version 7.0 and 8.0 of Data Dictionary

Update

Contact details

Updated Field Size and Reported for

Episode Number

Update Definition Source and Collected since

Australian Refined - Diagnosis Related Group

Update Definition, Definition Source and Collected since

Major Diagnostic Category (MDC)

Update Order in Instruction Manual

Hospital Number

Summary of Changes between version 8.0 and 8.1 of Data Dictionary

Updated fields:

Definition of Principal Procedure, Additional Procedure 1 – 19

Definition changed from

Clinical intervention that is surgical in nature , carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.

To

Clinical intervention that is surgical in nature **and/or** carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.

Reason for change:

Definition of procedure updated to reflect definition used inACHI 8th edition.

Summary of Changes between version 8.1 and 9.0 of Data Dictionary

Additional Variable

Medical Discharge Date/Medically Fit for Discharge Date

Removal of Variable

Oncology Day Ward Flag

Code set changes:

Mode of Emergency Admission – New Mode of Emergency Admission added
6 Local Injury Unit Admission Directly from a HSE listed Local Injury Unit.

Changes to Variable Categories

Health Insurer of the Patient Renamed Aviva to Irish Life Health
Mode of Emergency Admission 1 updated to ED of the admitting Hospital
Source of Admission
3 updated to Transfer of admitted patient from Acute Hospital
4 updated to Transfer from Non-Acute Hospital
5 updated to Transfer from hospice

Changes to Data Entry Guideline

Mode of Emergency Admission data entry guideline was updated

Summary of Changes between version 9.0 and 9.1 of Data Dictionary

Code Set Changes

Area of Residence – 1700 Tipperary (Nth Riding) and 0800 Tipperary (Sth Riding) updated to 1708 Tipperary (includes Tipperary North and South Riding)

Summary of Changes between version 9.1 and 10.0 of Data Dictionary

Additional Variables

Transfer Admission Status
Eircode

Removal of Variable

Medical Card Number

Code set changes:

Mode of Emergency Admission – New Mode of Emergency Admission added
7 ASAU admitted as in-patient: This code is assigned if the patient is admitted as an emergency to the hospital through the ASAU
8 ASAU only: This code is assigned if the patient is admitted as an emergency to the ASAU and is discharged from there

Changes to Data Entry Guideline

Mode of Emergency Admission data entry guideline was updated

Summary of Changes between version 10.0 and 11.0 of Data Dictionary

Additional variables:

Hours of Continuous Ventilatory Support (CVS)
Number of Nights in an ED Virtual Ward

Code set changes:

Specialty – Removal of Specialty code '9000 Other'

Changes to Data Entry Guideline

Admitting Ward – data entry guideline added to include advice on patients admitted to virtual wards.

Updated fields:

Patient's name – Definition of Patient's name changed from
The patient's name
To
The patient's name. This is collected at hospital level only. It is not collected at the national level.

Addition of existing variable to data dictionary:

Length of Stay

Summary of Changes between version 11.0 and 11.1 of Data Dictionary

Changes to Data Entry Guideline:

Admitting Ward – data entry guideline on patients admitted to virtual wards removed as the pilot for the 'number of nights in an ED Virtual Ward' variable ended after Q1 2019.

Number of Nights in an ED Virtual Ward – data entry guideline updated to advise that this variable was introduced on a pilot basis and the pilot ended after Q1 2019.

Page Layout

While each page does not necessarily include all fields, each page in the data dictionary has a consistent format as follows:

| | |
|--------------------------------------|---|
| Variable | Name of variable |
| Definition | Provides a description of the variable. |
| Definition Source⁶ | What is the source of the definition of this information - e.g. HPO |
| Source | Information may come from Chart, Hospital PAS, assigned by HPO or it may be derived from other variables. |
| Collected since⁷ | Month and year when collection of variable commenced. |
| Collected/Derived | Is this variable collected from Chart or is it derived from the HIPE Portal data entry software? |
| Code Set | Details the information options available for each variable. |
| Data Entry Guideline | Provides further guidance on how a variable is assigned to case. |
| Variable Name | Variable name in Portal |
| Data Type | Integer or Alphanumeric |
| Field Size | Number of characters in the variable |
| Populated in National File | If no, this variable is only populated in the hospital version of HIPE and is not available on the national file. |
| Reported by | Who reports this variable? This will generally be the Hospital |
| Reported for | For what cases/discharges is this information reported? |
| Order in Instruction Manual | The HIPE Instruction Manual forms part of the training material provided by the HPO. It provides details of administrative and demographic variables collected and is updated to reflect any changes or updates in data collection, this order is numerically based. |
| Irish Coding Standard | The Irish Coding Standards (ICS) are used in conjunction with the International Statistical Classification of Diseases and Related Health Problems, Tenth Revision, Australian Modification (ICD-10-AM), Australian Classification of Health Interventions (ACHI) and Australian Coding Standards (ACS) and apply to all activity coded in HIPE in Ireland. |

⁶ As the ESRI oversaw the administration and management of the HIPE scheme on behalf of the HSE and the DoH for the period between 1990 and 2013, *ESRI HIPE Unit*, may be recorded as the definition source for a number of variables.

⁷ Between 1990 and 2013 the ESRI managed the HIPE scheme; variables in operation prior to this data will be marked as pre-1990.

PRODUCED BY AND CONTACT DETAILS

Healthcare Pricing Office (HPO)

Brunel Building
Heuston South Quarter
St. John's Road West
Dublin 8
D08 X01F
Ireland
Fax: (353-1) 7718414
Website: www.hpo.ie
Email: info@hpo.ie

Variables

Admission Date

| Variable | Admission Date |
|------------------------------------|---|
| Definition | The date on which a patient was admitted as an in-patient or day case to the hospital for care. |
| Definition source | |
| Source | Hospital PAS |
| Collected since | pre-1990 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | DD/MM/YYYY must be less than or equal to DISDATE. |
| Variable Name | ADMDATE |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 3 |
| Irish Coding Standard | |

Admission Weight

| | |
|------------------------------------|---|
| Variable | Admission Weight |
| Definition | Admission weight of patient in grams (Infant). |
| Definition source | ESRI HIPE Unit |
| Source | Hospital PAS |
| Collected since | 2004 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | Limits: 400 to 9999. Can only enter less than 400 with an explanation. 9999 is entered where admission weight is unknown. |
| Variable Name | ADMWEIGHT |
| Data Type | Integer |
| Field Size | 4 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where age was less than 28 days (0-27 days), or age was less than 1 year and weight less than 2,500 grams. |
| Order in Instruction Manual | 9 |
| Irish Coding Standard | HIPE Guidelines for Administrative Data VIII |

Admitting Consultant

| Variable | Admitting Consultant |
|------------------------------------|--|
| Definition | The consultant who admits the patient. If there is no clear information on the chart on the identity of the admitting consultant, the code for the primary consultant is used. Each consultant has a unique number/code assigned by the HPO, which may not be used for any other consultant. The unique number assigned by the HPO is encrypted to a unique alphanumeric code when HIPE data are exported from the hospitals. The encrypted values are stored on the HIPE National File and it is not possible to ascertain the identity of individual consultants from any of the consultant fields in the National File. |
| Definition source | ESRI HIPE unit |
| Source | Hospital PAS |
| Collected since | 1994 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | Where the entire case is handled by one consultant his/her code number need be entered only opposite the principal diagnosis. If more than one consultant is involved in a case the relevant consultant number will be placed opposite the relevant diagnosis/procedures. |
| Variable Name | ADMCONS |
| Data Type | Integer |
| Field Size | 4 |
| Populated in National File | Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 22b |
| Irish Coding Standard | |

Admitting Ward

| Variable | Admitting Ward |
|------------------------------------|---|
| Definition | The ward to which the patient is formally admitted, based on the midnight census on the day of admission. |
| Definition source | Hospital |
| Source | Hospital PAS |
| Collected since | 1996-2006 optional; 2007 mandatory. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ADMWARD |
| Data Type | Alphanumeric |
| Field Size | 6 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 24 |
| Irish Coding Standard | HIPE Guidelines for Administrative Data II |

Age

| | |
|------------------------------------|---|
| Variable | Age |
| Definition | The patient's age in years at admission. Calculated at hospital level. |
| Definition source | |
| Source | ADMDATE - DOB |
| Collected since | pre-1990 |
| Collected/Derived | Derived |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | AGE |
| Data Type | Integer |
| Field Size | 3 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | n/a |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

Age in Weeks

| Variable | Age in Weeks |
|------------------------------------|---|
| Definition | Age in weeks where patient's age is less than 1 year. Calculated at hospital level. |
| Definition source | ESRI HIPE Unit |
| Source | ADMDATE - DOB where AGE < 1. |
| Collected since | 2010 |
| Collected/Derived | Derived |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | AgeInWeeks |
| Data Type | Integer |
| Field Size | 2 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | n/a |
| Reported for | All cases where age was less than 1 year. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

Area of Residence

| Variable | Area of Residence |
|------------------------------------|--|
| Definition | The place the patient would normally reside. Foreign nationals resident in Ireland should have a code assigned for their Irish place of residence. Foreign visitors on short stay should be coded to their country of residence. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | pre-1990 |
| Collected/Derived | Collected |
| Code Set | RESID |
| Data Entry Guideline | |
| Variable Name | RESID |
| Data Type | Integer |
| Field Size | 4 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 14 |
| Irish Coding Standard | |

Australian Refined - Diagnosis Related Group

| Variable | Australian Refined - Diagnosis Related Group |
|------------------------------------|---|
| Definition | The DRG scheme enables the disaggregation of patients into homogeneous groups, which are expected to undergo similar treatment processes and incur similar levels of resource use. The data required for DRG assignment include principal and additional diagnoses, procedures performed, age, sex, and discharge status. |
| Definition source | Grouper Version 6.0 and 8.0 ⁸ |
| Source | Grouping Programme |
| Collected since | 2005 using Grouper Version 5.1; 2009-2014 Grouper Version 6.0; 2015 onwards using Grouper Versions 6.0 and 8.0. |
| Collected/Derived | Derived |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DRG |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

⁸ For the purposes of Activity Based Funding HIPE data will be grouped using Versions 6.0 and 8.0 of the AR-DRG Classification.

Batch Coded

| Variable | Batch Coded |
|------------------------------------|--|
| Definition | Indicates that a case is batch coded by the hospital. A batch coded case is flagged on the national file with the value 1. |
| Definition source | |
| Source | HIPE Portal Batch Coder |
| Collected since | 2013 |
| Collected/Derived | Derived (system generated) |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | BATCH_CODE_BATCH |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

Civil Status

| Variable | Civil Status |
|------------------------------------|--|
| Definition | Current civil status of the patient. |
| Definition source | ESRI HIPE Unit |
| Source | Hospital PAS |
| Collected since | Pre-1990; updated in 2001 and updated 2012 following Civil Partnership and Certain Rights and Obligations of Cohabitants Act 2010. Variable label updated in 2014 from Marital/Civil Status to Civil Status. |
| Collected/Derived | Collected |
| Code Set | MARR |
| Data Entry Guideline | |
| Variable Name | MARRSTATUS |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 11 |
| Irish Coding Standard | |

Consultant Specialty

| Variable | Consultant Specialty |
|------------------------------------|---|
| Definition | A specialty code is assigned to the record on the basis of the specialty assignment of the consultant associated with the principal diagnosis. The specialty of the consultant is the specialty in which s/he is formally recognised and contracted to work. A consultant may be formally recognised and contracted to work in more than one specialty; in these cases one specialty is recognised as the main one. |
| Definition source | DoH |
| Source | Hospital PAS |
| Collected since | 1994 |
| Collected/Derived | Collected |
| Code Set | SPECIALTY |
| Data Entry Guideline | Specialty is assigned locally at the hospital from the DoH list. |
| Variable Name | SPECIALTY |
| Data Type | Integer |
| Field Size | 4 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 22 |
| Irish Coding Standard | |

Date First Coded

| Variable | Date First Coded |
|------------------------------------|---|
| Definition | This is the date and time an episode was first coded, that is when a principal diagnosis is added and saved to the episode. |
| Definition source | |
| Source | HIPE Portal Data Entry Module |
| Collected since | April 2013 |
| Collected/Derived | Derived (system generated) |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | firstCodedDate |
| Data Type | Datetime |
| Field Size | 12 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

Date of Birth

| Variable | Date of Birth |
|------------------------------------|--|
| Definition | Patient's Date of Birth. At national level only month and year of birth are available with day of birth set to 15. |
| Definition source | ESRI HIPE Unit |
| Source | Hospital PAS |
| Collected since | pre-1990 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | At least year of birth is required. If Day/Month are unknown, enter as 00/00/YY. Day, month will be derived to 01, and the variable UNSURE is populated. |
| Variable Name | DOB |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y (month and year only) <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 8 |
| Irish Coding Standard | |

Date of Discharge

| Variable | Date of Discharge |
|------------------------------------|---|
| Definition | The date on which the patient is discharged from hospital following an episode of care. If the patient dies during the episode of care, the date of death is the date of discharge. |
| Definition source | ESRI HIPE Unit |
| Source | Hospital PAS |
| Collected since | pre-1990 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | DD/MM/YYYY must be greater than or equal to ADMDATE. |
| Variable Name | DISDATE |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 6 |
| Irish Coding Standard | |

Date of Principal Procedure

| | |
|------------------------------------|--|
| Variable | Date of Principal Procedure |
| Definition | Date the Principal Procedure was performed. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | Name change 2011 - migration to Portal. Previously called THEATRE. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE. Mandatory where PROC1 is completed. |
| Variable Name | PROCDATE1 |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a principal procedure (PROC1) was performed. |
| Order in Instruction Manual | 23 |
| Irish Coding Standard | ICS 002x |

Date of procedure sequenced 2nd

| | |
|------------------------------------|---|
| Variable | Date of procedure sequenced 2nd |
| Definition | Date of procedure sequenced 2nd. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE. |
| Variable Name | PROCDATE2 |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where 1st additional procedure (PROC2) was performed. |
| Order in Instruction Manual | 23 |
| Irish Coding Standard | ICS002x |

Date of procedure sequenced 3rd

| | |
|------------------------------------|---|
| Variable | Date of procedure sequenced 3rd |
| Definition | Date of procedure sequenced 3rd. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE. |
| Variable Name | PROCDATE3 |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 2nd additional procedure (PROC3) was performed. |
| Order in Instruction Manual | 23 |
| Irish Coding Standard | ICS002x |

Date of procedure sequenced 4th

| | |
|------------------------------------|---|
| Variable | Date of procedure sequenced 4th |
| Definition | Date of procedure sequenced 4th. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE. |
| Variable Name | PROCDATE4 |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 3rd additional procedure (PROC4) was performed. |
| Order in Instruction Manual | 23 |
| Irish Coding Standard | ICS002x |

Date of procedure sequenced 5th

| | |
|------------------------------------|---|
| Variable | Date of procedure sequenced 5th |
| Definition | Date of procedure sequenced 5th. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE. |
| Variable Name | PROCDATE5 |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 4th additional procedure (PROC5) was performed. |
| Order in Instruction Manual | 23 |
| Irish Coding Standard | ICS002x |

Date of procedure sequenced 6th

| | |
|------------------------------------|---|
| Variable | Date of procedure sequenced 6th |
| Definition | Date of procedure sequenced 6th. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE. |
| Variable Name | PROCDATE6 |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 5th additional procedure (PROC6) was performed. |
| Order in Instruction Manual | 23 |
| Irish Coding Standard | ICS002x |

Date of procedure sequenced 7th

| | |
|------------------------------------|---|
| Variable | Date of procedure sequenced 7th |
| Definition | Date of procedure sequenced 7th. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE. |
| Variable Name | PROCDATE7 |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 6th additional procedure (PROC7) was performed. |
| Order in Instruction Manual | 23 |
| Irish Coding Standard | ICS002x |

Date of procedure sequenced 8th

| | |
|------------------------------------|---|
| Variable | Date of procedure sequenced 8th |
| Definition | Date of procedure sequenced 8th. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE. |
| Variable Name | PROCDATE8 |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 7th additional procedure (PROC8) was performed. |
| Order in Instruction Manual | 23 |
| Irish Coding Standard | ICS002x |

Date of procedure sequenced 9th

| | |
|------------------------------------|---|
| Variable | Date of procedure sequenced 9th |
| Definition | Date of procedure sequenced 9th. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISCHARGE date. |
| Variable Name | PROCDATE9 |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where an 8th additional procedure (PROC9) was performed. |
| Order in Instruction Manual | 23 |
| Irish Coding Standard | ICS002x |

Date of procedure sequenced 10th

| | |
|------------------------------------|---|
| Variable | Date of procedure sequenced 10th |
| Definition | Date of procedure sequenced 10th. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE. |
| Variable Name | PROCDATE10 |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 9th additional procedure (PROC10) was performed. |
| Order in Instruction Manual | 23 |
| Irish Coding Standard | ICS002x |

Date of procedure sequenced 11th

| | |
|------------------------------------|---|
| Variable | Date of procedure sequenced 11th |
| Definition | Date of procedure sequenced 11th. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE. |
| Variable Name | PROCDATE11 |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 10th additional procedure (PROC11) was performed. |
| Order in Instruction Manual | 23 |
| Irish Coding Standard | ICS002x |

Date of procedure sequenced 12th

| | |
|------------------------------------|---|
| Variable | Date of procedure sequenced 12th |
| Definition | Date of procedure sequenced 12th. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE. |
| Variable Name | PROCDATE12 |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where an 11th additional procedure (PROC12) was performed. |
| Order in Instruction Manual | 23 |
| Irish Coding Standard | ICS002x |

Date of procedure sequenced 13th

| | |
|------------------------------------|---|
| Variable | Date of procedure sequenced 13th |
| Definition | Date of procedure sequenced 13th. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE. |
| Variable Name | PROCDATE13 |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 12th additional procedure (PROC13) was performed. |
| Order in Instruction Manual | 23 |
| Irish Coding Standard | ICS002x |

Date of procedure sequenced 14th

| | |
|------------------------------------|---|
| Variable | Date of procedure sequenced 14th |
| Definition | Date of procedure sequenced 14th. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE. |
| Variable Name | PROCDATE14 |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 13th additional procedure (PROC14) was performed. |
| Order in Instruction Manual | 23 |
| Irish Coding Standard | ICS002x |

Date of procedure sequenced 15th

| | |
|------------------------------------|---|
| Variable | Date of procedure sequenced 15th |
| Definition | Date of procedure sequenced 15th. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE. |
| Variable Name | PROCDATE15 |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 14th additional procedure (PROC15) was performed. |
| Order in Instruction Manual | 23 |
| Irish Coding Standard | ICS002x |

Date of procedure sequenced 16th

| | |
|------------------------------------|---|
| Variable | Date of procedure sequenced 16th |
| Definition | Date of procedure sequenced 16th. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE. |
| Variable Name | PROCDATE16 |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 15th additional procedure (PROC16) was performed. |
| Order in Instruction Manual | 23 |
| Irish Coding Standard | ICS002x |

Date of procedure sequenced 17th

| | |
|------------------------------------|---|
| Variable | Date of procedure sequenced 17th |
| Definition | Date of procedure sequenced 17th. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE. |
| Variable Name | PROCDATE17 |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 16th additional procedure (PROC17) was performed. |
| Order in Instruction Manual | 23 |
| Irish Coding Standard | ICS002x |

Date of procedure sequenced 18th

| | |
|------------------------------------|---|
| Variable | Date of procedure sequenced 18th |
| Definition | Date of procedure sequenced 18th. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE. |
| Variable Name | PROCDATE18 |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 17th additional procedure (PROC18) was performed. |
| Order in Instruction Manual | 23 |
| Irish Coding Standard | ICS002x |

Date of procedure sequenced 19th

| | |
|------------------------------------|---|
| Variable | Date of procedure sequenced 19th |
| Definition | Date of procedure sequenced 19th. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE. |
| Variable Name | PROCDATE19 |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where an 18th additional procedure (PROC19) was performed. |
| Order in Instruction Manual | 23 |
| Irish Coding Standard | ICS002x |

Date of procedure sequenced 20th

| | |
|------------------------------------|---|
| Variable | Date of procedure sequenced 20th |
| Definition | Date of procedure sequenced 20th. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | DD/MM/YYYY must be greater than or equal to ADMDATE and less than or equal to DISDATE. |
| Variable Name | PROCDATE20 |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 19th additional procedure (PROC20) was performed. |
| Order in Instruction Manual | 23 |
| Irish Coding Standard | ICS002x |

Date of Transfer to Pre-Discharge Unit/Rehab

| Variable | Date of Transfer to Pre-Discharge Unit/Rehab |
|------------------------------------|---|
| Definition | Date when a patient is transferred to a registered Pre-Discharge Unit/Rehab within the hospital prior to discharge. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2004 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | DD/MM/YYYY - must be greater than or equal to ADMDATE & less than DISDATE. Hospitals must register the pre-Discharge Unit/Rehab with the Healthcare Pricing Office. |
| Variable Name | PDUTRANSDATE |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional |
| Order in Instruction Manual | |
| Irish Coding Standard | |

Day Case Indicator

| | |
|------------------------------------|---|
| Variable | Day Case Indicator |
| Definition | Day Case. |
| Definition source | DoH |
| Source | Hospital PAS |
| Collected since | 2000 |
| Collected/Derived | Collected |
| Code Set | DAYCASE |
| Data Entry Guideline | A day case is a patient who is admitted to hospital on an elective basis for care and/or treatment which does not require use of a hospital bed overnight and who is discharged as scheduled. If Daycase is indicated, Day Ward Indicator/Identifier must be completed. |
| Variable Name | ISDAYCASE |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 16 |
| Irish Coding Standard | |

Day Ward Identifier

| Variable | Day Ward Identifier |
|------------------------------------|---|
| Definition | Name of pre-registered Day Ward - to identify the day place where the patient was treated. |
| Definition source | ESRI HIPE Unit |
| Source | Hospital PAS |
| Collected since | 2005 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | Dedicated Day Wards must be registered with the Healthcare Pricing Office. |
| Variable Name | DAYWARD |
| Data Type | Alphanumeric |
| Field Size | 6 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where WARDIND = 1. |
| Order in Instruction Manual | 18 |
| Irish Coding Standard | |

Day Ward Indicator

| Variable | Day Ward Indicator |
|------------------------------------|--|
| Definition | Indicates if a day case patient was admitted to a dedicated Day Ward. |
| Definition source | ESRI HIPE Unit |
| Source | Hospital PAS |
| Collected since | 2004 |
| Collected/Derived | Collected |
| Code Set | WARDIND |
| Data Entry Guideline | Dedicated Day Wards must be registered with the Healthcare Pricing Office. WARDIND = 0 if patient is marked as a day case but the episode was not admitted to a dedicated Day Ward, WARDIND = 1 if patient is marked as a day case and the episode was admitted to a dedicated Day Ward, WARDIND = 2 If the patient is marked as a day case and the setting of the episode is unknown. |
| Variable Name | WASINDAYWARD |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where DAYCASE = 1. |
| Order in Instruction Manual | 17 |
| Irish Coding Standard | HIPE Guideline V |

Discharge Code

| Variable | Discharge Code |
|------------------------------------|---|
| Definition | Identifies the discharge destination. |
| Definition source | ESRI HIPE Unit |
| Source | Hospital PAS |
| Collected since | 2002 |
| Collected/Derived | Collected |
| Code Set | DISC_CODE |
| Data Entry Guideline | |
| Variable Name | DISCHARGECODE |
| Data Type | Integer |
| Field Size | 2 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 7 |
| Irish Coding Standard | |

Discharge Consultant

| Variable | Discharge Consultant |
|------------------------------------|--|
| Definition | The consultant who discharges the patient at the end of the episode. Each consultant has a unique number/code assigned by the HPO, which may not be used for any other consultant. The unique number assigned by the HPO is encrypted to a unique Alphanumeric code when HIPE data are exported from the hospitals. The encrypted values are stored on the HIPE National File and it is not possible to ascertain the identity of individual consultants from any of the consultant fields in the National File. |
| Definition source | ESRI HIPE Unit |
| Source | Hospital PAS |
| Collected since | 1996 - 2001 optional; 2002 - mandatory. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | Where the entire case is handled by one consultant his/her code number need be entered only opposite the principal diagnosis. If more than one consultant is involved in a case the relevant consultant number will be placed opposite the relevant diagnosis/procedures |
| Variable Name | DISCONS |
| Data Type | Integer |
| Field Size | 4 |
| Populated in National File | Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 22c |
| Irish Coding Standard | |

Discharge Specialty

| Variable | Discharge Specialty |
|------------------------------------|---|
| Definition | The specialty of the discharge consultant identified by a four digit code |
| Definition source | DoH |
| Source | Hospital PAS |
| Collected since | 2013 |
| Collected/Derived | Collected |
| Code Set | Specialty |
| Data Entry Guideline | Specialty is assigned locally at the hospital from the DoH list. |
| Variable Name | DisConsSpec |
| Data Type | Integer |
| Field Size | 4 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 22d |
| Irish Coding Standard | |

Discharge Status

| | |
|------------------------------------|--|
| Variable | Discharge Status |
| Definition | Public/Private status of patient on discharge. |
| Definition source | ESRI HIPE Unit |
| Source | Hospital PAS |
| Collected since | 1999 |
| Collected/Derived | Collected |
| Code Set | DIS_STATUS |
| Data Entry Guideline | Refers to the public/private status of patient, it does not relate to the type of bed occupied nor is it an indicator of possession of private health insurance. |
| Variable Name | DISSTATUS |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 15 |
| Irish Coding Standard | |

Discharge Ward

| | |
|------------------------------------|---|
| Variable | Discharge Ward |
| Definition | The ward occupied prior to discharge. |
| Definition source | Hospital |
| Source | Hospital PAS |
| Collected since | 1996-2006 optional; 2007 mandatory. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DISWARD |
| Data Type | Alphanumeric |
| Field Size | 6 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 24 |
| Irish Coding Standard | HIPE Guideline II |

Eircode Routing Key

| Variable | Eircode Routing Key |
|------------------------------------|---|
| Definition | <p>Eircode is a smart location postcode system for all Irish addresses. An Eircode is a 7 alphanumeric character code consisting of a “Routing key”(consisting of the first 3 characters) and a “Unique Identifier” (consisting of the remaining characters).</p> <p>The complete Eircode is stored at a hospital level while the routing key only is stored at the national level.</p> |
| Definition source | National |
| Source | Hospital PAS |
| Collected since | 2018 - optional |
| Collected/Derived | Collected |
| Code Set | EIRCODE |
| Data Entry Guideline | |
| Variable Name | EIRCODE |
| Data Type | Alphanumeric |
| Field Size | 3 |
| Populated in National File | Y (only the Routing key is exported to the National File) <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Reported for all cases except where the patient is from a non-Irish address (area of residence code >3300) or has no fixed abode (area of residence code = 0000). |
| Order in Instruction Manual | 13 |
| Irish Coding Standard | |

Episode Number

| | |
|------------------------------------|---|
| Variable | Episode Number |
| Definition | IPMS, PAS or HIS episode identifier. Definition varies by hospital and may not be completed by all hospitals. This field is always blank. |
| Definition source | Hospital |
| Source | Hospital PAS |
| Collected since | 2000 locally, 2010 national level. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | EPISODENUMBER and EXTEPISODENUMBER |
| Data Type | Alphanumeric |
| Field Size | 12 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases downloaded from a IPMS, PAS or HIS system. For cases discharged from 01/01/2016, the download will be changed to allow the transfer of an Extended Episode Number consisting of 12 characters. Prior to this the maximum length of the episode number was 8 characters. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

Health Insurer

| | |
|------------------------------------|--|
| Variable | Health Insurer |
| Definition | Name of Health Insurer. At national level categories available are <i>Named Health Insurer/Not Stated/Other/No Insurance</i> |
| Definition source | Casemix Technical Group |
| Source | PAS |
| Collected since | 2011 - migration to Portal, updated 2013. |
| Collected/Derived | Collected |
| Code Set | Health Insurer |
| Data Entry Guideline | |
| Variable Name | HealthInsurer |
| Data Type | Integer |
| Field Size | 2 |
| Populated in National File | Y (<i>Named health insurer/Not Stated/Other/No Insurance</i>) <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where DIS STATUS = 2 (private). |
| Order in Instruction Manual | 15 |
| Irish Coding Standard | |

Hospital Acquired Diagnosis 1

| Variable | Hospital Acquired Diagnosis 1 |
|------------------------------------|---|
| Definition | Flag: diagnosis acquired during the neonates birth episode, principal diagnosis. |
| Definition source | HPO |
| Source | Chart |
| Collected since | 2015 |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX1 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for neonates aged less than 28 days on their birth episode only. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 2

| Variable | Hospital Acquired Diagnosis 2 |
|------------------------------------|--|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 1 st additional diagnosis (DIAG2). |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX2 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 3

| Variable | Hospital Acquired Diagnosis 3 |
|------------------------------------|--|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 2nd additional diagnosis (DIAG3). |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX3 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 4

| Variable | Hospital Acquired Diagnosis 4 |
|------------------------------------|--|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 3rd additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX4 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 5

| Variable | Hospital Acquired Diagnosis 5 |
|------------------------------------|--|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 4th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX5 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 6

| Variable | Hospital Acquired Diagnosis 6 |
|------------------------------------|--|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 5th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX6 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 7

| Variable | Hospital Acquired Diagnosis 7 |
|------------------------------------|--|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 6th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX7 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 8

| Variable | Hospital Acquired Diagnosis 8 |
|------------------------------------|--|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 7th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX8 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 9

| Variable | Hospital Acquired Diagnosis 9 |
|------------------------------------|--|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 8th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX9 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 10

| Variable | Hospital Acquired Diagnosis 10 |
|------------------------------------|--|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 9th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX10 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 11

| Variable | Hospital Acquired Diagnosis 11 |
|------------------------------------|---|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 10th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX11 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 12

| Variable | Hospital Acquired Diagnosis 12 |
|------------------------------------|---|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 11th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX12 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 13

| Variable | Hospital Acquired Diagnosis 13 |
|------------------------------------|---|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 12th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX13 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 14

| Variable | Hospital Acquired Diagnosis 14 |
|------------------------------------|---|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 13th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX14 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 15

| Variable | Hospital Acquired Diagnosis 15 |
|------------------------------------|---|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 14th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX15 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 16

| Variable | Hospital Acquired Diagnosis 16 |
|------------------------------------|---|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 15th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX16 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 17

| Variable | Hospital Acquired Diagnosis 17 |
|------------------------------------|---|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 16th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX17 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 18

| Variable | Hospital Acquired Diagnosis 18 |
|------------------------------------|---|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 17th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX18 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 19

| Variable | Hospital Acquired Diagnosis 19 |
|------------------------------------|---|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 18th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX19 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 20

| Variable | Hospital Acquired Diagnosis 20 |
|------------------------------------|---|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 19th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX20 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 21

| Variable | Hospital Acquired Diagnosis 21 |
|------------------------------------|---|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 20th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX21 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 22

| Variable | Hospital Acquired Diagnosis 22 |
|------------------------------------|---|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 21st additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX22 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 23

| Variable | Hospital Acquired Diagnosis 23 |
|------------------------------------|---|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 22nd additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX23 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 24

| Variable | Hospital Acquired Diagnosis 24 |
|------------------------------------|---|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 23rd additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX24 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 25

| Variable | Hospital Acquired Diagnosis 25 |
|------------------------------------|---|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 24th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX25 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 26

| Variable | Hospital Acquired Diagnosis 26 |
|------------------------------------|---|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 25th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX26 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 27

| Variable | Hospital Acquired Diagnosis 27 |
|------------------------------------|---|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 26th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX27 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 28

| Variable | Hospital Acquired Diagnosis 28 |
|------------------------------------|---|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 27th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX28 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 29

| Variable | Hospital Acquired Diagnosis 29 |
|------------------------------------|---|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 28th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX29 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Acquired Diagnosis 30

| Variable | Hospital Acquired Diagnosis 30 |
|------------------------------------|---|
| Definition | Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 29th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 1 = Hospital Acquired Diagnosis, otherwise null |
| Data Entry Guideline | |
| Variable Name | HADX30 |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all additional diagnoses. |
| Order in Instruction Manual | |
| Irish Coding Standard | ICS 0048 |

Hospital Number

| Variable | Hospital Number |
|------------------------------------|---|
| Definition | Unique numeric identifier assigned to each hospital by HIPE for operational purposes. |
| Definition source | ESRI HIPE Unit |
| Source | Assigned by the HPO. |
| Collected since | pre-1990 |
| Collected/Derived | Collected |
| Code Set | Hospital Code List |
| Data Entry Guideline | The 3-digit number is allocated to the hospital by the HPO for HIPE purposes and is automatically assigned by the HIPE software. This code number differs from the DoH hospital codes which are used for transfers to and from hospitals. |
| Variable Name | HOSPITAL |
| Data Type | Alphanumeric |
| Field Size | 3 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 28 |
| Irish Coding Standard | |

Hours of Continuous Ventilatory Support (CVS)

| Variable | Hours of Continuous Ventilatory Support (CVS) |
|------------------------------------|---|
| Definition | Where a patient is admitted to an ICU, the number of hours of continuous ventilatory support (CVS) will be collected for all cases where a code from block [569] <i>Ventilatory support</i> is coded i.e. mechanical ventilation. |
| Definition source | HPO HIPE Unit |
| Source | Hospital PAS |
| Collected since | 2019 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | Where the patient visits the ICU on more than one occasion, the cumulative number of hours should be recorded. Hours of CVS should be recorded for completed hours only. This variable is not required to be collected for noninvasive ventilation. |
| Variable Name | CVS |
| Data Type | Integer |
| Field Size | 4 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Cases reported to HIPE where the patient was admitted to an ICU. |
| Order in Instruction Manual | 31 |
| Irish Coding Standard | HIPE Guidelines for Administrative Data X ICS 1006 |

Intensive Care Consultant 1

| | |
|------------------------------------|---|
| Variable | Intensive Care Consultant 1 |
| Definition | Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 1. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 JAN 2012; previously all 10 ICU consultants collected together in ICUCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ICUCONS1 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all cases where Number of Days in Intensive Care Environment (ITUDAYS) greater than or equal to 0. |
| Order in Instruction Manual | 22f |
| Irish Coding Standard | |

Intensive Care Consultant 2

| | |
|------------------------------------|---|
| Variable | Intensive Care Consultant 2 |
| Definition | Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 2. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 JAN 2012; previously all 10 ICU consultants collected together in ICUCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ICUCONS2 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all cases where Number of Days in Intensive Care Environment (ITUDAYS) greater than or equal to 0. |
| Order in Instruction Manual | 22f |
| Irish Coding Standard | |

Intensive Care Consultant 3

| | |
|------------------------------------|---|
| Variable | Intensive Care Consultant 3 |
| Definition | Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 3. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 JAN 2012; previously all 10 ICU consultants collected together in ICUCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ICUCONS3 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all cases where Number of Days in Intensive Care Environment (ITUDAYS) greater than or equal to 0. |
| Order in Instruction Manual | 22f |
| Irish Coding Standard | |

Intensive Care Consultant 4

| | |
|------------------------------------|---|
| Variable | Intensive Care Consultant 4 |
| Definition | Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 4. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 JAN 2012; previously all 10 ICU consultants collected together in ICUCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ICUCONS4 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all cases where Number of Days in Intensive Care Environment (ITUDAYS) greater than or equal to 0. |
| Order in Instruction Manual | 22f |
| Irish Coding Standard | |

Intensive Care Consultant 5

| | |
|------------------------------------|---|
| Variable | Intensive Care Consultant 5 |
| Definition | Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 5. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 JAN 2012; previously all 10 ICU consultants collected together in ICUCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ICUCONS5 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all cases where Number of Days in Intensive Care Environment (ITUDAYS) greater than or equal to 0. |
| Order in Instruction Manual | 22f |
| Irish Coding Standard | |

Intensive Care Consultant 6

| | |
|------------------------------------|---|
| Variable | Intensive Care Consultant 6 |
| Definition | Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 6. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 JAN 2012; previously all 10 ICU consultants collected together in ICUCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ICUCONS6 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all cases where Number of Days in Intensive Care Environment (ITUDAYS) greater than or equal to 0. |
| Order in Instruction Manual | 22f |
| Irish Coding Standard | |

Intensive Care Consultant 7

| | |
|------------------------------------|---|
| Variable | Intensive Care Consultant 7 |
| Definition | Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 7. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 JAN 2012; previously all 10 ICU consultants collected together in ICUCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ICUCONS7 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all cases where Number of Days in Intensive Care Environment (ITUDAYS) greater than or equal to 0. |
| Order in Instruction Manual | 22f |
| Irish Coding Standard | |

Intensive Care Consultant 8

| | |
|------------------------------------|---|
| Variable | Intensive Care Consultant 8 |
| Definition | Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 8. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 JAN 2012; previously all 10 ICU consultants collected together in ICUCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ICUCONS8 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all cases where Number of Days in Intensive Care Environment (ITUDAYS) greater than or equal to 0. |
| Order in Instruction Manual | 22f |
| Irish Coding Standard | |

Intensive Care Consultant 9

| | |
|------------------------------------|---|
| Variable | Intensive Care Consultant 9 |
| Definition | Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 9. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 JAN 2012; previously all 10 ICU consultants collected together in ICUCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ICUCONS9 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all cases where Number of Days in Intensive Care Environment (ITUDAYS) greater than or equal to 0. |
| Order in Instruction Manual | 22f |
| Irish Coding Standard | |

Intensive Care Consultant 10

| | |
|------------------------------------|--|
| Variable | Intensive Care Consultant 10 |
| Definition | Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 10. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 JAN 2012; previously all 10 ICU consultants collected together in ICUCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ICUCONS10 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Optional for all cases where Number of Days in Intensive Care Environment (ITUDAYS) greater than or equal to 0. |
| Order in Instruction Manual | 22f |
| Irish Coding Standard | |

Last Changed Date/Time

| Variable | Last Changed Date/Time |
|------------------------------------|---|
| Definition | This is the latest date and time an episode was either fully coded or the latest date and time a fully coded episode was last edited. |
| Definition source | |
| Source | HIPE Portal Data Entry Module |
| Collected since | |
| Collected/Derived | Derived (system generated) |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | codedDate |
| Data Type | Datetime |
| Field Size | 12 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

Length of Stay

| Variable | Length of Stay |
|------------------------------------|--|
| Definition | For in-patient discharges, this is the number of days between the admission date and discharge date, not including the final day (discharge date). It is also sometimes referred to as Bed Days. From 01/01/19 there was a change to how the Length of Stay is calculated for reporting. Where a patient is admitted and discharged on the same day, they are allocated a length of stay of 0.5 days for reporting purposes (previously this was 1 day). Daycases are not included in length of stay calculations. |
| Definition source | |
| Source | DisDate - AdmDate |
| Collected since | pre-1990 |
| Collected/Derived | Derived |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | LOS |
| Data Type | Integer |
| Field Size | 4 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | n/a |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

Major Diagnostic Category (MDC)

| Variable | Major Diagnostic Category (MDC) |
|------------------------------------|---|
| Definition | The MDC is a category generally based on a single body system or aetiology that is associated with a particular medical specialty. However, records assigned to MDCs 01, 15, 18 and 21 may have principal diagnoses associated with other categories. In AR-DRG Versions 6.0 and 8.0 there are 23 MDCs. |
| Definition source | Grouper Version 6.0 and 8.0 ⁹ |
| Source | Grouping Programme |
| Collected since | 2005 using Grouper Version 5.1; 2009-2014 Grouper Version 6.0; 2015 onwards using Grouper Versions 6.0 and 8.0. |
| Collected/Derived | Derived |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | MDC |
| Data Type | Alphanumeric |
| Field Size | 2 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

⁹ For the purposes of Activity Based Funding HIPE data will be grouped using Versions 6.0 and 8.0 of the AR-DRG Classification.

Medical Card

| | |
|------------------------------------|---|
| Variable | Medical Card |
| Definition | Medical Card Indicator. |
| Definition source | ESRI HIPE Unit |
| Source | Hospital PAS |
| Collected since | 1994 |
| Collected/Derived | Collected |
| Code Set | MCARD |
| Data Entry Guideline | |
| Variable Name | HASMEDCARD |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 12 |
| Irish Coding Standard | |

Medical Discharge Date/Medically Fit for Discharge Date

| | |
|------------------------------------|--|
| Variable | Medical Discharge Date/Medically Fit for Discharge Date |
| Definition | The medical discharge date is the date where a patient had been identified as being fit for discharge (sometimes referred to as “clinically fit for discharge date”). |
| Definition source | HPO HIPE Unit |
| Source | Hospital PAS |
| Collected since | 2017 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | Only to be recorded if there is evidence in the chart of a medical discharge date. Otherwise the medical discharge date is the discharge date. |
| Variable Name | MEDDISDATE |
| Data Type | Date |
| Field Size | 8 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE with a discharge date of 01/01/2017 or later except where DISC_CODE is 00 (Self Discharge), 03 (Transfer to Hospital - Emergency), 06 (Died with Post Mortem), 07 (Died with no Post Mortem), 13 (Absconded) |
| Order in Instruction Manual | 29 |
| Irish Coding Standard | |

Medical Record Number

| Variable | Medical Record Number |
|------------------------------------|---|
| Definition | Unique identifier assigned by hospital to this patient within this hospital but not necessarily unique to this patient encounter. All encounters relating to a particular patient in the same hospital should be recorded under the same MRN, but this is not always possible. |
| Definition source | Hospital |
| Source | Hospital PAS |
| Collected since | pre-1990 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | Determined by the hospital, if number of digits is less than 7, place leading zeros before the Chart Number. Up to 2 Alphanumeric digits allowed, place these before the chart number and in the first position. Chart numbers that are keyed as 6-digits are stored with # in the first position on the National File. |
| Variable Name | MRN |
| Data Type | Alphanumeric |
| Field Size | 7 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 2 |
| Irish Coding Standard | |

Mode of Emergency Admission

| Variable | Mode of Emergency Admission |
|------------------------------------|--|
| Definition | Indicates where the patient was treated prior to being admitted into the hospital as an emergency in-patient or when the patient was treated only in a registered Acute Medical Assessment Unit (AMAU) or in a registered Acute Surgical Assessment Unit (ASAU). (AMAU/ASAU must be registered with Healthcare Pricing Office). |
| Definition source | ESRI HIPE Unit |
| Source | Hospital PAS |
| Collected since | 2004; updated 2017 and 2018 |
| Collected/Derived | Collected |
| Code Set | EMADM |
| Data Entry Guideline | <p>Use code = 2 (AMAU admitted as in-patient) where the patient is admitted as an emergency to the hospital through the AMAU.</p> <p>Use code =5 (AMAU only) where the patient is admitted as an emergency to the AMAU and discharged from there.</p> <p>Use code = 6 (Local Injury Unit) if the patient was in a Local Injury Unit immediately prior to their admission as an in-patient.</p> <p>Use code = 7 (ASAU admitted as in-patient) where the patient is admitted as an emergency to the hospital through the ASAU.</p> <p>Use code = 8 (ASAU only) where the patient is admitted as an emergency to the ASAU and is discharged from there.</p> |
| Variable Name | EMADM |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE where ADMTYPE was 4 (Emergency), 5 (Emergency Readmission), or 7 (New born). |
| Order in Instruction Manual | 4 |
| Irish Coding Standard | |

Non Acute Length of Stay: Temporary Leave Days

| Variable | Non Acute Length of Stay: Temporary Leave Days |
|------------------------------------|---|
| Definition | Number of days a patient did not spend in hospital during an episode. |
| Definition source | DoH |
| Source | Chart |
| Collected since | 2007 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | A patient is temporarily discharged when: the patient is allowed to leave the hospital for a short number of days; their bed in hospital remains for their use and is not available for another patient; the patient returns after the specified amount of time to continue their ongoing care. Temporary Leave Days do NOT apply in the following situations: 1) patient is considered clinically discharged but continues to reside in a bed prior to transfer elsewhere 2) patient is temporarily sent to another hospital for a day to undergo a particular procedure 3) patient returns home during a day and returns to hospital before midnight 4) patient returns home for more than 3 days and is then readmitted. |
| Variable Name | TLDAYS |
| Data Type | Integer |
| Field Size | 3 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE where a patient was temporarily discharged. |
| Order in Instruction Manual | 25 |
| Irish Coding Standard | HIPE Guidelines for Administrative Data I |

Number of Days in Critical Care Bed

| Variable | Number of Days in Critical Care Bed |
|------------------------------------|---|
| Definition | This identifies the number of days a patient spent in a Level 2, Level 3 or Level 3s critical care bed. |
| Definition source | National Clinical Programme for Critical Care, HSE |
| Source | Hospital PAS |
| Collected since | 2015 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | <p>The number of days is to be based on the midnight census. Intensive care beds are considered to be non-designated and as such are neither public nor private. Level 2 care = Active management by the critical care team to treat and support critically ill patients with primarily single organ failure. Level 3 care = Active management by the critical care team to treat and support critically ill patients with two or more organ failures. Level 3(s) = care Level 3 with regional/national service.</p> <p>http://www.hse.ie/eng/about/Who/clinical/natclinprog/criticalcareprogramme/modelofcare/criticalcare.pdf</p> |
| Variable Name | CriticalCareBedDays |
| Data Type | Integer |
| Field Size | 3 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 26 |
| Irish Coding Standard | |

Number of Days in Intensive Care Environment

| Variable | Number of Days in Intensive Care Environment |
|------------------------------------|---|
| Definition | This identifies the number of days, or part thereof, the patient spent in an intensive care environment e.g. ICU/ITU/CCU/HDU/NITU etc. |
| Definition source | ESRI HIPE Unit |
| Source | Hospital PAS |
| Collected since | 1996 - optional; 2002 - mandatory. 2011 - definition revised from "based on midnight census" to "can be based on midnight census". |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | The midnight census can be used to determine the number of days spent in these environments. If the patient spends less than 1 day in these environments and is not present at the time of the midnight census, a stay of less than one day can optionally be recorded as '1' day. Where part of day is spent in ICU the allocation of public/private/semi- private days can be adjusted accordingly. |
| Variable Name | ITUDAYS |
| Data Type | Integer |
| Field Size | 3 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 19 |
| Irish Coding Standard | |

Number of Days in Intensive Care Environment Single Occupancy

| | |
|------------------------------------|---|
| Variable | Number of Days in Intensive Care Environment Single Occupancy |
| Definition | This identifies the number of days, or part thereof, the patient spent in an intensive care environment e.g. ICU/ITU/CCU/HDU/NITU etc. - single occupancy room/ward. |
| Definition source | HPO |
| Source | Hospital PAS |
| Collected since | 2015 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | The midnight census can be used to determine the number of days spent in these environments. If the patient spends less than 1 day in these environments and is not present at the time of the midnight census, a stay of less than one day can optionally be recorded as '1' day. Where part of day is spent in ICU the allocation of public/private/semi- private days can be adjusted accordingly. |
| Variable Name | ITUDAYSSINGLE |
| Data Type | Integer |
| Field Size | 3 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported where DIS_STATUS = 2 (private). |
| Order in Instruction Manual | 19 |
| Irish Coding Standard | |

Number of Days in Intensive Care Environment Multiple Occupancy

| | |
|------------------------------------|---|
| Variable | Number of Days in Intensive Care Environment Multiple Occupancy |
| Definition | This identifies the number of days, or part thereof, the patient spent in an intensive care environment e.g. ICU/ITU/CCU/HDU/NITU etc. - multiple occupancy room/ward. |
| Definition source | HPO |
| Source | Hospital PAS |
| Collected since | 2015 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | The midnight census can be used to determine the number of days spent in these environments. If the patient spends less than 1 day in these environments and is not present at the time of the midnight census, a stay of less than one day can optionally be recorded as '1' day. Where part of day is spent in ICU the allocation of public/private/semi- private days can be adjusted accordingly. |
| Variable Name | ITUDAYSMULTI |
| Data Type | Integer |
| Field Size | 3 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported where DIS_STATUS = 2 (private). |
| Order in Instruction Manual | 19 |
| Irish Coding Standard | |

Number of Nights in an ED Virtual Ward

| Variable | Number of Nights in an ED Virtual Ward |
|------------------------------------|---|
| Definition | The number of nights a patient spends in a registered ED virtual ward, where the decision to admit has been made. This is based on the midnight census. The field will default to blank meaning the patient did not spend any time in an ED virtual ward. |
| Definition source | HPO HIPE Unit |
| Source | Hospital PAS |
| Collected since | 2019 – optional |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | All ED virtual wards must be registered with the Healthcare Pricing Office. Note that this variable was introduced on a pilot basis and this pilot ended after Q1 2019. |
| Variable Name | vWardBedDays |
| Data Type | Integer |
| Field Size | 3 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Cases with an emergency admission type. It is collected for all patients with a virtual ward element of their episode of care. |
| Order in Instruction Manual | 30 |
| Irish Coding Standard | |

Parity: Live births

| | |
|------------------------------------|---|
| Variable | Parity: Live births |
| Definition | Number of previous live births. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | Current pregnancy is not included. If information is not available please enter NA. |
| Variable Name | LiveBirths |
| Data Type | Char |
| Field Size | 2 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Mandatory where ADMTYPE = 6 (maternity), optional for other female patients. |
| Order in Instruction Manual | 27 |
| Irish Coding Standard | HIPE Guidelines for Administrative Data IX |

Parity: Still births

| | |
|------------------------------------|---|
| Variable | Parity: Still births |
| Definition | Number of previous still births. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | Current pregnancy is not included. If information is not available please enter NA. |
| Variable Name | Stillbirths |
| Data Type | Char |
| Field Size | 2 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Mandatory where ADMTYPE = 6 (maternity), optional for other female patients. |
| Order in Instruction Manual | 27 |
| Irish Coding Standard | HIPE Guidelines for Administrative Data IX |

Patient's name

| | |
|-----------------------------|---|
| Variable | Patient's name |
| Definition | The patient's name. This is collected at hospital level only. It is not collected at the national level. |
| Definition source | Hospital |
| Source | Hospital PAS |
| Collected since | pre-1990 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | FULLNAME |
| Data Type | Alphanumeric |
| Field Size | 15 |
| Populated in National File | N |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

Primary Consultant

| Variable | Primary Consultant |
|------------------------------------|---|
| Definition | The primary consultant of a case is the consultant who has overall responsibility for the case. |
| Definition source | ESRI HIPE Unit |
| Source | Hospital PAS |
| Collected since | 01/09/2008 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | Where the entire case is handled by one consultant his/her code number need be entered only opposite the principal diagnosis. If more than one consultant is involved in a case the relevant consultant number will be placed opposite the relevant diagnosis/procedures. |
| Variable Name | PrimaryCons |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 22a |
| Irish Coding Standard | |

Principal Diagnosis

| Variable | Principal Diagnosis |
|------------------------------------|---|
| Definition | The diagnosis established after study to be chiefly responsible for occasioning the episode of admitted patient care. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | Pre-1990. Name Change 2011 from DIAG to DIAG1. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG1 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

Principal Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | Principal Diagnosis Consultant |
| Definition | Consultant responsible for the principal diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | Pre-1990. Name change 2011, formerly DCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS1 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 22 |
| Irish Coding Standard | |

Principal Procedure

| Variable | Principal Procedure |
|------------------------------------|--|
| Definition | The principal procedure is the procedure performed for treatment of the principal diagnosis or a diagnostic/exploratory procedure related to the principal diagnosis. A procedure is defined as a clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | Pre-1990. Name change 2011 formerly PROC. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis. |
| Variable Name | PROC1 |
| Data Type | Integer |
| Field Size | 7 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

Principal Procedure Anaesthetist

| Variable | Principal Procedure Anaesthetist |
|------------------------------------|--|
| Definition | Consultant anaesthetist responsible for anaesthetics in principal procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 Sep 2008. Name change 2011, formerly P1ANA. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ANACONS1 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where the procedure was performed with anaesthetic. |
| Order in Instruction Manual | 22e |
| Irish Coding Standard | |

Principal Procedure Consultant

| | |
|------------------------------------|---|
| Variable | Principal Procedure Consultant |
| Definition | Consultant responsible for principal procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | Pre-1990. Name change 2011, formerly PCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PROCCONS1 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

Private Bed

| | |
|------------------------------------|---|
| Variable | Private Bed |
| Definition | Number of days patient spent in a private bed. |
| Definition source | ESRI HIPE Unit |
| Source | Hospital PAS |
| Collected since | 2002 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PRIVDAYS |
| Data Type | Integer |
| Field Size | 3 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 20 |
| Irish Coding Standard | |

Private Bed Single Occupancy

| Variable | Private Bed Single Occupancy |
|------------------------------------|---|
| Definition | Number of days patient spent in a private bed - single occupancy room/ward. |
| Definition source | HPO |
| Source | Hospital PAS |
| Collected since | 2015 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PRIVDAYSSINGLE |
| Data Type | Integer |
| Field Size | 3 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported where DIS_STATUS = 2 (private). |
| Order in Instruction Manual | 20 |
| Irish Coding Standard | |

Private Bed Multiple Occupancy

| Variable | Private Bed Multiple Occupancy |
|------------------------------------|---|
| Definition | Number of days patient spent in a private bed - multiple occupancy room/ward. |
| Definition source | HPO |
| Source | Hospital PAS |
| Collected since | 2015 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PRIVDAYSMULTI |
| Data Type | Integer |
| Field Size | 3 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported where DIS_STATUS = 2 (private). |
| Order in Instruction Manual | 20 |
| Irish Coding Standard | |

Public Bed

| Variable | Public Bed |
|------------------------------------|---|
| Definition | Number of days patient spent in a public bed. |
| Definition source | ESRI HIPE Unit |
| Source | Hospital PAS |
| Collected since | 2002 - optional; 2008 mandatory. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PUBDAYS |
| Data Type | Integer |
| Field Size | 3 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 21 |
| Irish Coding Standard | |

Public Bed Single Occupancy

| Variable | Public Bed Single Occupancy |
|------------------------------------|---|
| Definition | Number of days patient spent in a public bed - single occupancy room/ward. |
| Definition source | HPO |
| Source | Hospital PAS |
| Collected since | 2015 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PUBDAYSSINGLE |
| Data Type | Integer |
| Field Size | 3 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported where DIS_STATUS = 2 (private). |
| Order in Instruction Manual | 21 |
| Irish Coding Standard | |

Public Bed Multiple Occupancy

| Variable | Public Bed Multiple Occupancy |
|------------------------------------|---|
| Definition | Number of days patient spent in a public bed - multiple occupancy room/ward. |
| Definition source | HPO |
| Source | Hospital PAS |
| Collected since | 2015 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PUBDAYSMULTI |
| Data Type | Integer |
| Field Size | 3 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported where DIS_STATUS = 2 (private). |
| Order in Instruction Manual | 21 |
| Irish Coding Standard | |

Semi Private Bed

| Variable | Semi Private Bed |
|------------------------------------|---|
| Definition | Number of days patient spent in a semi private bed. |
| Definition source | ESRI HIPE Unit |
| Source | Hospital PAS |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | SEMIPRIVDAYS |
| Data Type | Integer |
| Field Size | 3 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 20 |
| Irish Coding Standard | |

Semi Private Bed Single Occupancy

| Variable | Semi Private Bed Single Occupancy |
|------------------------------------|---|
| Definition | Number of days patient spent in a semi private bed – single occupancy. |
| Definition source | HPO |
| Source | Hospital PAS |
| Collected since | 2015 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | SPRIVDAYSSINGLE |
| Data Type | Integer |
| Field Size | 3 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported where DIS STATUS = 2 (private). |
| Order in Instruction Manual | 20 |
| Irish Coding Standard | |

Semi Private Bed Multiple Occupancy

| Variable | Semi Private Bed Multiple Occupancy |
|------------------------------------|---|
| Definition | Number of days patient spent in a semi private bed – multiple occupancy. |
| Definition source | HPO |
| Source | Hospital PAS |
| Collected since | 2015 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | SPRIVDAYSMULTI |
| Data Type | Integer |
| Field Size | 3 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported where DIS STATUS = 2 (private). |
| Order in Instruction Manual | 20 |
| Irish Coding Standard | |

Sex

| | |
|------------------------------------|---|
| Variable | Sex |
| Definition | The sex of the patient. |
| Definition source | ESRI HIPE Unit |
| Source | Hospital PAS |
| Collected since | pre-1990 |
| Collected/Derived | Collected |
| Code Set | SEX |
| Data Entry Guideline | |
| Variable Name | SEX |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 10 |
| Irish Coding Standard | |

Source of Admission

| Variable | Source of Admission |
|------------------------------------|---|
| Definition | Describes where the patient was admitted from. It does not refer to where an emergency or accident occurred. |
| Definition source | ESRI HIPE Unit |
| Source | Hospital PAS |
| Collected since | 2002 |
| Collected/Derived | Collected |
| Code Set | ADMSOURCE |
| Data Entry Guideline | |
| Variable Name | ADMSOURCE |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 5 |
| Irish Coding Standard | |

Time of Admission

| Variable | Time of Admission |
|------------------------------------|---|
| Definition | Time patient is admitted to ward. |
| Definition source | Casemix Technical Group |
| Source | Hospital PAS |
| Collected since | 2012 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | Time (24 Hour) |
| Variable Name | ADMTIME |
| Data Type | Numeric |
| Field Size | 4 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 3a |
| Irish Coding Standard | |

Time of Discharge

| Variable | Time of Discharge |
|------------------------------------|---|
| Definition | Time patient is discharged from hospital. |
| Definition source | Casemix Technical Group |
| Source | Hospital PAS |
| Collected since | 2012 |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | Time (24 Hour) |
| Variable Name | DISTIME |
| Data Type | Numeric |
| Field Size | 4 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 6a |
| Irish Coding Standard | |

Transfer Admission Status

| Variable | Transfer Admission Status |
|------------------------------------|--|
| Definition | Indicates if the patient was a non-admitted patient (i.e. outpatient or ED) in the source hospital prior to the transfer where the patient was transferred into the current hospital. |
| Definition source | HPO HIPE Unit |
| Source | Hospital PAS |
| Collected since | 2018 |
| Collected/Derived | Collected |
| Code Set | 1 = Non-Admitted in hospital transferring out, otherwise null |
| Data Entry Guideline | When ADMSOURCE is entered as 3 (transfer from acute hospital), HIPE Portal directs to TransAdmStatus section. |
| Variable Name | TransAdmStatus |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | Cases reported to HIPE where ADMSOURCE = 3 (transfer from acute hospital) and where the patient was a non-admitted patient in the source hospital prior to the transfer. |
| Order in Instruction Manual | 5 |
| Irish Coding Standard | |

Transfer Hospital: From

| | |
|------------------------------------|--|
| Variable | Transfer Hospital: From |
| Definition | Hospital from which the patient was transferred. |
| Definition source | DoH |
| Source | Hospital PAS |
| Collected since | 1994 |
| Collected/Derived | Collected |
| Code Set | Hospital Code List |
| Data Entry Guideline | When ADMSOURCE is entered as 3 (transfer from acute hospital), Portal directs to TransInHosp question. |
| Variable Name | TransInHosp |
| Data Type | Integer |
| Field Size | 4 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE where ADMSOURCE = 3 (transfer from acute hospital). |
| Order in Instruction Manual | 5 |
| Irish Coding Standard | |

Transfer Hospital: To

| | |
|------------------------------------|---|
| Variable | Transfer Hospital: To |
| Definition | Hospital to which the patient was transferred. |
| Definition source | DoH |
| Source | Hospital PAS |
| Collected since | 1994 |
| Collected/Derived | Collected |
| Code Set | Hospital Code List |
| Data Entry Guideline | When DISC_CODE is entered as 03 (transfer to hospital – emergency) or 04 (transfer to hospital - non emergency), Portal directs to TransOutHosp question. |
| Variable Name | TransOutHosp |
| Data Type | Integer |
| Field Size | 4 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where DISC_CODE is entered as 03 (transfer to hospital – emergency) or 04 (transfer to hospital - non emergency). |
| Order in Instruction Manual | 7 |
| Irish Coding Standard | |

Type of Admission

| Variable | Type of Admission |
|------------------------------------|--|
| Definition | The category of admission relating to this episode of care, indicates the priority of the admission. |
| Definition source | ESRI HIPE Unit |
| Source | Hospital PAS |
| Collected since | 2002; amended 2009. |
| Collected/Derived | Collected |
| Code Set | ADMTYPE |
| Data Entry Guideline | Elective admissions to registered AMAUs/ASAUs should not be reported to HIPE. Where a patient attends an AMAU/ASAU electively and goes home on the same day this is to be reported as outpatient activity. |
| Variable Name | ADMTYPE |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE. |
| Order in Instruction Manual | 4 |
| Irish Coding Standard | |

Type of Elective Admission

| Variable | Type of Elective Admission |
|------------------------------------|---|
| Definition | Indicates if the elective admission is from a waiting list or is a planned admission. |
| Definition source | Casemix Technical Group/SDU |
| Source | Hospital PAS |
| Collected since | 2013 |
| Collected/Derived | Collected |
| Code Set | ElectiveType |
| Data Entry Guideline | Use code = 1 where patient's admission is planned. Use code = 2 if the patient's admission is from a waiting list. Use code = 3 if it is unknown whether a patient's admission is planned or from a waiting list. |
| Variable Name | ElectiveType |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE where ADMTYPE was 1 (elective) or 2 (elective readmission). |
| Order in Instruction Manual | 4 |
| Irish Coding Standard | |

Waiting List Indicator

| Variable | Waiting List Indicator |
|------------------------------------|---|
| Definition | Is the case funded by the National Treatment Purchase Fund, yes or no. |
| Definition source | ESRI HIPE Unit |
| Source | Hospital PAS |
| Collected since | 2004 |
| Collected/Derived | Collected |
| Code Set | WLIST |
| Data Entry Guideline | |
| Variable Name | WLIST |
| Data Type | Integer |
| Field Size | 1 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases reported to HIPE where ADMTYPE was 1 (elective) or 2 (elective readmission). |
| Order in Instruction Manual | 4 |
| Irish Coding Standard | |

1st Additional Diagnosis

| Variable | 1st Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 1990. Name change 2011, formerly C2DIA. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG2 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where at least 1 additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

1st Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 1st Additional Diagnosis Consultant |
| Definition | Consultant attending 1st additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 1990. Name change 2011, formerly C2CON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS2 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where at least 1 additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

1st Additional Procedure

| | |
|------------------------------------|--|
| Variable | 1st Additional Procedure |
| Definition | Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 1990. Name change 2011, formerly P2PRO. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis. |
| Variable Name | PROC2 |
| Data Type | Integer |
| Field Size | 7 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where at least one additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

1st Additional Procedure Anaesthetist

| Variable | 1st Additional Procedure Anaesthetist |
|------------------------------------|--|
| Definition | Consultant anaesthetist responsible for anaesthetics in 1st additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 Sep 2008. Name change 2011, formerly P2ANA. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ANACONS2 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where the 1st additional procedure was performed with anaesthetic. |
| Order in Instruction Manual | 22e |
| Irish Coding Standard | |

1st Additional Procedure Consultant

| | |
|------------------------------------|---|
| Variable | 1st Additional Procedure Consultant |
| Definition | Consultant responsible for 1st additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 1990. Name change 2011, formerly P2CON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PROCCONS2 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where at least 1 additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

2nd Additional Diagnosis

| Variable | 2nd Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 1990. Name change 2011, formerly C3DIA. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG3 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 2nd additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

2nd Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 2nd Additional Diagnosis Consultant |
| Definition | Consultant attending 2nd additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 1990. Name change 2011, formerly C3CON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS3 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 2nd additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

2nd Additional Procedure

| Variable | 2nd Additional Procedure |
|------------------------------------|--|
| Definition | Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 1990. Name change 2011, formerly P3PRO. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis. |
| Variable Name | PROC3 |
| Data Type | Integer |
| Field Size | 7 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 2nd additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

2nd Additional Procedure Anaesthetist

| | |
|------------------------------------|---|
| Variable | 2nd Additional Procedure Anaesthetist |
| Definition | Consultant anaesthetist responsible for anaesthetics in 2nd additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 Sep 2008. Name change 2011, formerly P3ANA. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ANACONS3 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 2nd additional procedures was performed with anaesthetic. |
| Order in Instruction Manual | 22e |
| Irish Coding Standard | |

2nd Additional Procedure Consultant

| | |
|------------------------------------|---|
| Variable | 2nd Additional Procedure Consultant |
| Definition | Consultant responsible for 2nd additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 1990. Name change 2011, formerly P3CON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PROCCONS3 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 2nd additional procedures was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

3rd Additional Diagnosis

| Variable | 3rd Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 1990. Name change 2011, formerly C4DIA. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG4 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 3rd additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

3rd Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 3rd Additional Diagnosis Consultant |
| Definition | Consultant attending 3rd additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 1990. Name change 2011, formerly C4CON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS4 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 3rd additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

3rd Additional Procedure

| | |
|------------------------------------|--|
| Variable | 3rd Additional Procedure |
| Definition | Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 1990. Name change 2011, formerly P4PRO. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis. |
| Variable Name | PROC4 |
| Data Type | Integer |
| Field Size | 7 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 3rd additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

3rd Additional Procedure Anaesthetist

| Variable | 3rd Additional Procedure Anaesthetist |
|------------------------------------|--|
| Definition | Consultant anaesthetist responsible for anaesthetics in 3rd additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 1990. Name change 2011, formerly P4ANA. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ANACONS4 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 3rd additional procedure was performed with anaesthetic. |
| Order in Instruction Manual | 22e |
| Irish Coding Standard | |

3rd Additional Procedure Consultant

| | |
|------------------------------------|---|
| Variable | 3rd Additional Procedure Consultant |
| Definition | Consultant responsible for 3rd additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 1990. Name change 2011, formerly P4CON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PROCCONS4 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 3rd additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

4th Additional Diagnosis

| | |
|------------------------------------|---|
| Variable | 4th Additional Diagnosis |
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 1990. Name change 2011, formerly C5DIA. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG5 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 4th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

4th Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 4th Additional Diagnosis Consultant |
| Definition | Consultant attending 4th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 1990. Name change 2011, formerly C5CON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS5 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 4th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

4th Additional Procedure

| | |
|------------------------------------|--|
| Variable | 4th Additional Procedure |
| Definition | Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2002. Name change 2011, formerly P5PRO. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis. |
| Variable Name | PROC5 |
| Data Type | Integer |
| Field Size | 7 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 4th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

4th Additional Procedure Anaesthetist

| | |
|------------------------------------|--|
| Variable | 4th Additional Procedure Anaesthetist |
| Definition | Consultant anaesthetist responsible for anaesthetics in 4th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 Sep 2008. Name change 2011, formerly P5ANA. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ANACONS5 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 4th additional procedure was performed with anaesthetic. |
| Order in Instruction Manual | 22e |
| Irish Coding Standard | |

4th Additional Procedure Consultant

| | |
|------------------------------------|---|
| Variable | 4th Additional Procedure Consultant |
| Definition | Consultant responsible for 4th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2002. Name change 2011, formerly P5CON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PROCCONS5 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 4th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

5th Additional Diagnosis

| Variable | 5th Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 1990. Name change 2011, formerly C6DIA. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG6 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 5th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

5th Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 5th Additional Diagnosis Consultant |
| Definition | Consultant attending 5th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 1990 Name change 2011, formerly C6CON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS6 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 5th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

5th Additional Procedure

| | |
|------------------------------------|--|
| Variable | 5th Additional Procedure |
| Definition | Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2002. Name change 2011, P6PRO. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis. |
| Variable Name | PROC6 |
| Data Type | Integer |
| Field Size | 7 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 5th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

5th Additional Procedure Anaesthetist

| Variable | 5th Additional Procedure Anaesthetist |
|------------------------------------|--|
| Definition | Anaesthetist responsible for anaesthetics in 5th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 Sep 2008. Name change 2011, formerly P6ANA. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ANACONS6 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 5th additional procedure was performed with anaesthetic. |
| Order in Instruction Manual | 22e |
| Irish Coding Standard | |

5th Additional Procedure Consultant

| | |
|------------------------------------|---|
| Variable | 5th Additional Procedure Consultant |
| Definition | Consultant responsible for 5th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2002. Name change 2011, formerly P6CON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PROCCONS6 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 5th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

6th Additional Diagnosis

| Variable | 6th Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2002. Name change 2011, formerly C7DIA. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG7 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 6th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

6th Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 6th Additional Diagnosis Consultant |
| Definition | Consultant attending 6th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2002 Name change 2011, formerly C7CON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS7 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 6th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

6th Additional Procedure

| | |
|------------------------------------|--|
| Variable | 6th Additional Procedure |
| Definition | Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2002. Name change 2011, formerly P7PRO. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis. |
| Variable Name | PROC7 |
| Data Type | Integer |
| Field Size | 7 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 6th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

6th Additional Procedure Anaesthetist

| Variable | 6th Additional Procedure Anaesthetist |
|------------------------------------|--|
| Definition | Consultant anaesthetist responsible for anaesthetics in 6th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 Sep 2008. Name change 2011, formerly P7ANA. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ANACONS7 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 6th additional procedure was performed with anaesthetic. |
| Order in Instruction Manual | 22e |
| Irish Coding Standard | |

6th Additional Procedure Consultant

| | |
|------------------------------------|---|
| Variable | 6th Additional Procedure Consultant |
| Definition | Consultant responsible for 6th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2002. Name change 2011, formerly P7CON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PROCCONS7 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 6th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

7th Additional Diagnosis

| Variable | 7th Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2002. Name change 2011, formerly C8DIA. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG8 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 7th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

7th Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 7th Additional Diagnosis Consultant |
| Definition | Consultant attending 7th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2002. Name change 2011, formerly C8CON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS8 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 7th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

7th Additional Procedure

| Variable | 7th Additional Procedure |
|------------------------------------|--|
| Definition | Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2002. Name change 2011, formerly P8PRO. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis. |
| Variable Name | PROC8 |
| Data Type | Integer |
| Field Size | 7 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 7th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

7th Additional Procedure Anaesthetist

| Variable | 7th Additional Procedure Anaesthetist |
|------------------------------------|--|
| Definition | Consultant anaesthetist responsible for anaesthetics in 7th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 Sep 2008. Name change 2011, formerly P8ANA. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ANACONS8 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 7th additional procedure was performed with anaesthetic. |
| Order in Instruction Manual | 22e |
| Irish Coding Standard | |

7th Additional Procedure Consultant

| | |
|------------------------------------|---|
| Variable | 7th Additional Procedure Consultant |
| Definition | Consultant responsible for 7th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2002. Name change 2011, formerly P8CON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PROCCONS8 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 7th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

8th Additional Diagnosis

| Variable | 8th Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2002. Name change 2011, formerly C9DIA. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG9 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where an 8th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

8th Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 8th Additional Diagnosis Consultant |
| Definition | Consultant attending 8th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2002. Name change 2011, formerly C9CON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS9 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where an 8th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

8th Additional Procedure

| | |
|------------------------------------|--|
| Variable | 8th Additional Procedure |
| Definition | Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2002. Name change 2011, formerly P9PRO. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis. |
| Variable Name | PROC9 |
| Data Type | Integer |
| Field Size | 7 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where an 8th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

8th Additional Procedure Anaesthetist

| Variable | 8th Additional Procedure Anaesthetist |
|------------------------------------|--|
| Definition | Consultant anaesthetist responsible for anaesthetics in 8th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 Sep 2008. Name change 2011, formerly P9ANA. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ANACONS9 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where an 8th additional procedure was performed. |
| Order in Instruction Manual | 22e |
| Irish Coding Standard | |

8th Additional Procedure Consultant

| | |
|------------------------------------|---|
| Variable | 8th Additional Procedure Consultant |
| Definition | Consultant responsible for 8th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2002. Name change 2011, formerly P9CON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PROCCONS9 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where an 8th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

9th Additional Diagnosis

| Variable | 9th Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2002. Name change 2011, formerly CaDIA. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG10 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 9th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

9th Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 9th Additional Diagnosis Consultant |
| Definition | Consultant attending 9th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2002. Name change 2011, formerly CaCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS10 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 9th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

9th Additional Procedure

| | |
|------------------------------------|--|
| Variable | 9th Additional Procedure |
| Definition | Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2002. Name change 2011, formerly PaPRO. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis. |
| Variable Name | PROC10 |
| Data Type | Integer |
| Field Size | 7 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 9th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

9th Additional Procedure Anaesthetist

| Variable | 9th Additional Procedure Anaesthetist |
|------------------------------------|---|
| Definition | Consultant anaesthetist responsible for anaesthetics in 9th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 Sep 2008. Name change 2011, formerly PAANA. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ANACONS10 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 9th additional procedure was performed. |
| Order in Instruction Manual | 22e |
| Irish Coding Standard | |

9th Additional Procedure Consultant

| | |
|------------------------------------|---|
| Variable | 9th Additional Procedure Consultant |
| Definition | Consultant responsible for 9th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2002. Name change 2011, formerly PACON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PROCCONS10 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 9th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

10th Additional Diagnosis

| Variable | 10th Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly CbDIA. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG11 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 10th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

10th Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 10th Additional Diagnosis Consultant |
| Definition | Consultant attending 10th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2005 Name change 2011, formerly CbCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS11 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 10th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

10th Additional Procedure

| | |
|------------------------------------|--|
| Variable | 10th Additional Procedure |
| Definition | Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly PbPRO. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis. |
| Variable Name | PROC11 |
| Data Type | Integer |
| Field Size | 7 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 10th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

10th Additional Procedure Anaesthetist

| | |
|------------------------------------|---|
| Variable | 10th Additional Procedure Anaesthetist |
| Definition | Consultant anaesthetist responsible for anaesthetics in 10th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 Sep 2008. Name change 2011, formerly PBANA. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ANACONS11 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 10th additional procedure was performed with anaesthetic. |
| Order in Instruction Manual | 22e |
| Irish Coding Standard | |

10th Additional Procedure Consultant

| | |
|------------------------------------|---|
| Variable | 10th Additional Procedure Consultant |
| Definition | Consultant responsible for 10th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly PBCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PROCCONS11 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 10th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

11th Additional Diagnosis

| Variable | 11th Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly CcDIA. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG12 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where an 11th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

11th Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 11th Additional Diagnosis Consultant |
| Definition | Consultant attending 11th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly CCCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS12 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where an 11th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

11th Additional Procedure

| | |
|------------------------------------|--|
| Variable | 11th Additional Procedure |
| Definition | Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly PcPRO. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis. |
| Variable Name | PROC12 |
| Data Type | Integer |
| Field Size | 7 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where an 11th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

11th Additional Procedure Anaesthetist

| | |
|------------------------------------|---|
| Variable | 11th Additional Procedure Anaesthetist |
| Definition | Consultant anaesthetist responsible for anaesthetics in 11th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 Sep 2008. Name change 2011, formerly PCANA. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ANACONS12 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where an 11th additional procedure was performed. |
| Order in Instruction Manual | 22e |
| Irish Coding Standard | |

11th Additional Procedure Consultant

| | |
|------------------------------------|---|
| Variable | 11th Additional Procedure Consultant |
| Definition | Consultant responsible for 11th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly PCCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PROCCONS12 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where an 11th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

12th Additional Diagnosis

| Variable | 12th Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly CdDIA. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG13 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 12th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

12th Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 12th Additional Diagnosis Consultant |
| Definition | Consultant attending 12th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly CdCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS13 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 12th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

12th Additional Procedure

| | |
|------------------------------------|--|
| Variable | 12th Additional Procedure |
| Definition | Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly PdPRO. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis. |
| Variable Name | PROC13 |
| Data Type | Integer |
| Field Size | 7 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 12th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

12th Additional Procedure Anaesthetist

| | |
|------------------------------------|---|
| Variable | 12th Additional Procedure Anaesthetist |
| Definition | Consultant anaesthetist responsible for anaesthetics in 12th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 Sep 2008. Name change 2011, formerly PdANA. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ANACONS13 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 12th additional procedure was performed with anaesthetic. |
| Order in Instruction Manual | 22e |
| Irish Coding Standard | |

12th Additional Procedure Consultant

| | |
|------------------------------------|---|
| Variable | 12th Additional Procedure Consultant |
| Definition | Consultant responsible for 12th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly PdCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PROCCONS13 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 12th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

13th Additional Diagnosis

| Variable | 13th Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly CeDIA. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG14 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 13th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

13th Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 13th Additional Diagnosis Consultant |
| Definition | Consultant attending 13th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly CeCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS14 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 13th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

13th Additional Procedure

| | |
|------------------------------------|--|
| Variable | 13th Additional Procedure |
| Definition | Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly PePRO. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis. |
| Variable Name | PROC14 |
| Data Type | Integer |
| Field Size | 7 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 13th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

13th Additional Procedure Anaesthetist

| | |
|------------------------------------|--|
| Variable | 13th Additional Procedure Anaesthetist |
| Definition | Consultant anaesthetist responsible for anaesthetics in 13th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 Sep 2008. Name change 2011, formerly PeANA. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ANACONS14 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 13th additional procedure was performed with anaesthetic. |
| Order in Instruction Manual | 22e |
| Irish Coding Standard | |

13th Additional Procedure Consultant

| | |
|------------------------------------|---|
| Variable | 13th Additional Procedure Consultant |
| Definition | Consultant responsible for 13th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly PeCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PROCCONS14 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 13th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

14th Additional Diagnosis

| Variable | 14th Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly CfDIA. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG15 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 14th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

14th Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 14th Additional Diagnosis Consultant |
| Definition | Consultant attending 14th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly CfCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS15 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 14th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

14th Additional Procedure

| | |
|------------------------------------|--|
| Variable | 14th Additional Procedure |
| Definition | Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly PfPRO. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis. |
| Variable Name | PROC15 |
| Data Type | Integer |
| Field Size | 7 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 14th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

14th Additional Procedure Anaesthetist

| | |
|------------------------------------|---|
| Variable | 14th Additional Procedure Anaesthetist |
| Definition | Consultant anaesthetist responsible for anaesthetics in 14th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 Sep 2008. Name change 2011, formerly PFANA. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ANACONS15 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 14th additional procedure was performed with anaesthetic. |
| Order in Instruction Manual | 22e |
| Irish Coding Standard | |

14th Additional Procedure Consultant

| | |
|------------------------------------|---|
| Variable | 14th Additional Procedure Consultant |
| Definition | Consultant responsible for 14th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly PfCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PROCCONS15 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 14th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

15th Additional Diagnosis

| Variable | 15th Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly CgDIA. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG16 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 15th additional diagnosis made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

15th Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 15th Additional Diagnosis Consultant |
| Definition | Consultant attending 15th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly CgCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS16 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 15th additional diagnosis made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

15th Additional Procedure

| | |
|------------------------------------|--|
| Variable | 15th Additional Procedure |
| Definition | Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly PgPRO. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis. |
| Variable Name | PROC16 |
| Data Type | Integer |
| Field Size | 7 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 15th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

15th Additional Procedure Anaesthetist

| | |
|------------------------------------|--|
| Variable | 15th Additional Procedure Anaesthetist |
| Definition | Consultant anaesthetist responsible for anaesthetics in 15th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 Sep 2008. Name change 2011, formerly PgANA. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ANACONS16 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 15th additional procedure was performed with anaesthetic. |
| Order in Instruction Manual | 22e |
| Irish Coding Standard | |

15th Additional Procedure Consultant

| | |
|------------------------------------|---|
| Variable | 15th Additional Procedure Consultant |
| Definition | Consultant responsible for 15th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly PgCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PROCCONS16 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 15th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

16th Additional Diagnosis

| | |
|------------------------------------|---|
| Variable | 16th Additional Diagnosis |
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly ChDIA. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG17 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 16th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

16th Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 16th Additional Diagnosis Consultant |
| Definition | Consultant attending 16th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly ChCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS17 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 16th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

16th Additional Procedure

| | |
|------------------------------------|--|
| Variable | 16th Additional Procedure |
| Definition | Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly PhPRO. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis. |
| Variable Name | PROC17 |
| Data Type | Integer |
| Field Size | 7 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 16th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

16th Additional Procedure Anaesthetist

| | |
|------------------------------------|---|
| Variable | 16th Additional Procedure Anaesthetist |
| Definition | Consultant anaesthetist responsible for anaesthetics in 16th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 Sep 2008. Name change 2011, formerly PhANA. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ANACONS17 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 16th additional procedure was performed with anaesthetic. |
| Order in Instruction Manual | 22e |
| Irish Coding Standard | |

16th Additional Procedure Consultant

| | |
|------------------------------------|---|
| Variable | 16th Additional Procedure Consultant |
| Definition | Consultant responsible for 16th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly PhCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PROCCONS17 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 16th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

17th Additional Diagnosis

| Variable | 17th Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly CiDIA. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG18 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 17th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

17th Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 17th Additional Diagnosis Consultant |
| Definition | Consultant attending 17th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly CiCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS18 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 17th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

17th Additional Procedure

| | |
|------------------------------------|--|
| Variable | 17th Additional Procedure |
| Definition | Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly PiPRO. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis. |
| Variable Name | PROC18 |
| Data Type | Integer |
| Field Size | 7 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 17th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

17th Additional Procedure Anaesthetist

| | |
|------------------------------------|---|
| Variable | 17th Additional Procedure Anaesthetist |
| Definition | Consultant anaesthetist responsible for anaesthetics in 17th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 Sep 2008. Name change 2011, formerly PiANA. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ANACONS18 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 17th additional procedure was performed with anaesthetic. |
| Order in Instruction Manual | 22e |
| Irish Coding Standard | |

17th Additional Procedure Consultant

| | |
|------------------------------------|---|
| Variable | 17th Additional Procedure Consultant |
| Definition | Consultant responsible for 17th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly PiCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PROCCONS18 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 17th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

18th Additional Diagnosis

| Variable | 18th Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly CjDIA. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG19 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where an 18th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

18th Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 18th Additional Diagnosis Consultant |
| Definition | Consultant attending 18th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly CjCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS19 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where an 18th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

18th Additional Procedure

| | |
|------------------------------------|--|
| Variable | 18th Additional Procedure |
| Definition | Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly PjPRO. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis. |
| Variable Name | PROC19 |
| Data Type | Integer |
| Field Size | 7 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where an 18th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

18th Additional Procedure Anaesthetist

| | |
|------------------------------------|---|
| Variable | 18th Additional Procedure Anaesthetist |
| Definition | Consultant anaesthetist responsible for anaesthetics in 18th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 Sep 2008. Name change 2011, formerly PjANA. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ANACONS19 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where an 18th additional procedure was performed with anaesthetic. |
| Order in Instruction Manual | 22e |
| Irish Coding Standard | |

18th Additional Procedure Consultant

| | |
|------------------------------------|---|
| Variable | 18th Additional Procedure Consultant |
| Definition | Consultant responsible for 18th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly Pjcon. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PROCCONS19 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where an 18th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

19th Additional Diagnosis

| Variable | 19th Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly CkDIA. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG20 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 19th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

19th Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 19th Additional Diagnosis Consultant |
| Definition | Consultant attending 19th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly CkCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS20 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 19th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

19th Additional Procedure

| | |
|------------------------------------|--|
| Variable | 19th Additional Procedure |
| Definition | Clinical intervention that is surgical in nature and/or carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly PkPRO. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis. |
| Variable Name | PROC20 |
| Data Type | Integer |
| Field Size | 7 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 19th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

19th Additional Procedure Anaesthetist

| | |
|------------------------------------|---|
| Variable | 19th Additional Procedure Anaesthetist |
| Definition | Consultant anaesthetist responsible for anaesthetics in 19th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 01 Sep 2008. Name change 2011, formerly PkANA. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | ANACONS20 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 19th additional procedure was performed with anaesthetic. |
| Order in Instruction Manual | 22e |
| Irish Coding Standard | |

19th Additional Procedure Consultant

| | |
|------------------------------------|---|
| Variable | 19th Additional Procedure Consultant |
| Definition | Consultant responsible for 19th additional procedure. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2005. Name change 2011, formerly PkCON. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | PROCCONS20 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 19th additional procedure was performed. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

20th Additional Diagnosis

| Variable | 20th Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG21 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 20th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

20th Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 20th Additional Diagnosis Consultant |
| Definition | Consultant attending 20th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS21 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 20th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

21st Additional Diagnosis

| Variable | 21st Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG22 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 21st additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

21st Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 21st Additional Diagnosis Consultant |
| Definition | Consultant attending 21st additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS22 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 21st additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

22nd Additional Diagnosis

| | |
|------------------------------------|---|
| Variable | 22nd Additional Diagnosis |
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG23 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 22nd additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

22nd Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 22nd Additional Diagnosis Consultant |
| Definition | Consultant attending 22nd additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011-migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS23 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 22nd additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

23rd Additional Diagnosis

| Variable | 23rd Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG24 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 23rd additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

23rd Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 23rd Additional Diagnosis Consultant |
| Definition | Consultant attending 23rd additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011-migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS24 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 23rd additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

24th Additional Diagnosis

| Variable | 24th Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG25 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 24th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

24th Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 24th Additional Diagnosis Consultant |
| Definition | Consultant attending 24th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011-migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS25 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 24th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

25th Additional Diagnosis

| Variable | 25th Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG26 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 25th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

25th Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 25th Additional Diagnosis Consultant |
| Definition | Consultant attending 25th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011-migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS26 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 25th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

26th Additional Diagnosis

| Variable | 26th Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG27 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 26th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

26th Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 26th Additional Diagnosis Consultant |
| Definition | Consultant attending 26th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011-migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS27 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 26th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

27th Additional Diagnosis

| | |
|------------------------------------|---|
| Variable | 27th Additional Diagnosis |
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG28 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 27th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

27th Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 27th Additional Diagnosis Consultant |
| Definition | Consultant attending 27th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011-migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS28 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 27th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

28th Additional Diagnosis

| Variable | 28th Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG29 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 28th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

28th Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 28th Additional Diagnosis Consultant |
| Definition | Consultant attending 28th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011-migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS29 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 28th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

29th Additional Diagnosis

| Variable | 29th Additional Diagnosis |
|------------------------------------|---|
| Definition | A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management. |
| Definition source | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Source | Chart |
| Collected since | 2011 - migration to Portal. |
| Collected/Derived | Collected |
| Code Set | 8th ed ICD-10-AM/ACHI/ACS and ICS |
| Data Entry Guideline | |
| Variable Name | DIAG30 |
| Data Type | Alphanumeric |
| Field Size | 5 |
| Populated in National File | Y |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 29th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

29th Additional Diagnosis Consultant

| | |
|------------------------------------|---|
| Variable | 29th Additional Diagnosis Consultant |
| Definition | Consultant attending 29th additional diagnosis. |
| Definition source | ESRI HIPE Unit |
| Source | Chart |
| Collected since | 2011-migration to Portal. |
| Collected/Derived | Collected |
| Code Set | |
| Data Entry Guideline | |
| Variable Name | DIAGCONS30 |
| Data Type | Alphanumeric |
| Field Size | 4 |
| Populated in National File | Y - encrypted |
| | <i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i> |
| Reported by | Hospital |
| Reported for | All cases where a 29th additional diagnosis was made. |
| Order in Instruction Manual | |
| Irish Coding Standard | |

Appendix I - CODE SETS

ADMSOURCE - Source of Admission

| Code | Description |
|------|---|
| 1 | Home |
| 2 | Transfer from nursing home/convalescent home or other long stay accommodation |
| 3 | Transfer of admitted patient from Acute Hospital |
| 4 | Transfer from Non-Acute Hospital |
| 5 | Transfer from hospice |
| 6 | Transfer from psychiatric hospital/unit |
| 7 | New born |
| 8 | Temporary place of residence |
| 9 | Prison |
| 0 | Other |

ADMTYPE - Type of Admission

| Code | Description | Definition |
|------|-----------------------|---|
| 1 | Elective | The patient's condition permits adequate time to schedule the availability of suitable services, an elective admission can be delayed without substantial risk to the health of the individual. |
| 2 | Elective Readmission | Patient admitted electively to the same hospital where they had previous treatment/care to continue ongoing treatment or care. |
| 4 | Emergency | The patient requires immediate care and treatment as a result of a severe, life threatening or potentially disabling condition. Generally the patient is admitted through the Emergency Department. |
| 5 | Emergency Readmission | This is an unscheduled readmission following previous spell of treatment in same hospital and relating to the treatment or care previously given. |
| 6 | Maternity | The patient is admitted related to their obstetrical experience. (From conception to 6 weeks post delivery). |
| 7 | New born | Neonate (0 - 27 days old) admitted to hospital for care or observation as an emergency or unplanned. |

DAYCASE

| Code | Description |
|------|-------------|
| 0 | In-patient |
| 1 | Day case |

DISC_CODE – Discharge Code

| Code | Description |
|-------------|--|
| 00 | Self discharge |
| 01 | Home |
| 02 | Nursing home, convalescent home or long stay accommodation |
| 03 | Transfer to Hospital - Emergency |
| 04 | Transfer to Hospital - Non Emergency |
| 05 | Transfer to psychiatric hospital/unit |
| 06 | Died with post mortem |
| 07 | Died no post mortem |
| 08 | Transfer to Non-Acute Hospital <u>not</u> in HIPE Hospital Listing - Emergency |
| 09 | Transfer to Non-Acute Hospital <u>not</u> in HIPE Hospital Listing - Non Emergency |
| 10 | Transfer to rehabilitation facility (<u>not</u> in HIPE Hospital Listing) |
| 11 | Hospice (<u>not</u> in HIPE Hospital Listing) |
| 12 | Prison |
| 13 | Absconded |
| 14 | Other (e.g. Foster care) |
| 15 | Temporary place of residence (e.g. hotel) |

DIS_STATUS – Discharge Status

| Code | Description |
|-------------|--------------------|
| 1 | Public |
| 2 | Private |

EIRCODE

| Code | Description | Code | Description |
|-------------|--------------------|-------------|-----------------------|
| Y14 | Arklow | T12 | Cork - Ballinhassig |
| A84 | Ashbourne | T23 | Cork - Blarney |
| H65 | Athenry | P14 | Cork - Crookstown |
| N37 | Athlone | P32 | Cork - Donoughmore |
| R14 | Athy | P47 | Cork - Dunmanway |
| K32 | Balbriggan | T56 | Cork - Watergrasshill |
| F26 | Ballina | T34 | Cork - Whitechurch |
| H53 | Ballinasloe | R56 | Curragh Camp |
| P31 | Ballincollig | F94 | Donegal |
| F31 | Ballinrobe | A92 | Drogheda |
| A41 | Ballyboughal | D01 | Dublin 1 |
| F35 | Ballyhaunis | D02 | Dublin 2 |
| F56 | Ballymote | D03 | Dublin 3 |
| P72 | Bandon | D04 | Dublin 4 |
| P75 | Bantry | D05 | Dublin 5 |
| H14 | Belturbet | D06 | Dublin 6 |
| R42 | Birr | D6W | Dublin 6W |
| A94 | Blackrock | D07 | Dublin 7 |
| F52 | Boyle | D08 | Dublin 8 |
| A98 | Bray | D09 | Dublin 9 |
| V23 | Caherciveen | D10 | Dublin 10 |
| E21 | Cahir | D11 | Dublin 11 |
| R93 | Carlow | D12 | Dublin 12 |
| A81 | Carrickmacross | D13 | Dublin 13 |
| N41 | Carrick-on-Shannon | D14 | Dublin 14 |
| E32 | Carrick-on-Suir | D15 | Dublin 15 |
| P43 | Carrigaline | D16 | Dublin 16 |
| E25 | Cashel | D17 | Dublin 17 |
| F23 | Castlebar | D18 | Dublin 18 |
| A75 | Castleblayney | D20 | Dublin 20 |
| F45 | Castlerea | D22 | Dublin 22 |
| H12 | Cavan | D24 | Dublin 24 |
| P56 | Charleville | A86 | Dunboyne |
| F12 | Claremorris | A91 | Dundalk |
| H71 | Clifden | X35 | Dungarvan |
| P85 | Clonakilty | A85 | Dunshaughlin |
| H23 | Clones | R45 | Edenderry |
| E91 | Clonmel | A83 | Enfield |
| P24 | Cobh | V95 | Ennis |
| H16 | Cootehill | Y21 | Enniscorthy |

EIRCODE (continued)

| Code | Description | Code | Description |
|-------------|--------------------|-------------|--------------------|
| P61 | Fermoy | W34 | Monasterevin |
| H91 | Galway | R21 | Muine Bheag |
| A42 | Garristown | N91 | Mullingar |
| A96 | Glenageary | W91 | Naas |
| Y25 | Gorey | C15 | Navan |
| A63 | Greystones | E45 | Nenagh |
| A82 | Kells | Y34 | New Ross |
| R51 | Kildare | W12 | Newbridge |
| R95 | Kilkenny | V42 | Newcastle West |
| V93 | Killarney | A45 | Oldtown |
| X42 | Kilmacthomas | R32 | Portlaoise |
| V35 | Kilmallock | F42 | Roscommon |
| V15 | Kilrush | E53 | Roscrea |
| P17 | Kinsale | K56 | Rush |
| F92 | Letterkenny | V14 | Shannon |
| F93 | Lifford | K34 | Skerries |
| V94 | Limerick | P81 | Skibbereen |
| V31 | Listowel | F91 | Sligo |
| T45 | Little Island | K67 | Swords |
| N39 | Longford | E41 | Thurles |
| H62 | Loughrea | E34 | Tipperary |
| K78 | Lucan | V92 | Tralee |
| K45 | Lusk | H54 | Tuam |
| P12 | Macroom | R35 | Tullamore |
| K36 | Malahide | X91 | Waterford |
| P51 | Mallow | F28 | Westport |
| W23 | Maynooth | Y35 | Wexford |
| P25 | Midleton | A67 | Wicklow |
| P67 | Mitchelstown | P36 | Youghal |
| H18 | Monaghan | | |

ElectiveType – Type of Elective Admission

| Code | Description |
|-------------|-----------------------------|
| 1 | Planned Admission |
| 2 | Admission from Waiting List |
| 3 | Unknown |

EMADM – Mode of Emergency Admission

| Code | Description |
|------|--|
| 1 | ED (Emergency Department) of the admitting hospital |
| 2 | AMAU* admitted as in-patient: This code is assigned if the patient is admitted as an emergency to the hospital through the AMAU |
| 3 | Other |
| 4 | Unknown |
| 5 | AMAU* only: This code is assigned if the patient is admitted as an emergency to the AMAU and discharged from there. |
| 6 | Local Injury Unit: Admission directly from a HSE listed Local Injury Unit |
| 7 | ASAU admitted as in-patient: This code is assigned if the patient is admitted as an emergency to the hospital through the ASAU |
| 8 | ASAU only: This code is assigned if the patient is admitted as an emergency to the ASAU and is discharged from there |
| | * also includes AMU/MAU |

Health Insurer

| Health Insurer - Hospital Collection | | National File - Data Provision | |
|--------------------------------------|---|--------------------------------|----------------------|
| Code | Description | Code | Description |
| 1 | Voluntary Health Insurance (VHI) | 90 | Named health insurer |
| 2 | Laya (formerly Quinn Healthcare) | 90 | Named health insurer |
| 3 | Irish Life Health (formerly Aviva) | 90 | Named health insurer |
| 5 | Company Insurance Plan (ESB etc.) | 90 | Named health insurer |
| 6 | State Employee Insurance (e.g. Prison officer, Garda, Army) | 90 | Named health insurer |
| 7 | GloHealth | 90 | Named health insurer |
| 8 | Not stated | 91 | Not Stated |
| 9 | Other | 92 | Other |
| 0 | No insurance | 93 | No Insurance |

Hospital Code List

| Hospital Code | Hospital | DoH Code (for use with transfers) |
|----------------------|---|--|
| 001 | Our Lady's Children's Hospital, Crumlin | 0941 |
| 003 | St. Columcille's Hospital | 0101 |
| 004 | Naas General Hospital | 0102 |
| 005 | Mater Misericordiae University Hospital | 0908 |
| 007 | St. Vincent's University Hospital | 0910 |
| 009 | Peamont Hospital | 0925 |
| 011 | Cappagh National Orthopaedic Hospital | 0955 |
| 014 | Temple Street Children's University Hospital | 0940 |
| 015 | St. Luke's Hospital, Rathgar | 0947 |
| 021 | St. James's Hospital, Dublin | 0904 |
| 022 | Connolly Hospital, Blanchardstown | 0108 |
| 023 | St. Michael's Hospital, Dun Laoghaire | 0912 |
| 024 | Royal Victoria Eye and Ear Hospital, Dublin | 0950 |
| 026 | National Rehabilitation Hospital, Dun Laoghaire | 0960 |
| 037 | Beaumont Hospital, Dublin | 0923 |
| 038 | Coombe Women & Infants University Hospital | 0930 |
| 039 | Rotunda Hospital, Dublin | 0932 |
| 040 | National Maternity Hospital, Holles St, Dublin | 0931 |
| 041 | Tallaght Hospital | 1270 |
| 044 | St Joseph's Hospital, Raheny | 1762 |
| 047 | Incorporated Orthopaedic Hospital, Clontarf | 0954 |
| 090 | St Luke's Centre at St James's Hospital | 0948 |
| 091 | St Luke's Centre at Beaumont Hospital | 0949 |
| 100 | University Hospital Waterford | 0600 |
| 101 | St. Luke's General Hospital, Kilkenny | 0601 |
| 103 | Wexford General Hospital | 0605 |
| 104 | Kilcreene Orthopedic Hospital | 0602 |
| 105 | South Tipperary General Hospital, Clonmel | 0607 |
| 200 | St. Finbarr's Hospital, Cork | 0705 |
| 202 | Bantry General Hospital | 0704 |
| 203 | Mercy University Hospital, Cork | 0913 |
| 206 | South Infirmary Victoria University Hospital | 0915 |
| 207 | Mallow General Hospital | 0703 |
| 235 | Cork University Hospital | 0724 |
| 236 | University Hospital Kerry | 0726 |
| 302 | University Maternity Hospital Limerick | 0301 |
| 303 | University Hospital Limerick | 0300 |
| 304 | Croom Orthopaedic Hospital, Limerick | 0302 |
| 305 | St. John's Hospital, Limerick | 0918 |
| 307 | UL Hospitals, Ennis Hospital | 0305 |
| 308 | UL Hospitals, Nenagh Hospital | 0304 |
| 401 | Roscommon County Hospital | 0803 |
| 403 | Portiuncula Hospital, Ballinasloe | 0919 |

Hospital Code List (continued)

| HIPE code | Hospital | DoH Code (for use with transfers) |
|------------------|--|--|
| 404 | Galway University Hospitals | 0800 |
| 405 | Mayo University Hospital | 0802 |
| 501 | Midland Regional Hospital, Tullamore | 0203 |
| 503 | Midland Regional Hospital, Mullingar | 0202 |
| 506 | Midland Regional Hospital, Portlaoise | 0201 |
| 601 | Letterkenny University Hospital | 0500 |
| 602 | Sligo University Hospital | 0501 |
| 701 | Our Lady of Lourdes Hospital, Drogheda | 0922 |
| 702 | Cavan General Hospital | 0402 |
| 703 | Louth County Hospital | 0400 |
| 704 | Monaghan Hospital | 0404 |
| 705 | Our Lady's Hospital, Navan | 0403 |
| Not applicable | Acute Hospital in Northern Ireland | 9030 |
| Not applicable | Acute Hospital in England | 9031 |
| Not applicable | Acute Hospital in Scotland | 9032 |
| Not applicable | Acute Hospital in Wales | 9033 |
| Not applicable | Acute Hospital in France | 9040 |
| Not applicable | Acute Hospital in Germany | 9041 |
| Not applicable | Acute Hospital in the United States of America | 9050 |
| Not applicable | Private Hospital | 9060 |
| Not applicable | Other Acute Hospital | 9099 |

MARR – Civil Status

| Code | Description |
|-------------|--|
| 1 | Single |
| 2 | Married |
| 3 | Widowed |
| 4 | Other (includes married but separated) |
| 5 | Unknown |
| 6 | Divorced |
| 7 | Civil Partner |
| 8 | Former Civil Partner |
| 9 | Surviving Civil Partner |

MCARD – Medical Card

| Code | Description |
|-------------|---|
| 0 | No (not medical card holder) |
| 1 | Yes (medical card holder) |
| 2 | Unknown (medical card possession unknown) |

RESID – Area of Residence

| Code | Area of Residence | Code | Area of Residence |
|-------------|---|-------------|--|
| 0000 | No fixed abode | 3310 | Northern Ireland |
| 0500 | Carlow | 3318 | Austria |
| 2900 | Cavan | 3301 | Belgium |
| 1600 | Clare | 3331 | Bulgaria |
| 1101 | Cork City | 3333 | Croatia |
| 1200 | Cork County | 3321 | Cyprus |
| 2800 | Donegal | 3322 | Czech Republic |
| 0100 | North Dublin City and County | 3302 | Denmark |
| 0200 | South Dublin City and County | 3303 | England |
| 1801 | Galway (City) | 3323 | Estonia |
| 1900 | Galway (County) | 3316 | Finland |
| 1300 | Kerry | 3304 | France |
| 0300 | Kildare | 3305 | Germany |
| 0700 | Kilkenny | 3306 | Greece |
| 2500 | Laois | 3324 | Hungary |
| 2600 | Leitrim | 3308 | Italy |
| 1401 | Limerick City | 3325 | Latvia |
| 1500 | Limerick County | 3326 | Lithuania |
| 2200 | Longford | 3309 | Luxembourg |
| 3100 | Louth | 3327 | Malta |
| 2100 | Mayo | 3317 | Norway |
| 3200 | Meath | 3328 | Poland |
| 3000 | Monaghan | 3314 | Portugal |
| 2400 | Offaly | 3332 | Romania |
| 2000 | Roscommon | 3311 | Scotland |
| 2700 | Sligo | 3329 | Slovak Republic |
| 1708 | Tipperary (includes Tipperary North and South Riding) | 3330 | Slovenia |
| | | 3313 | Spain |
| 0901 | Waterford City | 3315 | Sweden |
| 1000 | Waterford County | 3319 | Switzerland |
| 2300 | Westmeath | 3307 | The Netherlands (Holland) |
| 0600 | Wexford | 3320 | Wales |
| 0400 | Wicklow | 3350 | Other European |
| | | 3400 | Africa |
| | | 3501 | America North and Canada |
| | | 3502 | America South, Central and Caribbean |
| | | 3600 | Asia, Middle East, Far East, South East Asia |
| | | 3700 | Australia, New Zealand, Oceania |
| | | | |
| | | | |

SEX

| Code | Description |
|-------------|--------------------|
| 1 | Male |
| 2 | Female |
| 3 | Unknown |

SPECIALTY (Department of Health Database list of consultant specialties)

| Code | Specialty | Code | Specialty |
|-------------|---------------------------------|-------------|-------------------------------|
| 0100 | Cardiology | 2300 | Nephrology |
| 0300 | Dermatology | 2400 | Respiratory Medicine |
| 0400 | Endocrinology | 2500 | Rheumatology |
| 0402 | Diabetes Mellitus | 2600 | General Surgery |
| 0600 | Otolaryngology (ENT) | 2602 | Gastro-Intestinal Surgery |
| 0601 | Paediatric ENT | 2603 | Hepato-Biliary Surgery |
| 0700 | Gastro-Enterology | 2604 | Vascular Surgery |
| 0800 | Genito-Urinary Medicine | 2605 | Breast Surgery |
| 0900 | Geriatric Medicine | 2700 | Infectious Diseases |
| 0902 | Psychogeriatric Medicine | 2702 | Tropical |
| 1100 | Haematology | 2800 | Emergency Department |
| 1102 | Transfusion Medicine | 3000 | Rehabilitation Medicine |
| 1300 | Neurology | 3002 | Spinal Paralysis |
| 1302 | Paediatric Neurology | 5000 | General Medicine |
| 1400 | Neurosurgery | 6000 | Audiological Medicine |
| 1402 | Paediatric Neurosurgery | 6100 | Public Health Medicine |
| 1500 | Obstetrics/Gynaecology | 6200 | Clinical Neurophysiology |
| 1502 | Obstetrics | 6300 | Clinical Pharmacology |
| 1503 | Gynaecology | 6400 | Clinical Physiology |
| 1600 | Oncology | 6500 | G.P. Medicine |
| 1700 | Ophthalmology | 6700 | Clinical (Medical) Genetics |
| 1702 | Neuro-Ophthalmic Surgery | 6800 | Mental Handicap |
| 1703 | Vitro-Retinal Surgery | 6900 | Nuclear Medicine |
| 1800 | Orthopaedics | 7000 | Dental Surgery |
| 1802 | Paediatric Orthopaedic Surgery | 7001 | Oral Surgery |
| 1900 | Paediatrics | 7002 | Orthodontics |
| 1902 | Paediatric Cardiology | 7100 | Occupational Medicine |
| 1903 | Paediatric Oncology | 7200 | Paediatric Surgery |
| 1904 | Neonatology | 7300 | Palliative Medicine |
| 1905 | Paediatric Endocrinology | 7400 | Pathology |
| 1906 | Paediatric Gastro-enterology | 7500 | Radiotherapy |
| 1907 | Paediatric Haematology | 7600 | Cardio-Thoracic Surgery |
| 1908 | Paediatric E.D. Medicine | 7700 | Metabolic Medicine |
| 1909 | Paediatric Infectious Diseases | 7800 | Urology |
| 1910 | Paediatric Metabolic Medicine | 7802 | Renal Transplantation |
| 1911 | Paediatric Nephrology | 7803 | Paediatric Urology |
| 1912 | Paediatric Respiratory Medicine | 7900 | Clinical Immunology |
| 1913 | Perinatal Paediatrics | 8000 | Anaesthetics |
| 1914 | Paediatric Physical Handicap | 8002 | Intensive Care |
| 1915 | Paediatric Dermatology | 8003 | Pain Relief |
| 1916 | Paediatrics Development | 8004 | Paediatric Anaesthetics |
| 2000 | Plastic Surgery | 8300 | General Pathology |
| 2003 | Maxillo-Facial | 8400 | Chemical Pathology |
| 2100 | Psychiatry | 8402 | Paediatric Chemical Pathology |
| 2102 | Child/adolescent Psychiatry | 8500 | Histopathology |
| 2103 | Forensic Psychiatry | 8502 | Neuropathology |
| 2104 | Substance Abuse | 8600 | Biochemistry |
| 2105 | Old Age Psychiatry | 8700 | Cytology |
| 2106 | Rehabilitation Psychiatry | 8800 | Immunology |
| 2200 | Radiology | 8900 | Microbiology |
| 2202 | Paediatric Radiology | 8902 | Virology |
| 2203 | Neuroradiology | | |

WARDIND – Registered Day Ward Indicator

| Code | Description |
|-------------|--------------------|
| 0 | No |
| 1 | Yes |
| 2 | Unknown |

WLIST – Waiting List Indicator

| Code | Description |
|-------------|---|
| 0 | Not NTPF (National Treatment Purchase Fund) |
| 1 | NTPF |

Appendix II – ASCII File Names

| Variable Label | Variable Name | ASCII File Name |
|--|------------------|----------------------------------|
| Admission Date | AdmDate | Date of Admission |
| Admission Weight | ADMWeight | Infant Admission Weight |
| Admitting Consultant | AdmCons | Admitting Consultant |
| Admitting Ward | AdmWard | Admission Ward |
| Age | Age | AGE |
| Age in Weeks | AgeInWeeks | AGE in Weeks |
| Area of Residence | Resid | Area of Residence |
| Australian Refined - Diagnosis Related Group | DRG | DRG (AR-DRG V6.0 or V8.0) |
| Batch Coded | BATCH_CODE_BATCH | Batch Coded |
| Civil Status | MarrStatus | Marital Status |
| Consultant Specialty | Specialty | Specialty |
| Date of Birth | DOB | Date of Birth |
| Date of Discharge | DisDate | Date of Discharge |
| Date of Principal Procedure | ProcDate1 | Date, Principal Procedure |
| Date of procedure sequenced 2nd | ProcDate2 | Date, 2 nd Procedure |
| Date of procedure sequenced 3rd | ProcDate3 | Date, 3 rd Procedure |
| Date of procedure sequenced 4th | ProcDate4 | Date, 4 th Procedure |
| Date of procedure sequenced 5th | ProcDate5 | Date, 5 th Procedure |
| Date of procedure sequenced 6th | ProcDate6 | Date, 6 th Procedure |
| Date of procedure sequenced 7th | ProcDate7 | Date, 7 th Procedure |
| Date of procedure sequenced 8th | ProcDate8 | Date, 8 th Procedure |
| Date of procedure sequenced 9th | ProcDate9 | Date, 9 th Procedure |
| Date of procedure sequenced 10th | ProcDate10 | Date, 10 th Procedure |
| Date of procedure sequenced 11th | ProcDate11 | Date, 11 th Procedure |
| Date of procedure sequenced 12th | ProcDate12 | Date, 12 th Procedure |
| Date of procedure sequenced 13th | ProcDate13 | Date, 13 th Procedure |
| Date of procedure sequenced 14th | ProcDate14 | Date, 14 th Procedure |
| Date of procedure sequenced 15th | ProcDate15 | Date, 15 th Procedure |
| Date of procedure sequenced 16th | ProcDate16 | Date, 16 th Procedure |
| Date of procedure sequenced 17th | ProcDate17 | Date, 17 th Procedure |
| Date of procedure sequenced 18th | ProcDate18 | Date, 18 th Procedure |
| Date of procedure sequenced 19th | ProcDate19 | Date, 19 th Procedure |
| Date of procedure sequenced 20th | ProcDate20 | Date, 20 th Procedure |
| Date of Transfer to Pre-Discharge Unit/Rehab | PDUtransDate | Date of Transfer to PDU |
| Day Case Indicator | IsDayCase | Ward type |
| Day Ward Identifier | DayWard | Day Ward ID |
| Day Ward Indicator | WasInDayWard | Day Ward/Place Indicator |
| Discharge Code | DischargeCode | Type of Discharge |
| Discharge Consultant | DisCons | Discharge Consultant |
| Discharge Specialty | DisConsSpec | Discharge Consultant Specialty |
| Discharge Status | DisStatus | Patient Status on Discharge |
| Discharge Ward | DisWard | Discharge Ward |
| Eircode Routing Key | EIRCODE | Eircode routing key |
| Episode Number | EpisodeNumber | Episode Number |
| Extended Episode Number | ExtEpisodeNumber | Extended Episode Number |
| Health Insurer | healthInsurer | Health Insurer |
| Hospital Acquired Diagnosis 1 | HADx1 | HADX, 1 st Diagnosis |
| Hospital Acquired Diagnosis 2 | HADx2 | HADX, 2 nd Diagnosis |
| Hospital Acquired Diagnosis 3 | HADx3 | HADX, 3 rd Diagnosis |

Appendix II – ASCII File Names (continued)

| Variable Label | Variable Name | ASCII File Name |
|---|---------------------|----------------------------------|
| Hospital Acquired Diagnosis 4 | HADx4 | HADX, 4 th Diagnosis |
| Hospital Acquired Diagnosis 5 | HADx5 | HADX, 5 th Diagnosis |
| Hospital Acquired Diagnosis 6 | HADx6 | HADX, 6 th Diagnosis |
| Hospital Acquired Diagnosis 7 | HADx7 | HADX, 7 th Diagnosis |
| Hospital Acquired Diagnosis 8 | HADx8 | HADX, 8 th Diagnosis |
| Hospital Acquired Diagnosis 9 | HADx9 | HADX, 9 th Diagnosis |
| Hospital Acquired Diagnosis 10 | HADx10 | HADX, 10 th Diagnosis |
| Hospital Acquired Diagnosis 11 | HADx11 | HADX, 11 th Diagnosis |
| Hospital Acquired Diagnosis 12 | HADx12 | HADX, 12 th Diagnosis |
| Hospital Acquired Diagnosis 13 | HADx13 | HADX, 13 th Diagnosis |
| Hospital Acquired Diagnosis 14 | HADx14 | HADX, 14 th Diagnosis |
| Hospital Acquired Diagnosis 15 | HADx15 | HADX, 15 th Diagnosis |
| Hospital Acquired Diagnosis 16 | HADx16 | HADX, 16 th Diagnosis |
| Hospital Acquired Diagnosis 17 | HADx17 | HADX, 17 th Diagnosis |
| Hospital Acquired Diagnosis 18 | HADx18 | HADX, 18 th Diagnosis |
| Hospital Acquired Diagnosis 19 | HADx19 | HADX, 19 th Diagnosis |
| Hospital Acquired Diagnosis 20 | HADx20 | HADX, 20 th Diagnosis |
| Hospital Acquired Diagnosis 21 | HADx21 | HADX, 21 th Diagnosis |
| Hospital Acquired Diagnosis 22 | HADx22 | HADX, 22 th Diagnosis |
| Hospital Acquired Diagnosis 23 | HADx23 | HADX, 23 th Diagnosis |
| Hospital Acquired Diagnosis 24 | HADx24 | HADX, 24 th Diagnosis |
| Hospital Acquired Diagnosis 25 | HADx25 | HADX, 25 th Diagnosis |
| Hospital Acquired Diagnosis 26 | HADx26 | HADX, 26 th Diagnosis |
| Hospital Acquired Diagnosis 27 | HADx27 | HADX, 27 th Diagnosis |
| Hospital Acquired Diagnosis 28 | HADx28 | HADX, 28 th Diagnosis |
| Hospital Acquired Diagnosis 29 | HADx29 | HADX, 29 th Diagnosis |
| Hospital Acquired Diagnosis 30 | HADx30 | HADX, 30 th Diagnosis |
| Hospital Number | Hospital | Hospital Code |
| Intensive Care Consultant 1 | ICUcons1 | ICU Consultant 1 |
| Hours of Continuous Ventilatory Support (CVS) | CVS | Hours of CVS |
| Intensive Care Consultant 2 | ICUcons2 | ICU Consultant 2 |
| Intensive Care Consultant 3 | ICUcons3 | ICU Consultant 3 |
| Intensive Care Consultant 4 | ICUcons4 | ICU Consultant 4 |
| Intensive Care Consultant 5 | ICUcons5 | ICU Consultant 5 |
| Intensive Care Consultant 6 | ICUcons6 | ICU Consultant 6 |
| Intensive Care Consultant 7 | ICUcons7 | ICU Consultant 7 |
| Intensive Care Consultant 8 | ICUcons8 | ICU Consultant 8 |
| Intensive Care Consultant 9 | ICUcons9 | ICU Consultant 9 |
| Intensive Care Consultant 10 | ICUcons10 | ICU Consultant 10 |
| Last Changed Date/Time | codedDate | Last Changed Date/Time |
| Length of Stay | LOS | LOS |
| Major Diagnostic Category (MDC) | MDC | MDC (AR-DRG V6.0 or V8.0) |
| Medical Card | HasMedCard | Full Eligibility |
| Medical Discharge Date/Medically Fit for Discharge Date | MEDDISDATE | Medical Discharge Date |
| Medical Record Number | MRN | Medical Record Number |
| Mode of Emergency Admission | EMADM | Mode of Emergency Admission |
| Non Acute Length of Stay: Temporary Leave Days | TLdays | Temporary Leave Days |
| Number of Days in a Critical Care Bed | CriticalCareBedDays | Critical Care Bed Days |

Appendix II – ASCII File Names (continued)

| Variable Label | Variable Name | ASCII File Name |
|---|-----------------|--|
| Number of Days in Intensive Care Environment | ITUdays | ITU Length of stay |
| Number of Days in Intensive Care Environment Single Occupancy | ITUDaysSingle | ITU Days Single |
| Number of Days in Intensive Care Environment Multiple Occupancy | ITUDaysMulti | ITU Days Multiple |
| Number of Nights in an ED Virtual Ward | vWardBedDays | Nights in a virtual ward |
| Parity: Live births | LiveBirths | Live Births |
| Parity: Still births | Stillbirths | Still Births |
| Patient's name | FullName | Not applicable as not populated on national file |
| Primary Consultant | PrimaryCons | Primary Consultant |
| Principal Diagnosis | Diag1 | Principal Diagnosis |
| Principal Diagnosis Consultant | DiagCons1 | Consultant, Principal diagnosis |
| Principal Procedure | Proc1 | Principal procedure |
| Principal Procedure Anaesthetist | AnaCons1 | Anaesthetist Consultant 1 |
| Principal Procedure Consultant | ProcCons1 | Consultant, Principal procedure |
| Private Bed | PrivDays | Private Length of Stay |
| Private Bed Single Occupancy | PrivDaysSingle | Private Days Single |
| Private Bed Multiple Occupancy | PrivDaysMulti | Private Days Multiple |
| Public Bed | PubDays | Public Length of stay |
| Public Bed Single Occupancy | PubDaysSingle | Pub Days Single |
| Public Bed Multiple Occupancy | PubDaysMulti | Pub Days Multiple |
| Semi Private Bed | SemiPrivDays | Semi Private Length of stay |
| Semi Private Bed Single Occupancy | SPrivDaysSingle | Semi Private Days Single |
| Semi Private Bed Multiple Occupancy | SPrivDaysMulti | Semi Private Days Multiple |
| Sex | Sex | Sex |
| Source of Admission | AdmSource | Source of Admission |
| Time of Admission | admTime | Admission time |
| Time of Discharge | disTime | Discharge time |
| Transfer Admission Status | TransAdmStatus | Transfer Admission Status |
| Transfer Hospital: From | TransInHosp | Transfer Hospital in |
| Transfer Hospital: To | TransOutHosp | Transfer Hospital out |
| Type of Admission | AdmType | Type of Admission |
| Type of Elective Admission | ElectiveType | Elective Type |
| Waiting List Indicator | Wlist | Waiting List Indicator |
| 1st Additional Diagnosis | DIAG2 | 2 nd Diagnosis |
| 1st Additional Diagnosis Consultant | DIAGCONS2 | Consultant, 2 nd diagnosis |
| 1st Additional Procedure | PROC2 | 2 nd procedure |
| 1st Additional Procedure Anaesthetist | AnaCons2 | Anaesthetist Consultant 2 |
| 1st Additional Procedure Consultant | PROCCONS2 | Consultant, 2 nd procedure |
| 2nd Additional Diagnosis | DIAG3 | 3 rd Diagnosis |
| 2nd Additional Diagnosis Consultant | DIAGCONS3 | Consultant, 3 rd diagnosis |
| 2nd Additional Procedure | PROC3 | 3 rd procedure |
| 2nd Additional Procedure Anaesthetist | AnaCons3 | Anaesthetist Consultant 3 |
| 2nd Additional Procedure Consultant | PROCCONS3 | Consultant, 3 rd procedure |
| 3rd Additional Diagnosis | DIAG4 | 4 th Diagnosis |
| 3rd Additional Diagnosis Consultant | DIAGCONS4 | Consultant, 4 th diagnosis |
| 3rd Additional Procedure | PROC4 | 4 th procedure |
| 3rd Additional Procedure Anaesthetist | AnaCons4 | Anaesthetist Consultant 4 |
| 3rd Additional Procedure Consultant | PROCCONS4 | Consultant, 4 th procedure |
| 4th Additional Diagnosis | DIAG5 | 5 th Diagnosis |

Appendix II – ASCII File Names (continued)

| Variable Label | Variable Name | ASCII File Name |
|--|----------------------|--|
| 4th Additional Diagnosis Consultant | DIAGCONS5 | Consultant, 5 th diagnosis |
| 4th Additional Procedure | PROC5 | 5 th procedure |
| 4th Additional Procedure Anaesthetist | AnaCons5 | Anaesthetist Consultant 5 |
| 4th Additional Procedure Consultant | PROCCONS5 | Consultant, 5 th procedure |
| 5th Additional Diagnosis | DIAG6 | 6 th Diagnosis |
| 5th Additional Diagnosis Consultant | DIAGCONS6 | Consultant, 6 th diagnosis |
| 5th Additional Procedure | PROC6 | 6 th procedure |
| 5th Additional Procedure Anaesthetist | AnaCons6 | Anaesthetist Consultant 6 |
| 5th Additional Procedure Consultant | PROCCONS6 | Consultant, 6 th procedure |
| 6th Additional Diagnosis | DIAG7 | 7 th Diagnosis |
| 6th Additional Diagnosis Consultant | DIAGCONS7 | Consultant, 7 th diagnosis |
| 6th Additional Procedure | PROC7 | 7 th procedure |
| 6th Additional Procedure Anaesthetist | AnaCons7 | Anaesthetist Consultant 7 |
| 6th Additional Procedure Consultant | PROCCONS7 | Consultant, 7 th procedure |
| 7th Additional Diagnosis | DIAG8 | 8 th Diagnosis |
| 7th Additional Diagnosis Consultant | DIAGCONS8 | Consultant, 8 th diagnosis |
| 7th Additional Procedure | PROC8 | 8 th procedure |
| 7th Additional Procedure Anaesthetist | AnaCons8 | Anaesthetist Consultant 8 |
| 7th Additional Procedure Consultant | PROCCONS8 | Consultant, 8 th procedure |
| 8th Additional Diagnosis | DIAG9 | 9 th Diagnosis |
| 8th Additional Diagnosis Consultant | DIAGCONS9 | Consultant, 9 th diagnosis |
| 8th Additional Procedure | PROC9 | 9 th procedure |
| 8th Additional Procedure Anaesthetist | AnaCons9 | Anaesthetist Consultant 9 |
| 8th Additional Procedure Consultant | PROCCONS9 | Consultant, 9 th procedure |
| 9th Additional Diagnosis | DIAG10 | 10 th Diagnosis |
| 9th Additional Diagnosis Consultant | DIAGCONS10 | Consultant, 10 th diagnosis |
| 9th Additional Procedure | PROC10 | 10 th procedure |
| 9th Additional Procedure Anaesthetist | AnaCons10 | Anaesthetist Consultant 10 |
| 9th Additional Procedure Consultant | PROCCONS10 | Consultant, 10 th procedure |
| 10th Additional Diagnosis | DIAG11 | 11 th Diagnosis |
| 10th Additional Diagnosis Consultant | DIAGCONS11 | Consultant, 11 th diagnosis |
| 10th Additional Procedure | PROC11 | 11 th procedure |
| 10th Additional Procedure Anaesthetist | AnaCons11 | Anaesthetist Consultant 11 |
| 10th Additional Procedure Consultant | PROCCONS11 | Consultant, 11 th procedure |
| 11th Additional Diagnosis | DIAG12 | 12 th Diagnosis |
| 11th Additional Diagnosis Consultant | DIAGCONS12 | Consultant, 12 th diagnosis |
| 11th Additional Procedure | PROC12 | 12 th procedure |
| 11th Additional Procedure Anaesthetist | AnaCons12 | Anaesthetist Consultant 12 |
| 11th Additional Procedure Consultant | PROCCONS12 | Consultant, 12 th procedure |
| 12th Additional Diagnosis | DIAG13 | 13 th Diagnosis |
| 12th Additional Diagnosis Consultant | DIAGCONS13 | Consultant, 13 th diagnosis |
| 12th Additional Procedure | PROC13 | 13 th procedure |
| 12th Additional Procedure Anaesthetist | AnaCons13 | Anaesthetist Consultant 13 |
| 12th Additional Procedure Consultant | PROCCONS13 | Consultant, 13 th procedure |
| 13th Additional Diagnosis | DIAG14 | 14 th Diagnosis |
| 13th Additional Diagnosis Consultant | DIAGCONS14 | Consultant, 14 th diagnosis |
| 13th Additional Procedure | PROC14 | 14 th procedure |
| 13th Additional Procedure Anaesthetist | AnaCons14 | Anaesthetist Consultant 14 |
| 13th Additional Procedure Consultant | PROCCONS14 | Consultant, 14 th procedure |
| 14th Additional Diagnosis | DIAG15 | 15 th Diagnosis |

Appendix II – ASCII File Names (continued)

| Variable Label | Variable Name | ASCII File Name |
|--|---------------|--|
| 14th Additional Diagnosis Consultant | DIAGCONS15 | Consultant, 15 th diagnosis |
| 14th Additional Procedure | PROC15 | 15 th procedure |
| 14th Additional Procedure Anaesthetist | AnaCons15 | Anaesthetist Consultant 15 |
| 14th Additional Procedure Consultant | PROCCONS15 | Consultant, 15 th procedure |
| 15th Additional Diagnosis | DIAG16 | 16 th Diagnosis |
| 15th Additional Diagnosis Consultant | DIAGCONS16 | Consultant, 16 th diagnosis |
| 15th Additional Procedure | PROC16 | 16 th procedure |
| 15th Additional Procedure Anaesthetist | AnaCons16 | Anaesthetist Consultant 16 |
| 15th Additional Procedure Consultant | PROCCONS16 | Consultant, 16 th procedure |
| 16th Additional Diagnosis | DIAG17 | 17 th Diagnosis |
| 16th Additional Diagnosis Consultant | DIAGCONS17 | Consultant, 17 th diagnosis |
| 16th Additional Procedure | PROC17 | 17 th procedure |
| 16th Additional Procedure Anaesthetist | AnaCons17 | Anaesthetist Consultant 17 |
| 16th Additional Procedure Consultant | PROCCONS17 | Consultant, 17 th procedure |
| 17th Additional Diagnosis | DIAG18 | 18 th Diagnosis |
| 17th Additional Diagnosis Consultant | DIAGCONS18 | Consultant, 18 th diagnosis |
| 17th Additional Procedure | PROC18 | 18 th procedure |
| 17th Additional Procedure Anaesthetist | AnaCons18 | Anaesthetist Consultant 18 |
| 17th Additional Procedure Consultant | PROCCONS18 | Consultant, 18 th procedure |
| 18th Additional Diagnosis | DIAG19 | 19 th Diagnosis |
| 18th Additional Diagnosis Consultant | DIAGCONS19 | Consultant, 19 th diagnosis |
| 18th Additional Procedure | PROC19 | 19 th procedure |
| 18th Additional Procedure Anaesthetist | AnaCons19 | Anaesthetist Consultant 19 |
| 18th Additional Procedure Consultant | PROCCONS19 | Consultant, 19 th procedure |
| 19th Additional Diagnosis | DIAG20 | 20 th Diagnosis |
| 19th Additional Diagnosis Consultant | DIAGCONS20 | Consultant, 20 th diagnosis |
| 19th Additional Procedure | PROC20 | 20 th procedure |
| 19th Additional Procedure Anaesthetist | AnaCons20 | Anaesthetist Consultant 20 |
| 19th Additional Procedure Consultant | PROCCONS20 | Consultant, 20 th procedure |
| 20th Additional Diagnosis | DIAG21 | 21 st Diagnosis |
| 20th Additional Diagnosis Consultant | DIAGCONS21 | Consultant, 21 st diagnosis |
| 21st Additional Diagnosis | DIAG22 | 22 nd Diagnosis |
| 21st Additional Diagnosis Consultant | DIAGCONS22 | Consultant, 22 nd diagnosis |
| 22nd Additional Diagnosis | DIAG23 | 23 rd Diagnosis |
| 22nd Additional Diagnosis Consultant | DIAGCONS23 | Consultant, 23 rd diagnosis |
| 23rd Additional Diagnosis | DIAG24 | 24 th Diagnosis |
| 23rd Additional Diagnosis Consultant | DIAGCONS24 | Consultant, 24 th diagnosis |
| 24th Additional Diagnosis | DIAG25 | 25 th Diagnosis |
| 24th Additional Diagnosis Consultant | DIAGCONS25 | Consultant, 25 th diagnosis |
| 25th Additional Diagnosis | DIAG26 | 26 th Diagnosis |
| 25th Additional Diagnosis Consultant | DIAGCONS26 | Consultant, 26 th diagnosis |
| 26th Additional Diagnosis | DIAG27 | 27 th Diagnosis |
| 26th Additional Diagnosis Consultant | DIAGCONS27 | Consultant, 27 th diagnosis |
| 27th Additional Diagnosis | DIAG28 | 28 th Diagnosis |
| 27th Additional Diagnosis Consultant | DIAGCONS28 | Consultant, 28 th diagnosis |
| 28th Additional Diagnosis | DIAG29 | 29 th Diagnosis |
| 28th Additional Diagnosis Consultant | DIAGCONS29 | Consultant, 29 th diagnosis |
| 29th Additional Diagnosis | DIAG30 | 30 th Diagnosis |
| 29th Additional Diagnosis Consultant | DIAGCONS30 | Consultant, 30 th diagnosis |

Appendix III - Classifications

Coding Classification

[ICD-10-AM / ACHI / ACS](#)

Casemix Classification

[Australian Refined Diagnosis Related Groups \(AR-DRGs\)](#)

Appendix IV- Abbreviations

| | |
|------------------|---|
| Adm | Admission |
| ACHI | Australian Classification of Health Interventions |
| ACS | Australian Coding Standards |
| AMAU | Acute Medical Assessment Unit |
| ASAU | Acute Surgical Assessment Unit |
| AR-DRG | Australian Refined Diagnosis Related Group |
| CVS | Continuous Ventilatory Support |
| DoH | Department of Health |
| DRG | Diagnosis Related Group |
| ED | Emergency Department |
| ESRI | Economic and Social Research Institute |
| HIPE | Hospital In-Patient Enquiry |
| HRID | Health Research and Information Division |
| HSE | Health Service Executive |
| HPO | Healthcare Pricing Office |
| ICD-10-AM | Tenth Revision of the International Classification of Diseases, Australian Modification |
| ICS | Irish Coding Standard |
| LOS | Length of Stay |
| MAU | Medical Assessment Unit |
| MDC | Major Diagnostic Category |
| NA | Not available |
| N/A | Not applicable |
| NPRS | National Perinatal Reporting System |
| NTPF | National Treatment Purchase Fund |
| PAS | Patient Administration System |

Appendix V – HIPE Source Documents

[HIPE Discharge Summary Sheet](#)

[Instruction Manual](#)

[Irish Coding Standards](#)

Appendix VI - Organisations

[Department of Health](#)

[Health Service Executive](#)

[Healthcare Pricing Office](#)

